EIGHTEENTH ANNUAL REPORT
ON
BIRTHS, MARRIAGES, DIVORCES, AND DEATHS,
IN THE
STATE OF MAINE

1909

GENEAL DEPT

Digitized by the Internet Archive
in 2012

http://archive.org/details/annualreportupon1909main

GEN

ALLEN COUNTY PUBLIC LIBRARY
3 1833 01816 9745

GENEALOGY
974.1
M284M,
1909

EIGHTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1909

AUGUSTA
KENNEBEC JOURNAL PRINT
1910

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, MAINE, July 29, 1910.

To his Excellency, Bert M. Fernald, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Eighteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1909.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1909.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1909.

The number of births registered in that year is 179 less than in the preceding year. The number of births recorded in each of the registration years 1892-1909 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, and 16,735, respectively.

The number of marriages (number of couples married) in 1909 was 6,011, 107 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1909 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, 5,904, and 6,011.

The number of deaths recorded in the State for the same year was 11,295, a number 369 less than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; and in 1909, 11,295.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Population.—The population of the State of Maine in 1900, as given by the twelfth census was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1909.

TABLE No. 1.

Population in 1890 and 1900, and Estimated Population for 1909.

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1909.
Androscoggin	48,968	54,242	58,985
Aroostook	49,589	60,744	70,779
Cumberland	90,949	100,689	109,455
Franklin	17,053	18,444	19,695
Hancock	37,312	37,241	37,241
Kennebec	57,012	59,117	61,007
Knox	31,473	30,406	30,406
Lincoln	21,996	19,669	19,669
Oxford	30,586	32,238	33,723
Penobscot	72,865	76,246	79,331
Piscataquis	16,134	16,949	17,678
Sagadahoc	19,452	20,330	21,122
Somerset	32,627	33,849	34,947
Waldo	27,759	24,185	24,185
Washington	44,482	45,232	45,907
York	62,829	64,885	66,739
Total	661,086	694,466	730,869

TABLE No. 2.

Births, Marriages and Deaths, 1901–1909.

State.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Number of births	14,021	14,508	14,453	14,673	15,294	15,878	15,914	16,173	16,060
Number of marriages	5,735	5,905	6,200	6,208	6,264	6,498	6,380	5,904	6,011
Number of deaths	11,133	10,673	11,009	11,346	11,381	11,427	11,803	11,664	11,295
Birth-rate	20.19	20.89	20.81	21.13	21.40	22.09	22.02	22.25	21.97
Marriage-rate	8.26	8.50	8.93	8.94	8.76	9.04	8.83	8.12	8.22
Death-rate	16.03	15.37	15.85	16.34	15.92	15.90	16.33	16.05	15.45

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1909, excepting Tables No. 6 and 7.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 3.

Estimated Population for 1909, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1909.

COUNTIES.	Estimated population for 1909.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin	58,985	1,205	20.43	451	7.65	899	15.24
Aroostook	70,779	2,374	33.54	646	9.13	926	13.08
Cumberland	109,455	2,263	20.68	916	8.37	1,790	16.35
Franklin	19,695	418	21.22	179	9.09	272	13.81
Hancock	37,241	740	19.87	265	7.12	529	14.21
Kennebec	61,007	1,259	20.64	545	8.94	1,088	17.83
Knox	30,406	438	14.40	225	7.40	464	15.26
Lincoln	19,669	314	15.96	138	7.02	303	15.40
Oxford	33,723	864	25.62	325	9.64	540	16.01
Penobscot	79,331	1,770	22.31	718	9.05	1,309	16.50
Piscataquis	17,678	383	21.67	153	8.65	272	1.539
Sagadahoc	21,122	360	17.04	139	6.58	290	13.73
Somerset	34,947	735	21.03	323	9.24	471	13.48
Waldo	24,185	366	15.13	186	7.69	386	15.96
Washington	45,907	999	21.76	310	6.75	630	13.72
York	66,739	1,572	23.55	492	7.37	1 126	16.87
State	730,869	16,060	21.97	6,011	8.22	11.29 5	15.45

The following is a general summary of the births, marriages, and deaths in 1909:

BIRTHS.

Sex.		Parentage.	
Males	8,208	American	9,678
Females	7,845	Foreign	3,274
Not stated	7	One parent foreign	2,920
	16,060	Not stated	188
			16,060

Whole number of births	16,060
Birth-rate per 1,000	21.97

MARRIAGES.

Groom and bride American	4,313
Groom and bride foreign	630
Groom American, bride foreign	491
Groom foreign, bride American	557
Not stated	20
Whole number of marriages	6,011
Marriage-rate per 1,000	8.22

DEATHS.

Sex.		Nativity.	
Males	5,743	American	9,600
Females	5,551	Foreign	1,564
Not stated	1	Not stated	131
	11,295		11,295

Whole number of deaths	11,295
Death-rate per 1,000	15.45

Relation of Births to Deaths:—As the total number of births registered in Maine in the year 1909 was 16,735, and the number of deaths was 11,295, the natural increase of births over deaths was 5,440.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice-versa:

TABLE No. 4.

Counties.	Estimated population for 1009.	Births.	Deaths.	Difference.
Androscoggin	58,985	1,205	899	306 gain
Aroostook	70,779	2,374	926	1,448 gain
Cumberland	109,455	2,263	1,790	473 gain
Franklin	19,695	418	272	146 gain
Hancock	37,241	740	529	211 gain
Kennebec	61,007	1,259	1,088	171 gain
Knox	30,406	438	464	26 loss
Lincoln	19,669	314	303	11 gain
Oxford	33,723	864	540	314 gain
Penobscot	79,331	1,770	1,309	461 gain
Piscataquis	17,678	383	272	111 gain
Sagadahoc	21,122	360	290	70 gain
Somerset	34,947	735	471	264 gain
Waldo	24,185	366	386	20 loss
Washington	45,907	999	630	369 gain
York	66,739	1,572	1,126	446 gain
State	730,869	16,060	11,295	4,765 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. The discrepancy in the death-rate in the cities which may be noted in comparing this table with Table No. 6 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 6 the death-rates are per 1,000 of population as shown by the census of 1900.

TABLE No. 5.

Cities.	Population in 1900.	Estimated population for 1909.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn	12,951	14,481	258	211	47 gain	17.82	14.57
Augusta	11,683	12,775	272	301	29 loss	21.29	*16.07
Bangor	21,850	24,325	371	454	83 loss	15.25	*15.87
Bath	10,577	12,052	205	130	75 gain	17.01	10.79
Belfast	4,615	5,250	79	88	9 loss	15.05	16.76
Biddeford	16,145	17,715	545	321	224 gain	30.76	18.12
Brewer	4,835	5,411	154	75	79 gain	28.46	13.86
Calais	7,655	7,982	148	113	35 gain	18.54	14.16
Eastport	5,311	5,673	105	80	25 gain	18.51	14.10
Ellsworth	4,297	4,297	59	60	1 loss	13.73	13.96
Gardiner	5,501	5,510	93	82	11 gain	16.88	14.88
Hallowell	2,714	2,714	52	44	8 gain	19.16	16.21
Lewiston	23,761	25,615	596	451	145 gain	23.27	*15.54
Old Town	5,763	6,168	173	97	76 gain	28.05	15.73
Portland	50,145	58,211	1,220	1,003	217 gain	20.96	*15.91
Rockland	8,150	8,150	126	140	14 loss	15.46	17.18
Saco	6,122	6,166	99	111	12 loss	16.06	18.00
South Portland	6,287	6,287	141	96	45 gain	22.43	15.27
Waterville	9,477	11,510	314	155	159 gain	27.28	13.47
Westbrook	7,283	7,868	184	116	68 gain	23.39	14.74
Total	225,022	248,160	5,194	4,128	1,066 gain	20.93	16.63

* Deaths of non-residents in public institutions; Augusta, 92; Bangor, 68; Lewiston; 53; Portland, 77; deducted from total in estimating death-rate.

TABLE

Births, Marriages, and Deaths

ANDROSCOGGIN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	109	149	-	258	19.93	110	88	32	27	1
Durham	1,230	26	19	-	45	36.59	29	9	4	2	1
East Livermore	2,129	31	32	-	63	29.59	37	16	7	2	1
Greene	826	9	8	-	17	20.58	15	-	2	-	-
Leeds	1,065	17	10	-	27	25.35	26	1	-	-	-
Lewiston	23,761	293	303	-	596	25.08	146	294	77	76	3
Lisbon	3,603	41	28	-	69	19.15	25	24	10	8	2
Livermore	1,125	17	11	-	28	24.89	23	1	2	2	-
Mechanic Falls	1,687	12	15	-	27	16.00	22	1	-	4	-
Minot	808	7	6	-	13	16.09	11	1	1	-	-
Poland	1,648	10	3	-	13	7.89	13	-	-	-	-
Turner	1,842	12	11	-	23	12.49	22	-	-	1	-
Wales	436	5	4		9	20.64	7	1	-	1	-
Webster	1,131	9	8	-	17	15.03	12	3	1	1	-
Total	54,242	598	607	-	1,205	22 22	498	439	136	124	8

No. 6.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
86	6	9	15	–	116	107	104	–	211	178	32	1	16.29
6	–	–	–	–	6	10	13	–	23	18	5	–	18.70
16	4	–	3	–	23	12	13	–	25	23	2	–	11.74
6	1	–	–	–	7	6	5	–	11	10	1	–	13.32
7	–	–	–	–	7	10	6	–	16	16	–	–	15.02
69	69	33	29	2	202	229	222	–	451	306	138	7	18.98
19	11	2	2	–	34	17	20	–	37	29	8	–	10.27
3	–	–	2	–	5	5	7	–	12	10	2	–	10.67
13	–	1	2	–	16	14	13	–	27	26	1	–	16.00
9	–	–	–	–	9	6	5	–	11	9	2	–	13.62
8	–	1	1	–	10	18	14	–	32	29	2	1	19.42
9	–	–	–	–	9	10	14	–	24	23	1	–	13.03
2	–	–	–	–	2	2	3	–	5	5	–	–	11.47
5	–	–	–	–	5	10	4	–	14	12	2	–	12.38
258	91	46	54	2	451	456	443	–	899	694	196	9	16.57

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	9	4	–	13	32.18	9	–	1	3	–
Ashland	1,080	23	31	–	54	50.00	33	7	8	5	1
Bancroft	318	3	9	–	12	37.74	3	2	5	2	–
Benedicta	350	6	6	–	12	34.29	9	–	–	3	–
Blaine	954	25	16	–	41	42.98	15	7	5	14	–
Bridgewater	1,179	19	8	–	27	22.90	9	8	4	6	–
Caribou	4,758	103	102	–	205	43.08	100	38	42	25	–
Castle Hill	567	6	12	–	18	31.75	14	–	1	3	–
Crystal	370	8	4	–	12	32.43	7	–	3	1	1
Dyer Brook	280	3	3	–	6	21.43	4	–	2	–	–
Easton	1,215	15	20	–	35	28.81	14	7	6	8	–
Fort Fairfield	4,181	70	76	–	146	34.92	50	34	26	30	6
Fort Kent	2,528	88	79	–	167	66.06	123	11	19	14	–
Frenchville	1,316	31	28	–	59	44.83	58	–	1	–	–
Grand Isle	1,104	12	13	–	25	22.64	19	2	2	2	–
Haynesville	316	3	4	–	7	22.15	6	–	–	1	–
Hersey	199	8	1	–	9	45.23	9	–	–	–	–
Hodgdon	1,130	17	8	–	25	22.12	12	3	4	6	–
Houlton	4,686	79	52	–	131	27.96	44	37	24	23	3
Island Falls	1,063	20	23	–	43	40.45	23	9	5	5	1
Limestone	1,131	32	34	–	66	58.36	25	16	8	16	1
Linneus	834	14	11	–	25	29.98	13	4	5	3	–
Littleton	956	22	20	–	42	43.93	12	10	6	14	–
Ludlow	394	7	4	–	11	27.92	3	2	3	3	–
Madawaska	1,698	33	33	–	66	38.87	58	–	–	8	–
Mapleton	853	9	8	–	17	19.93	14	–	–	2	1

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
2	–	–	–	–	2	5	1	–	6	4	2	–	14.85
20	–	1	3	–	24	5	1	–	6	4	2	–	5.56
1	–	1	1	–	3	2	2	–	4	3	1	–	12.57
2	–	–	–	–	2	2	5	–	7	6	1	–	20.00
6	1	1	4	–	12	7	4	–	11	9	2	–	11.53
3	4	2	–	–	9	5	7	–	12	8	4	–	10.18
33	3	10	12	–	58	31	35	–	66	51	15	–	13.87
4	–	–	1	–	5	6	1	–	7	7	–	–	12.35
3	–	–	–	–	3	6	5	–	11	10	1	–	29.72
5	–	–	1	–	6	1	3	–	4	4	–	–	14.29
7	2	2	2	–	13	7	9	–	16	11	5	–	13.17
18	3	8	5	–	34	12	14	–	26	21	5	–	6.22
28	2	3	3	–	36	26	34	–	60	50	10	–	23.73
8	1	–	3	–	12	11	11	–	22	20	2	–	16.72
9	–	–	–	–	9	14	15	–	29	26	3	–	26.27
4	–	–	–	–	4	2	2	–	4	2	2	–	12.66
2	–	–	–	–	2	–	1	–	1	–	1	–	5.00
2	–	1	1	–	4	5	5	–	10	6	4	–	8.85
20	7	10	10	–	47	53	37	–	90	50	40	–	19.21
8	1	–	4	–	13	11	11	–	22	16	6	–	20.70
6	3	2	1	–	12	8	9	–	17	13	4	–	15.03
6	–	–	–	–	6	7	7	–	14	11	3	–	16.79
1	1	1	3	–	6	7	3	–	10	5	5	–	10.46
–	1	–	–	–	1	2	4	–	6	4	2	–	15.23
12	–	–	–	–	12	13	7	–	20	17	3	–	11.78
9	–	1	–	–	10	3	3	–	6	5	–	1	7.03

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	1,183	21	31	-	52	43.96	20	10	11	11	-
Masardis	438	13	11	-	24	54.79	16	1	3	4	-
Monticello	1,332	27	24	-	51	38.29	19	12	10	10	-
New Limerick	600	11	3	-	14	23.34	8	2	4	-	-
New Sweden	867	15	9	-	24	27.68	5	11	4	4	-
Oakfield	860	12	10	-	22	25.58	12	1	8	1	-
Orient	208	4	2	-	6	28.85	2	1	-	3	-
Perham	580	11	6	-	17	29.31	14	1	-	2	-
Portage Lake	241	6	4	-	10	41.49	8	1	1	-	-
Presque Isle	3,804	76	66	-	142	37.33	75	19	29	18	1
St. Agatha	1,396	46	37	-	83	59.46	80	1	2	-	-
Sherman	980	22	7	-	29	29.59	24	1	4	-	-
Smyrna	411	10	2	-	12	29.20	5	1	5	1	-
Van Buren	1,878	69	61	-	130	69.22	67	26	18	19	-
Washburn	1,225	18	22	-	40	32.65	29	1	4	6	-
Westfield	259	11	7	1	19	73.36	7	5	3	4	-
Weston	367	4	8	-	12	32.70	4	1	2	5	-
Woodland	1,096	12	12	-	24	21.90	9	5	5	4	1
Allagash Pl.	190	-	-	-	-	-	-	-	-	-	-
Cary Pl.	400	5	6	-	11	27.50	5	-	1	4	1
Caswell Pl.	368	18	9	-	27	73.37	11	2	8	6	-
Chapman Pl.	285	4	11	-	15	52.63	10	-	4	1	-
Connor Pl.	453	7	3	-	10	22.08	7	1	2	-	-
Cyr Pl.	502	7	11	-	18	35.86	11	1	2	4	-
E Pl.	44	2	2	-	4	90.91	1	-	2	1	-
Eagle Lake Pl.	406	28	27	-	55	135.47	33	7	12	3	-

No. 6—Continued.

for the Year 1909.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
3	2	5	2	-	12	10	2	-	12	7	5	-	10.14
2	-	-	1	-	3	3	3	-	6	5	1	-	13.70
4	2	2	3	-	11	8	3	-	11	9	2	-	8.26
2	-	-	-	-	2	6	1	-	7	5	2	-	11.67
3	4	3	1	-	11	6	6	-	12	5	7	-	13.84
7	-	-	-	-	7	5	3	-	8	6	2	-	9.30
1	-	-	-	-	1	1	2	-	3	2	1	-	14.42
4	-	2	-	-	6	5	4	-	9	6	3	-	15.52
2	-	-	2	-	4	1	1	-	2	2	-	-	8.30
21	9	9	8	-	47	33	25	-	58	43	13	2	15.25
24	-	-	2	-	26	23	21	-	44	42	2	-	31.52
5	-	-	1	-	6	6	5	-	11	9	1	1	11.22
1	-	1	1	-	3	5	3	-	8	3	4	1	19.46
20	-	2	4	-	26	34	22	-	56	45	11	-	29.82
10	1	3	2	-	16	10	7	-	17	11	5	1	13.87
2	1	-	1	-	4	2	3	1	6	4	2	-	23.17
2	-	-	-	-	2	5	2	-	7	4	3	-	19.07
2	2	2	2	-	8	7	7	-	14	10	3	1	12.77
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	1	-	-	2	2	2	-	4	3	1	-	10.00
-	-	1	3	-	4	5	3	-	8	7	1	-	21.74
5	1	-	1	-	7	1	1	-	2	2	-	-	7.02
8	-	-	-	-	8	1	3	-	4	4	-	-	8.83
1	-	-	1	-	2	4	7	-	11	8	3	-	21.91
-	-	-	1	-	1	1	1	-	2	2	-	-	45.45
16	-	2	2	-	20	22	12	-	34	28	6	-	83.74

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Garfield Pl.	111	1	1	–	2	18.02	2	–	–	–	–
Glenwood Pl.	178	1	2	–	3	16.85	3	–	–	–	–
Hamlin Pl.	574	16	9	–	25	43.55	11	2	1	11	–
Hammond Pl.	116	1	1	–	2	17.24	1	–	–	–	1
Macwahoc Pl.	153	3	3	–	6	39.22	5	–	1	–	–
Merrill Pl.	298	6	6	–	12	40.27	10	–	–	2	–
Moro Pl.	217	4	6	–	10	46.08	7	–	1	2	–
Nashville Pl.	32	–	1	–	1	31.25	1	–	–	–	–
New Canada Pl.	419	4	6	–	10	23.87	8	1	–	1	–
Oxbow Pl.	153	3	1	–	4	26.14	3	–	1	–	–
Reed Pl.	399	19	8	–	27	67.67	15	5	4	3	–
St. Francis Pl.	568	20	13	–	33	58.09	25	–	3	5	–
St. John Pl.	371	3	5	–	8	21.56	6	–	–	2	–
Silver Ridge Pl.	168	2	2	–	4	23.81	3	–	–	1	–
Stockholm Pl.	191	16	15	–	31	162.30	14	11	4	2	–
Wade Pl.	271	9	2	–	11	40.59	8	–	3	–	–
Wallagrass Pl.	784	19	23	–	42	53.57	33	2	4	2	1
Westmanland Pl.	100	2	3	–	5	50.00	2	3	–	–	–
Winterville Pl.	124	4	7	–	11	88.71	8	2	1	–	–
No. 8, R. 4	111	1	–	–	1	9.01	–	–	1	–	–
Molunkus	–	–	1	–	1	–	1	–	–	–	–
Total	*59,585	1,258	1,115	1	2,374	39.84	1,334	334	348	339	19

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1909.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	–	–	–	–	1	1	–	–	1	1	–	–	9.01
1	–	1	–	–	2	–	1	–	1	–	–	1	5.62
2	–	1	1	–	4	3	5	–	8	7	1	–	13.94
1	–	–	–	–	1	–	1	–	1	–	1	–	8.62
–	–	–	–	–	–	1	–	–	1	1	–	–	6.54
2	–	–	–	–	2	2	4	–	6	5	1	–	20.13
2	–	–	–	–	2	3	2	–	5	4	1	–	23.04
–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	2	–	6	4	6	–	10	10	–	–	23.87
–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	2	–	5	6	2	–	8	3	5	–	20.05
5	–	1	3	–	9	9	4	–	13	9	4	–	22.89
3	1	1	1	–	6	2	3	–	5	5	–	–	13.48
1	–	–	–	–	1	1	–	–	1	1	–	–	5.95
2	3	2	–	–	7	3	2	–	5	3	2	–	26.17
–	–	–	3	–	3	–	–	–	–	–	–	–	–
6	–	–	–	–	6	8	6	–	14	14	–	–	17.86
1	–	1	–	–	2	–	–	–	–	–	–	–	–
3	–	–	–	–	3	1	1	–	2	2	–	–	16.13
–	–	–	–	–	–	1	–	–	1	1	–	–	9.01
1	–	–	–	–	1	1	–	–	1	1	–	–	–
404	55	83	104	–	646	503	422	1	926	702	216	8	15.54

TABLE

Births, Marriages and Deaths

CUMBERLAND

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	821	10	13	-	23	28.01	22	-	-	-	1
Bridgton	2,868	15	17	-	32	11.16	29	-	1	2	-
Brunswick	6,806	70	72	-	142	20.86	47	52	17	23	3
Cape Elizabeth	887	7	11	-	18	20.29	12	3	3	-	-
Casco	783	10	8	-	18	22.99	18	-	-	-	-
Cumberland	1,404	11	10	-	21	14.96	20	1	-	-	-
Falmouth	1,511	16	10	-	26	17.21	16	5	2	3	-
Freeport	2,339	18	17	-	35	14.96	33	1	-	1	-
Gorham	2,540	23	16	-	39	15.35	34	1	1	-	3
Gray	1,388	10	19	-	29	20.89	27	-	-	2	-
Harpswell	1,750	18	15	-	33	18.86	28	1	3	1	-
Harrison	969	14	11	-	25	25.80	24	-	-	1	-
Naples	813	7	9	-	16	19.68	14	-	2	-	-
New Gloucester	1,162	9	12	-	21	18.07	18	-	-	2	1
North Yarmouth	642	9	5	-	14	21.81	11	1	1	1	-
Otisfield	728	9	5	-	14	19.23	13	-	-	1	-
Portland	50,145	613	607	-	1,220	24.33	563	415	100	123	19
Pownal	592	4	6	-	10	16.89	8	-	1	1	-
Raymond	823	8	10	-	18	21.87	18	-	-	-	-
Scarboro	1,865	14	30	-	44	23.59	31	7	2	4	-
Sebago	576	7	7	-	14	24.31	12	1	-	1	-
South Portland	6,287	69	72	-	141	22.43	94	24	9	11	3
Standish	1,504	27	16	-	43	28.59	38	3	1	1	-
Westbrook	7,283	107	76	1	184	25.26	87	55	18	23	1
Windham	1,929	13	22	-	35	18.14	29	1	5	-	-
Yarmouth	2,274	23	25	-	48	21.10	29	8	5	-	6
Total	100,689	1,141	1,121	1	2,263	22.48	1,275	579	171	201	37

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	–	1	–	–	5	6	7	–	13	12	–	1	15.83
13	–	2	1	–	16	12	21	–	33	31	2	–	11.51
28	6	3	7	–	44	49	55	–	104	87	15	2	15.28
6	–	–	1	–	7	7	5	–	12	12	–	–	13.53
6	–	–	1	–	7	5	2	–	7	7	–	–	8.94
7	–	–	–	–	7	14	13	–	27	26	1	–	19.23
6	–	–	–	–	6	10	15	–	25	24	1	–	16.55
15	–	–	–	–	15	9	16	–	25	25	–	–	0.69
13	–	–	1	–	14	22	23	–	45	43	2	–	17.72
6	–	1	–	–	7	11	18	–	29	28	1	–	20.89
14	–	–	–	–	14	8	11	–	19	18	1	–	10.86
7	–	–	1	–	8	7	5	–	12	12	–	–	12.38
7	–	–	–	–	7	8	10	–	18	18	–	–	22.14
10	–	1	–	–	11	12	13	–	25	24	1	–	21.51
5	–	–	–	–	5	5	2	–	7	7	–	–	10.90
3	–	–	–	–	3	3	5	–	8	8	–	–	10.99
337	93	59	62	2	553	498	505	–	1,003	750	237	16	20.00
1	–	1	–	–	2	2	1	–	3	3	–	–	5.07
5	–	–	–	–	5	2	9	–	11	11	–	–	13.37
8	–	2	1	–	11	16	12	–	28	26	2	–	15.03
7	–	–	–	–	7	6	4	–	10	9	1	–	17.36
44	4	3	5	–	56	45	51	–	96	83	12	1	15.27
8	–	–	2	–	10	12	21	–	33	32	1	–	21.94
43	9	4	11	–	67	59	57	–	116	91	25	–	15.93
8	–	1	–	–	9	13	20	–	33	32	1	–	17.11
14	2	3	1	–	20	19	29	–	48	42	5	1	21.10
625	114	81	94	2	916	860	930	–	1,790	1,461	308	21	17.78

TABLE
Birth, Marriages and Deaths
FRANKLIN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	2	4	–	6	13.39	5	–	1	–	–
Carthage	334	6	1	–	7	20.96	6	1	–	–	–
Chesterville	709	9	4	–	13	18.34	10	2	–	1	–
Eustis	436	5	7	–	12	27.52	11	–	1	–	–
Farmington	3,288	28	26	–	54	16.42	48	2	1	2	1
Freeman	397	1	4	–	5	12.59	5	–	–	–	–
Industry(	553	5	3	–	8	14.47	7	–	–	1	–
Jay	2,758	47	51	–	98	35.53	18	65	9	6	–
Kingfield	693	4	10	–	14	20.20	9	1	–	4	–
Madrid	326	3	3	–	6	18.40	6	–	–	–	–
New Sharon	946	10	10	–	20	21.14	19	–	1	–	–
New Vineyard	584	3	6	–	9	15.41	8	–	–	1	–
Phillips	1,399	17	19	–	36	25.73	33	–	2	1	–
Rangeley	961	14	18	–	32	33.30	26	2	2	1	1
Salem	195	2	1	–	3	15.38	3	–	–	–	–
Strong	637	8	13	–	21	32.97	20	–	1	–	–
Temple	394	2	5	–	7	17.77	7	–	–	–	–
Weld	738	5	7	–	12	16.26	9	1	1	1	–
Wilton	1,647	22	17	–	39	23.68	37	–	–	2	–
Coplin Pl	70	1	1	–	2	28.57	2	–	–	–	–
Dallas Pl	172	–	3	–	3	17.44	2	–	1	–	–
Lang Pl	87	–	1	–	1	11.49	1	–	–	–	–
Rangeley Pl	98	4	3	–	7	7.14	5	2	–	–	–
Sandy River Pl	78	–	1	–	1	12.82	1	–	–	–	–
Perkins	63	–	1	–	1	15 87	1	–	–	–	–
No. 4, R. 3	33	1	–	–	1	30.30	1	–	–	–	–
Total	*18,044	199	219	–	418	23.17	300	76	20	20	2

*Population of county, omitting that of unorganized townships and other places not

No. 6—Continued.
for the Year 1909.
COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	–	–	–	–	1	3	2	–	5	4	1	–	11.16
3	–	–	–	–	3	3	1	–	4	4	–	–	11.98
5	–	–	1	–	6	9	7	–	16	16	–	–	22.57
9	–	1	3	–	13	5	1	–	6	6	–	–	13.76
29	–	2	–	–	31	30	23	–	53	51	2	–	16.12
5	–	–	–	–	5	3	1	–	4	4	–	–	10.08
2	–	–	–	–	2	6	7	–	13	13	–	–	23 50
9	6	3	–	–	18	14	13	–	27	24	3	–	9.79
9	1	1	–	–	11	5	5	–	10	7	3	–	14.43
2	–	–	–	–	2	3	2	–	5	5	–	–	15.34
5	–	–	–	–	5	3	7	–	10	10	–	–	10.57
6	–	–	–	–	6	2	7	–	9	9	–	–	15.41
16	–	1	1	–	18	11	8	–	19	16	3	–	13.58
15	1	1	–	–	17	6	4	–	10	8	1	1	10.41
2	–	–	–	–	2	2	2	–	4	4	–	–	20.51
9	–	1	–	–	10	15	8	–	23	22	1	–	36.11
5	–	–	–	–	5	2	2	–	4	4	–	–	10.15
3	–	–	–	–	3	5	6	–	11	10	1	–	14.90
16	–	1	–	–	17	13	17	–	30	30	–	–	18.21
–	–	–	–	–	–	2	–	–	2	2	–	–	28.57
–	–	–	–	–	–	3	1	–	4	4	–	–	23.26
–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	1	–	–	–	2	1	–	–	1	1	–	–	1.02
–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	1	–	2	2	–	–	31.74
2	–	–	–	–	2	–	–	–	–	–	–	–	–
154	9	11	5	–	179	147	125	–	272	256	15	1	15.07

represented in this tabulation. See Table No. 1.

TABLE

Births, Marriages, and Deaths

HANCOCK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	4	2	-	6	16.48	6	-	-	-	-
Aurora	152	-	1	-	1	6.58	1	-	-	-	-
Bluehill	1,828	14	25	-	39	21.33	37	-	2	-	-
Brooklin	936	9	10	-	19	20.30	19	-	-	-	-
Brooksville	1,171	13	14	-	27	23.06	25	1	-	-	1
Bucksport	2,339	21	15	-	36	15.39	34	-	-	2	-
Castine	925	8	14	-	22	23.78	20	-	-	1	1
Cranberry Isles	374	3	5	-	8	21.39	7	-	1	-	-
Dedham	327	1	3	-	4	12.23	3	-	1	-	-
Deer Isle	2,047	25	35	-	60	29.31	58	-	2	-	-
Eastbrook	248	5	1	-	6	24.19	6	-	-	-	-
Eden	4,379	38	36	-	74	16.90	53	8	6	7	-
Ellsworth	4,297	37	22	-	59	13.73	52	1	1	4	1
Franklin	1,201	9	5	-	14	11.66	14	-	-	-	-
Gouldsboro	1,259	18	18	-	36	28.59	35	-	-	1	-
Hancock	900	13	3	-	16	17.78	13	2	-	1	-
Isle au Haut	182	1	1	-	2	10.99	2	-	-	-	-
Lamoine	594	5	5	-	10	16.84	9	-	1	-	-
Mariaville	218	1	-	-	1	4.59	1	-	-	-	-
Mount Desert	1,600	20	13	-	33	20.62	24	1	4	3	1
Orland	1,251	14	14	-	28	22.38	28	-	-	-	-
Otis	152	2	1	-	3	19.74	3	-	-	-	-
Penobscot	1,156	13	9	-	22	19.03	21	-	1	-	-
Sedgwick	902	11	11	-	22	24.39	18	1	3	-	-
Sorrento	117	1	2	-	3	25.64	3	-	-	-	-
South West Harbor	-	5	10	-	15	-	10	2	2	1	-

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	–	–	–	–	2	2	–	–	–	2	2 –	–	5.49
1	–	–	–	–	1	1	2	–	3	2	1	–	19.74
18	–	–	–	–	18	7	14	–	21	21	–	–	11.49
9	–	–	1	–	10	10	7	–	17	16	1	–	18.16
8	–	–	–	–	8	7	8	–	15	14	1	–	12.81
8	–	–	2	–	10	18	28	–	46	43	1	2	19.67
10	–	–	–	–	10	7	4	–	11	11	–	–	11.89
5	–	–	–	–	5	–	1	–	1	1	–	–	2.67
1	–	–	–	–	1	–	1	–	1	1	–	–	3.05
19	–	–	–	–	19	19	16	–	35	35	–	–	17.10
3	–	–	–	–	3	5	2	–	7	7	–	–	28.23
23	2	1	2	1	29	19	22	–	41	34	6	1	9.36
24	–	2	1	–	27	33	27	–	60	56	3	1	13.96
5	–	1	–	–	6	9	11	–	20	20	–	–	16.66
8	–	1	1	–	10	10	8	–	18	18	–	–	14.30
6	–	–	–	–	6	6	8	–	14	13	1	–	15.56
2	–	–	–	–	2	1	–	–	1	1	–	–	5.49
4	–	–	–	–	4	4	5	–	9	9	–	–	13.59
3	–	–	–	–	3	1	1	–	2	2	–	–	9.18
7	–	1	–	–	8	9	9	–	18	17	1	–	11.25
7	–	–	–	–	7	11	6	–	17	17	–	–	13.59
1	–	–	–	–	1	2	1	–	3	3	–	–	19.74
6	–	–	–	–	6	6	11	–	17	17	–	–	14.71
4	–	–	–	–	4	8	9	–	17	15	2	–	18.85
–	–	–	–	–	–	–	1	–	1	1	–	–	8.54
7	–	–	–	–	7	5	4	–	9	8	1	–	–

TABLE

Births, Marriages, and Deaths

HANCOCK

Towns.	Population in 1909.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington	1,648	39	22	-	61	37.01	45	13	3	-	-
Sullivan	1,034	10	11	-	21	20.31	16	-	3	2	-
Surry	900	7	5	-	12	13.33	11	-	1	-	-
Swan's Island	758	6	10	-	16	21.11	14	-	-	2	-
Tremont	2,010	13	20	-	33	16.42	32	-	-	1	-
Trenton	459	6	3	-	9	19.61	9	-	-	-	-
Verona	234	3	2	-	5	21.36	5	-	-	-	-
Waltham	192	2	2	-	4	20.83	4	-	-	-	-
Winter Harbor	571	5	2	-	7	12.26	6	-	-	1	-
Long Island Pl	174	2	-	-	2	11.50	2	-	-	-	-
No. 21 Pl	58	1	-	-	1	17.24	1	-	-	-	-
No. 33 Pl	82	-	3	-	3	36.58	3	-	-	-	-
Total	*37,039	385	355	-	740	19.98	650	29	31	26	4

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1909.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
16	3	1	–	–	20	16	13	–	29	24	5	–	17.60
9	–	–	1	1	11	5	8	–	13	12	–	1	12.57
4	–	1	–	–	5	11	9	–	20	19	1	–	22.22
4	–	–	–	–	4	9	6	–	15	15	–	–	19.79
7	1	–	–	–	8	5	8	–	13	13	–	–	6.47
2	–	–	–	–	2	5	2	–	7	7	–	–	15.25
–	–	–	–	–	–	1	4	–	5	4	–	1	21.36
2	–	–	–	–	2	1	2	–	3	3	–	–	15.62
5	–	–	–	–	5	6	10	–	16	13	3	–	28.02
–	–	–	1	–	1	–	1	–	1	1	–	–	5.75
–	–	–	–	–	–	1	–	–	1	–	1	–	17.24
–	–	–	–	–	–	–	–	–	–	–	–	–	–
240	6	8	9	2	265	260	269	–	529	495	28	6	14.29

TABLE

Births, Marriages, and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	4	13	-	17	19.36	16	1	-	-	-
Augusta	11,683	136	136	-	272	23.28	124	94	26	26	2
Belgrade	1,058	10	5	-	15	14.18	14	1	-	-	-
Benton	1,097	14	10	-	24	21.88	20	-	3	1	-
Chelsea	3,092	4	7	-	11	3.56	9	-	2	-	-
China	1,380	16	13	-	29	21.01	24	-	2	2	1
Clinton	1,398	13	10	-	23	16.45	21	1	1	-	-
Farmingdale	848	5	5	-	10	11.79	9	-	1	-	-
Fayette	560	5	8	-	13	23.21	10	1	1	1	-
Gardiner	5,501	42	51	-	93	16.91	69	7	4	10	3
Hallowell	2,714	26	26	-	52	19.16	38	5	4	3	2
Litchfield	1,057	6	5	-	11	10.41	7	-	-	3	1
Manchester	518	4	7	-	11	21.24	7	-	-	4	-
Monmouth	1,236	10	6	-	16	12.94	13	-	1	2	-
Mount Vernon	906	6	6	-	12	13.24	12	-	-	-	-
Oakland	1,913	19	18	-	37	19.34	30	-	4	3	-
Pittston	1,177	12	8	-	20	16.99	19	1	-	-	-
Randolph	1,077	12	8	-	20	18.57	16	3	1	-	-
Readfield	994	9	9	-	18	18.11	16	1	1	-	-
Rome	420	5	7	-	12	28.57	11	-	-	1	-
Sidney	1,068	9	9	-	18	16.85	17	1	-	-	-
Vassalboro	2,062	20	13	-	33	16.00	23	2	3	4	1
Vienna	406	1	5	-	6	14.77	5	1	-	-	-

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	–	–	–	–	6	7	10	–	17	17	–	–	19.36
76	14	18	13	1	122	168	133	–	301	254	41	6	25.76
8	–	2	–	–	10	14	9	–	23	22	–	1	21.74
12	–	–	–	–	12	9	8	–	17	17	–	–	15.50
5	–	–	–	–	5	6	5	–	11	9	1	1	3.56
7	–	1	–	–	8	15	6	–	21	21	–	–	15.22
9	–	–	1	–	10	14	14	–	28	27	–	1	20.03
3	–	–	–	–	3	8	8	–	16	14	2	–	18.87
6	–	–	–	–	6	6	3	–	9	9	–	–	16.07
38	1	9	3	–	51	46	36	–	82	78	4	–	14.91
27	4	2	1	1	35	19	25	–	44	38	5	1	16.21
7	–	–	–	–	7	15	8	–	23	23	–	–	21.76
2	–	–	1	–	3	3	7	–	10	9	1	–	19.31
15	–	–	–	–	15	12	8	–	20	19	1	–	16.18
3	–	–	–	–	3	2	8	–	10	9	–	1	11.04
20	–	2	4	–	26	21	26	–	47	46	1	–	24.57
5	–	–	1	–	6	15	7	–	22	22	–	–	18.69
7	1	–	3	–	11	8	8	–	16	16	–	–	14.86
6	–	–	–	–	6	11	9	–	20	19	1	–	20.12
3	–	1	–	–	4	5	6	–	11	11	–	–	26.19
6	–	–	–	–	6	10	7	–	17	16	–	1	15.92
10	1	–	–	–	11	18	23	–	41	34	7	–	19.88
2	–	–	–	–	2	4	2	–	6	6	–	–	14.77

TABLE

Births, Marriages, and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville	9,477	158	156	–	314	33.13	116	99	60	36	3
Wayne	707	4	8	–	12	16.97	9	1	1	1	–
West Gardiner	693	4	8	–	12	17.32	10	–	–	2	–
Windsor	782	4	9	–	13	16.62	13	–	–	–	–
Winslow	2,277	46	50	–	96	42.16	23	55	9	9	–
Winthrop	2,088	24	15	–	39	18.68	26	8	3	2	–
Unity Pl	50	–	–	–	–	–	–	–	–	–	–
Togus	–	–	–	–	–	–	–	–	–	–	–
Total	59,117	628	631	–	1,259	21.30	727	282	127	110	13

No. 6.—Continued.

for the year 1909.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
73	22	12	18	–	125	75	80	–	155	120	34	1	16.36
4	–	–	–	–	4	3	10	–	13	12	1	–	18.39
4	–	–	–	–	4	10	8	–	18	18	–	–	25.97
3	–	–	–	–	3	5	5	–	10	9	–	1	12.79
11	10	2	1	–	24	18	14	–	32	22	10	–	14.05
8	3	3	1	–	15	13	20	–	33	32	1	–	15.80
–	–	–	–	–	–	–	1	–	1	1	–	–	20.00
2	–	–	–	–	2	14	–	–	14	9	2	3	–
388	56	52	47	2	545	574	514	–	1,088	959	112	17	18.40

TABLE

Births, Marriages, and Deaths

KNOX

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	10	6	-	16	16.41	16	-	-	-	-
Camden	2,825	21	15	-	36	12.74	26	2	7	1	-
Cushing	604	6	6	-	12	19.87	12	-	-	-	-
Friendship	814	10	7	-	17	20.88	16	1	-	-	-
Hope	599	5	3	-	8	13.36	8	-	-	-	-
Hurricane Isle	257	1	1	-	2	7.78	-	2	-	-	-
North Haven	551	2	6	-	8	14.52	8	-	-	-	-
Rockland	8,150	66	60	-	126	15.46	93	17	9	5	2
Rockport	2,314	17	18	-	35	15.13	30	3	1	-	1
St. George	2,206	28	16	-	44	19.95	25	11	5	2	1
South Thomaston	1,426	12	2	-	14	9.86	7	6	-	1	-
Thomaston	2,688	8	14	-	22	8.18	20	-	2	-	-
Union	1,248	7	11	-	18	14.42	16	1	1	-	-
Vinalhaven	2,358	22	17	-	39	16.54	31	2	3	2	1
Warren	2,069	16	13	-	29	14.02	28	-	1	-	-
Washington	1,019	5	6	-	11	10.79	9	-	-	2	-
Matinicus Isle Pl.	184	1	-	-	1	5.43	1	-	-	-	-
Total	*30,287	237	201	-	438	14.46	346	45	29	13	5

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	-	-	-	-	5	5	6	-	11	11	-	-	11.28
26	-	-	-	-	26	15	27	-	42	39	3	-	14.87
3	-	-	-	-	3	3	5	-	8	8	-	-	13.25
9	-	-	-	-	9	5	2	-	7	7	-	-	8.60
4	-	-	-	-	4	3	7	-	10	10	-	-	16.69
-	-	-	-	-	-	1	-	-	1	1	-	-	3.89
10	-	-	-	-	10	4	3	-	7	7	-	-	12.70
67	6	3	3	-	79	63	77	-	140	132	7	1	17.18
15	-	-	1	-	16	17	17	-	34	33	1	-	14.69
9	3	-	1	-	13	20	9	-	29	24	5	-	13.15
10	-	-	-	1	11	17	13	-	30	28	2	-	21.04
12	-	1	1	-	14	13	21	-	34	29	5	-	12.65
3	-	-	-	-	3	11	13	-	24	23	1	-	19.23
12	-	2	1	-	15	17	14	-	31	30	1	-	13.14
16	-	-	-	-	16	20	22	-	42	38	4	-	20.30
-	-	-	-	-	-	8	6	-	14	14	-	-	13.74
1	-	-	-	-	1	-	-	-	-	-	-	-	-
202	9	6	7	1	225	222	242	-	464	434	29	1	15.32

TABLE

Births, Marriages, and Deaths

LINCOLN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	3	4	-	7	15.72	7	-	-	-	-
Boothbay	1,766	20	11	-	31	17.56	28	-	1	2	-
Boothbay Harbor	1,926	20	25	-	45	23.36	42	-	1	2	-
Bremen	657	2	9	-	11	16.74	11	-	-	-	-
Bristol	2,572	21	28	-	49	19.05	48	-	-	1	-
Damariscotta	876	4	3	-	7	7.99	7	-	-	-	-
Dresden	882	4	5	-	9	10.20	9	-	-	-	-
Edgecomb	607	6	5	-	11	18.12	7	1	-	3	-
Jefferson	1,155	10	5	-	15	12.99	14	1	-	-	-
Newcastle	1,075	5	18	-	23	21.40	22	1	-	-	-
Nobleboro	810	5	7	-	12	14.81	11	-	-	1	-
Somerville	374	1	4	-	5	13.37	5	-	-	-	-
Southport	527	2	2	-	4	7.59	3	-	-	1	-
Waldoboro	3,145	23	14	-	37	11.76	34	1	-	-	2
Westport	330	3	3	-	6	18.18	5	-	-	1	-
Whitefield	1,156	10	5	-	15	12.98	13	-	-	2	-
Wiscasset	1,273	16	11	-	27	21.21	27	-	-	-	-
Monhegan Pl	94	-	-	-	-	-	-	-	-	-	-
Total	19,669	155	159	-	314	15.96	293	4	2	13	2

No. 6.—Continued.

for the year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
5	-	-	-	-	5	11	-	-	11	11	-	-	24.
14	-	1	-	-	15	7	8	-	15	14	1	-	8.4
9	-	-	-	-	9	18	15	-	33	31	2	-	17.14
1	-	-	-	-	1	5	6	-	11	11	-	-	16.74
22	-	1	-	-	23	24	14	-	38	36	1	1	14.77
4	-	-	-	-	4	10	9	-	19	18	1	-	21.69
7	-	-	-	1	8	4	9	-	13	12	1	-	14.74
6	-	-	-	-	6	4	4	-	8	8	-	-	13.18
4	-	-	-	-	4	9	10	-	19	19	-	-	16.45
5	-	-	-	-	5	10	10	-	20	18	2	-	18.61
6	2	1	-	-	9	3	7	-	10	10	-	-	12.35
-	-	-	-	-	-	1	1	-	2	2	-	-	5.35
2	-	-	-	-	2	1	2	-	3	3	-	-	5.69
20	-	-	-	-	20	28	26	-	54	54	-	-	17.17
3	-	-	-	-	3	4	1	-	5	5	-	-	15.15
6	-	-	-	-	6	8	10	-	18	17	1	-	15.57
16	-	-	-	-	16	10	13	-	23	23	-	-	18.07
1	-	-	1	-	2	-	1	-	1	1	-	-	10.64
131	2	3	1	1	138	157	146	-	303	293	9	1	15.40

TABLE
Births, Marriages and Deaths
OXFORD

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	8	4	-	12	22.30	9	1	1	1	-
Andover	727	16	14	-	30	41.27	24	2	3	1	-
Bethel	1,835	15	13	-	28	15.26	20	1	4	2	1
Brownfield	1,019	5	11	-	16	15.70	13	1	2	-	-
Buckfield	1,139	6	11	-	17	14.93	15	1	1	-	-
Byron	204	2	2	-	4	19.61	1	-	1	2	-
Canton	946	11	12	-	23	24.31	18	3	-	2	-
Denmark	634	3	5	-	8	12.62	4	1	1	2	-
Dixfield	1,052	11	14	-	25	23.76	24	1	-	-	-
Fryeburg	1,376	10	9	-	19	13.81	16	-	3	-	-
Gilead	340	2	1	-	3	8.82	2	-	-	1	-
Greenwood	741	6	11	-	17	22.94	14	3	-	-	-
Hanover	214	3	-	-	3	14.02	2	1	-	-	-
Hartford	660	4	8	-	12	18.18	8	2	2	-	-
Hebron	494	7	5	-	12	24.29	10	1	-	1	-
Hiram	1,015	12	10	-	22	21.67	22	-	-	-	-
Lovell	693	4	7	-	11	15.87	11	-	-	-	-
Mason	67	-	1	-	1	14.93	-	-	1	-	-
Mexico	816	31	41	-	72	88.24	28	28	10	6	-
Newry	286	1	3	-	4	13.99	2	-	1	1	-
Norway	2,902	18	29	-	47	16.20	34	6	4	2	1
Oxford	1,331	7	11	-	18	13.52	12	-	2	4	-

No. 6—Continued.
for the Year 1909.
COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	1	4	-	5	5	-	-	9.29
1	-	1	1	-	3	4	3	-	7	7	-	-	9.63
14	1	1	-	-	16	15	20	-	35	30	2	3	19.07
3	-	-	-	-	3	11	7	-	18	17	1	-	17.66
6	-	-	-	-	6	8	9	-	17	17	-	-	14.93
-	-	1	1	-	2	2	-	-	2	2	-	-	9.80
3	1	-	-	-	4	7	5	-	12	12	-	-	12.68
5	-	-	1	-	6	2	4	-	6	6	-	-	9.46
2	-	1	-	-	3	6	6	-	12	12	-	-	11.41
8	-	-	-	-	8	7	9	-	16	16	-	-	11.63
1	-	-	-	-	1	1	-	-	1	1	-	-	2.94
5	1	1	-	-	7	4	6	-	10	9	1	-	13.50
1	-	-	-	-	1	2	1	-	3	3	-	-	14.02
4	-	-	-	-	4	5	4	-	9	9	-	-	13.64
3	-	1	1	1	6	6	7	-	13	13	-	-	26.32
14	-	-	1	-	15	4	6	-	10	10	-	-	9.85
2	-	-	-	-	2	10	7	-	17	16	-	1	24.53
-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	5	-	2	-	18	18	21	-	39	33	5	1	47.79
1	-	-	-	-	1	2	2	-	4	3	-	1	13.99
21	2	1	2	-	26	15	17	-	32	28	3	1	11.03
8	-	-	1	-	9	6	14	-	20	17	3	-	15.03

TABLE

Births, Marriages, and Deaths

OXFORD

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris	3,225	39	46	–	85	26.36	60	13	5	6	1
Peru	773	4	7	–	11	14.23	10	1	–	–	–
Porter	886	9	3	–	12	13.54	12	–	–	–	–
Roxbury	238	5	8	–	13	54.62	8	2	2	–	1
Rumford	3,770	138	129	–	267	70.82	53	178	20	13	3
Stoneham	284	3	2	–	5	17.61	5	–	–	–	–
Stow	270	–	5	.	5	18.52	5	–	–	–	–
Sumner	802	4	10	–	14	17.46	13	–	–	–	1
Sweden	282	2	3	–	5	17.73	5	–	–	–	–
Upton	242	3	3	–	6	24.79	4	2	–	–	–
Waterford	917	7	7	–	14	15.27	14	–	–	–	–
Woodstock	816	8	5	–	13	15.93	9	3	1	–	–
Lincoln Pl.	73	1	1	–	2	27.40	2	–	–	–	–
Magalloway Pl.	77	1	1	–	2	25.97	2	–	–	–	–
Milton Pl.	202	2	2	–	4	19.80	3	–	1	–	–
Bachelder's Grant	173	–	2	–	2	11.56	–	2	–	–	–
Total	*32,059	408	456	–	864	26.95	494	253	65	44	8

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
35	7	1	-	-	43	29	29	-	58	54	3	1	17.98
9	-	-	-	-	9	6	11	-	17	16	-	1	21.99
2	-	-	-	-	2	7	4	-	11	11	-	-	12.42
2	-	1	-	-	3	1	2	-	3	2	1	-	12.61
29	36	9	17	-	91	47	43	-	90	77	13	-	23.87
3	-	-	-	-	3	2	2	-	4	4	-	-	14.08
1	-	-	-	-	1	2	-	-	2	2	-	-	7.41
9	1	-	-	-	10	8	6	-	14	14	-	-	17.46
2	-	-	-	-	2	4	3	-	7	7	-	-	24.82
-	-	-	-	-	-	3	4	-	7	7	-	-	28.93
8	-	-	1	-	9	4	10	-	14	14	-	-	15.27
4	2	-	1	-	7	12	8	-	20	20	-	-	24.51
1	-	-	-	-	1	2	-	-	2	1	1	-	27.41
1	-	-	-	-	1	1	-	-	1	1	-	-	12.99
-	-	-	1	-	1	-	1	-	1	-	1	-	4.95
-	-	-	-	-	-	-	1	-	1	1	-	-	5.78
220	56	18	30	1	325	264	276	-	540	497	34	9	16.84

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	2	3	-	5	15.92	4	1	-	-	-
Argyle	320	2	-	-	2	6.22	2	-	-	-	-
Bangor	21,850	196	175	-	371	16.98	189	93	32	42	15
Bradford	954	4	3	-	7	7.34	7	-	-	-	-
Bradley	682	4	2	-	6	8.80	5	-	-	1	-
Brewer	4,835	85	69	-	154	31.85	78	42	14	20	-
Burlington	394	5	5	-	10	25.38	10	-	-	-	-
Carmel	932	10	10	-	20	21.46	18	-	-	2	-
Carroll	487	5	6	-	11	22.59	10	-	1	-	-
Charleston	842	5	5	-	10	11.88	10	-	-	-	-
Chester	363	-	7	-	7	19.28	6	-	1	-	-
Clifton	236	4	-	-	4	16.95	4	-	-	-	-
Corinna	1,170	9	10	-	19	16.24	16	2	1	-	-
Corinth	1,042	8	7	-	15	14.40	13	-	2	-	-
Dexter	2,941	28	26	-	54	18.36	34	6	6	7	1
Dixmont	843	6	3	-	9	10.68	7	-	1	1	-
East Millinocket	-	19	22	-	41	-	2	11	5	3	-
Eddington	663	5	8	-	13	19.61	7	2	3	1	-
Edinburg	65	-	1	-	1	15.38	1	-	-	-	-
Enfield	1,062	20	21	-	41	38.61	26	6	8	1	-
Etna	527	7	2	-	9	17.08	9	-	-	-	-
Exeter	879	4	8	-	12	13.64	11	1	-	-	-
Garland	857	6	5	-	11	12.84	10	-	-	1	-
Glenburn	461	2	8	-	10	21.70	9	-	1	-	-
Greenbush	586	6	7	-	13	22.18	13	-	-	-	-
Greenfield	160	-	-	-	-	-	-	-	-	-	-

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
1	-	-	-	-	1	1	2	-	3	3	-	-	9.54
3	-	-	1	-	4	2	1	-	3	2	1	-	9.37
144	29	16	22	1	212	235	219	-	454	341	105	8	20.78
4	-	-	-	-	4	12	4	-	16	16	-	-	16.77
4	-	1	1	-	6	1	3	-	4	2	2	-	5.87
37	5	5	9	-	56	41	34	-	75	62	13	-	15.52
2	-	-	-	-	2	3	2	-	5	5	-	-	12.69
6	-	2	-	-	8	7	10	-	17	13	3	1	18.24
1	-	-	-	-	1	1	3	-	4	3	1	-	8.22
4	-	1	-	-	5	7	3	-	10	10	-	-	11.88
-	-	-	-	-	-	3	3	-	6	6	-	-	16.53
3	-	-	-	-	3	1	1	-	2	2	-	-	8.97
7	-	-	-	-	7	6	14	-	20	19	1	-	17.09
7	-	-	-	-	7	10	10	-	20	19	-	1	19.19
34	-	2	5	-	41	31	30	-	61	56	5	-	20.74
5	-	-	-	-	5	9	9	-	18	18	-	-	21.36
5	-	-	1	-	6	4	4	-	8	8	-	-	-
4	-	-	1	-	5	7	3	-	10	9	1	-	15.08
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	6	6	5	-	11	9	2	-	10.36
4	-	1	-	-	5	2	4	-	6	5	-	1	11.39
9	-	-	1	-	10	2	8	-	10	10	-	-	11.38
8	-	-	-	-	8	8	11	-	19	17	2	-	22.17
3	-	-	-	-	3	6	3	-	9	9	-	-	19.52
8	-	-	-	-	8	2	3	-	5	5	-	-	8.53
-	-	-	-	-	-	4	-	-	4	4	-	-	25.00

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,182	16	27	-	43	19.71	36	1	2	4	-
Hermon	1,183	10	16	-	26	21.98	22	1	3	-	-
Holden	602	5	5	-	10	16.61	6	1	1	2	-
Howland	519	6	9	-	15	28.90	11	2	1	1	-
Hudson	430	5	8	-	13	30.23	13	-	-	-	-
Kenduskeag	423	3	5	-	8	18.91	6	-	1	1	-
Kingman	936	5	9	-	14	14.96	7	2	4	-	1
Lagrange	574	7	4	-	11	19.16	9	1	-	1	-
Lee	801	11	9	-	20	24.97	16	1	3	-	-
Levant	789	13	4	-	17	21.55	16	-	1	-	-
Lincoln	1,731	11	20	-	31	17.91	26	-	4	-	1
Lowell	300	3	2	-	5	16.67	4	-	-	1	-
Mattawamkeag	527	8	2	-	10	18.98	7	1	1	1	-
Maxfield	115	-	1	-	1	8.70	1	-	-	-	-
Medway	297	11	7	-	18	60.61	12	-	4	-	2
Milford	838	6	10	-	16	19.09	9	4	2	1	-
Millinocket	1,144	80	85	-	165	144.43	49	76	30	10	-
Mt. Chase	299	3	4	-	7	23.41	5	1	-	-	1
Newburg	734	4	3	-	7	9 54	6	-	-	1	-
Newport	1,533	7	14	-	21	13.70	19	1	-	-	1
Old Town	5,763	90	83	-	173	30.01	78	45	26	21	3
Orono	3,257	60	49	-	109	33.47	38	39	15	16	1
Orrington	1,266	6	9	-	15	11.85	33	-	1	1	-
Passadumkeag	409	4	4	-	8	19.56	8	-	-	-	-
Patten	1,172	24	21	-	45	38.40	33	4	4	4	-
Plymouth	658	3	4	-	7	10.64	6	-	-	1	-

No. 6—Continued.

for the Year 1909.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
12	-	2	1	-	15	14	12	-	26	24	2	-	11.92
8	1	-	-	-	9	13	9	-	22	21	1	-	18.60
1	-	-	-	-	1	-	7	-	7	7	-	-	11.63
3	2	-	2	-	7	2	-	-	2	-	2	-	38.54
1	-	-	-	-	1	2	1	-	3	3	-	-	6.98
6	-	-	-	-	6	5	8	-	13	12	1	-	30.73
6	-	-	1	-	7	6	5	-	11	11	-	-	11.75
5	1	-	-	-	6	3	3	-	6	6	-	-	10.45
9	-	3	1	-	13	3	3	-	6	6	-	-	7.49
3	-	-	-	-	3	3	4	-	7	7	-	-	8.87
9	-	3	-	-	12	23	12	-	35	27	8	-	20.22
2	-	1	-	-	3	1	1	-	2	2	-	-	6.67
1	-	-	1	-	2	7	2	-	9	8	1	-	17.08
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	7	2	3	-	5	3	-	2	16.85
4	-	-	2	-	6	7	6	-	13	8	4	1	15.51
18	16	1	9	-	44	34	18	-	52	38	13	1	45.45
7	-	1	-	-	8	3	2	-	5	4	1	-	16.72
3	-	-	1	-	4	6	6	-	12	12	-	-	16.35
15	-	1	3	1	20	10	14	-	24	24	-	-	15.66
31	5	8	5	-	49	56	41	-	97	74	22	1	16.83
20	2	2	2	-	26	24	17	-	41	32	9	-	12.59
10	-	1	-	-	11	7	10	-	17	16	1	-	13.43
1	-	1	-	-	2	7	4	-	11	8	1	2	26.89
6	-	2	-	-	8	11	8	-	19	13	3	3	16.21
4	-	-	1	-	5	5	4	-	9	9	-	-	13.68

TABLE

Births, Marriages and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss	502	8	7	-	15	29.88	14	-	-	-	1
Springfield	532	9	3	-	12	22.56	10	-	1	1	-
Stetson	503	4	3	-	7	13.92	7	-	-	-	-
Veazie	555	3	5	-	8	14.41	7	-	1	-	-
Winn	688	6	6	-	12	17.44	11	-	1	-	-
Woodville	160	-	4	-	4	25.00	4	-	-	-	-
Drew Pl	120	2	3	-	5	41.67	3	1	1	-	-
Grand Falls Pl	52	1	-	-	1	19.23	1	-	-	-	-
Lakeville Pl	129	1	1	-	2	15.50	-	-	2	-	-
Seboeis Pl	96	-	3	-	3	31.25	1	1	1	-	-
Stacyville Pl	347	11	11	-	22	63.40	15	2	4	1	-
Webster Pl	124	1	3	-	4	32.25	4	-	-	-	-
Indian Township	-	-	1	-	1	-	1	-	-	-	-
No. 2, R. 6	-	4	-	-	4	-	3	1	-	-	-
Total	*75,755	893	877	-	1,770	23.36	1,058	349	189	147	27

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6.—Continued.

for the year 1909.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	-	-	-	2	5	1	-	6	5	1	-	9.12
4	-	-	1	-	5	1	3	-	4	4	-	-	7.52
7	-	1	-	-	8	3	13	-	16	14	1	1	31.81
5	-	-	-	-	5	5	2	-	7	7	-	-	12.61
1	-	2	-	-	3	6	1	-	7	6	1	-	10.17
2	-	-	-	-	2	-	2	-	2	1	1	-	12.50
-	-	-	-	-	-	1	2	-	3	2	-	1	25.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50
1	-	-	-	-	1	-	1	-	1	1	-	-	10.42
1	-	-	2	-	3	2	-	-	2	1	1	-	5.76
-	-	-	-	-	-	1	2	-	3	3	-	-	24.19
1	-	-	-	-	1	1	-	-	1	-	-	1	-
-	-	-	-	-	-	-	1	-	1	1	-	-	-
525	61	57	73	2	718	691	618	-	1,309	1,075	210	24	17.28

TABLE

Births, Marriages, and Deaths

PISCATQUIS

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	5	2	–	7	9.78	7	–	–	–	–
Atkinson	495	4	8	–	12	24.24	11	–	–	1	–
Blanchard	248	1	1	–	2	8.06	1	1	–	–	–
Bowerbank	66	1	1	–	2	30.30	1	–	–	–	1
Brownville	1,570	21	18	–	39	24.84	22	10	3	4	–
Dover	1,889	13	17	–	30	15.88	22	2	3	2	1
Foxcroft	1,629	15	5	–	20	12.28	15	3	1	1	–
Greenville	1,117	21	30	–	51	45.66	24	18	5	4	–
Guilford	1,544	21	19	–	40	25.91	34	2	2	2	–
Medford	282	6	3	–	9	31.91	7	–	1	–	1
Milo	1,150	30	14	–	44	38.26	25	5	5	6	3
Monson	1,116	10	13	–	23	20.61	10	9	3	1	–
Orneville	325	7	3	–	10	30.77	9	–	1	–	–
Parkman	718	8	8	–	16	22.28	14	–	2	–	–
Sangerville	1,294	13	15	–	28	21.64	23	2	3	–	–
Sebec	593	3	2	–	5	8.43	4	–	–	1	–
Shirley	248	5	3	–	8	32.26	5	–	3	–	–
Wellington	413	6	4	–	10	24.21	9	–	1	–	–
Williamsburg	117	1	2	–	3	26.49	–	2	1	–	–
Willimantic	419	–	1	–	1	2.39	1	–	–	–	–
Barnard Pl	98	1	3	–	4	40.82	3	–	–	1	–
Elliotsville Pl	86	1	2	–	3	34.88	2	1	–	–	–
Kingsbury Pl	106	1	5	–	6	56.60	6	–	–	–	–
Lake View Pl	173	4	3	–	7	40.46	3	1	2	1	–
Katahdin Iron Works	114	2	1	–	3	26.32	3	–	–	–	–
Total	*16,526	200	183	–	383	23.18	261	56	36	24	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation, See Table No. 1.

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	-	2	1	-	9	6	5	-	11	10	1	-	15.36
2	-	-	-	-	2	5	6	-	11	11	-	-	22.22
2	-	1	-	-	3	5	-	-	5	4	1	-	20.16
-	-	-	-	-	-	1	-	-	1	1	-	-	15.15
4	3	1	1	-	9	13	4	-	17	14	3	-	10.83
17	1	-	-	-	18	12	11	-	23	19	3	1	12.18
13	1	-	1	-	15	23	14	-	37	35	1	1	22.71
12	2	3	7	-	24	25	7	-	32	21	8	3	28.65
17	1	-	2	-	20	14	10	-	24	23	1	-	15.54
-	-	1	-	-	1	3	2	-	5	4	1	-	17.73
14	-	1	-	1	16	10	7	-	17	14	2	1	14.78
8	-	1	-	-	9	11	4	-	15	11	4	-	13.44
1	-	-	-	-	1	4	5	-	9	7	2	-	27.69
2	-	1	-	-	3	6	4	-	10	9	1	-	13.93
4	-	-	-	1	5	12	8	-	20	19	1	-	15.46
4	-	-	-	-	4	3	7	-	10	10	-	-	16.86
1	-	1	-	-	2	-	2	-	2	1	1	-	8.06
4	-	-	-	-	4	5	4	-	9	9	-	-	21.79
-	-	-	-	-	-	1	1	-	2	2	-	-	17.09
3	-	-	-	-	3	2	2	-	4	4	-	-	9.55
-	-	1	-	-	1	-	1	-	1	1	-	-	10.20
-	-	-	-	-	-	1	-	-	1	-	1	-	11.63
2	-	-	-	-	2	2	-	-	2	2	-	-	18.87
1	-	-	-	-	1	3	-	-	3	3	-	-	17.34
1	-	-	-	-	1	1	-	-	1	1	-	-	8.77
118	8	13	12	2	153	168	104	-	272	235	31	6	16.46

TABLE

Births, Marriages, and Deaths

SAGADAHOC

Towns.	Population in 1909.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	1	1	-	2	11.11	2	-	-	-	-
Bath	10,477	113	92	-	205	19.57	125	42	16	19	3
Bowdoin	937	7	8	-	15	16.01	12	-	1	2	-
Bowdoinham	1,305	5	14	-	19	14.56	17	-	1	1	-
Georgetown	799	5	9	-	14	17.52	14	-	-	-	-
Perkins	61	-	-	-	-	-	-	-	-	-	-
Phippsburg	1,254	7	10	-	17	13.56	15	-	2	-	-
Richmond	2,049	10	19	-	29	14.15	22	1	1	5	-
Topsham	2,097	20	27	-	47	22.41	22	19	6	-	-
West Bath	291	1	2	-	3	10.31	2	-	-	-	1
Woolwich	880	7	2	-	9	10.23	8	-	1	-	-
Total	20,330	176	184	-	360	17.71	239	62	28	27	4

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	-	-	-	2	2	-	-	2	2	-		11.11
52	3	3	5	-	63	66	64	-	130	109	19	2	12.41
6	-	1	-	-	7	10	13	-	23	23	-	-	24.55
10	1	-	-	-	11	12	15	-	27	24	2	1	20.69
3	-	-	-	-	3	8	7	-	15	15	-	-	18.77
1	-	-	-	-	1	1	-	-	1	1	-	-	16.39
11	-	-	-	-	11	6	6	-	12	12	-	-	9.57
10	-	2	-	-	12	19	22	-	41	36	2	3	20.01
11	4	-	1	-	16	16	7	-	23	20	3	-	10.97
2	-	-	-	-	2	2	4	-	6	6	-	-	20.62
10	-	1	-	-	11	7	3	-	10	7	2	1	11.36
118	8	7	6	-	139	149	141	-	290	255	28	7	14.26

TABLE

Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	32	32	–	64	34.97	40	16	5	3	–
Athens	896	4	8	–	12	13.39	11	–	1	–	–
Bingham	841	8	12	–	20	23.78	18	1	–	1	–
Cambridge	364	4	5	–	9	24.73	4	4	1	–	–
Canaan	977	8	4	–	12	12.28	11	–	–	1	–
Concord	291	4	2	–	6	20.62	5	–	1	–	–
Cornville	689	4	7	–	11	15.97	11	–	–	–	–
Detroit	527	3	3	–	6	11.39	5	–	–	1	–
Embden	567	2	7	–	9	15.87	7	–	1	1	–
Fairfield	3,878	43	34	–	77	19.86	35	13	18	8	3
Harmony	571	15	11	–	26	45.53	25	1	–	–	–
Hartland	1,115	11	12	–	23	20.63	20	1	1	1	–
Madison	2,764	47	36	–	83	30.03	42	28	7	5	1
Mercer	493	4	5	–	9	18.26	9	–	–	–	–
Moscow	378	5	8	–	13	34.39	10	1	2	–	–
New Portland	913	7	6	–	13	14.24	10	–	–	2	1
Norridgewock	1,495	10	12	–	22	14.72	12	5	2	3	–
Palmyra	915	7	6	–	13	14.21	12	–	1	–	–
Pittsfield	2,891	24	23	–	47	16.26	41	2	1	2	1
Ripley	449	4	8	–	12	26.73	11	–	–	–	1
St. Albans	1,037	9	8	–	17	16.39	16	–	1	–	–
Skowhegan	5,180	76	54	–	130	25.10	72	23	18	15	2
Smithfield	449	4	4	–	8	17.82	7	–	–	1	–
Solon	996	7	10	–	17	17.07	14	1	1	–	1
Starks	636	6	4	–	10	15.73	9	–	–	1	–

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
25	3	1	1	–	30	6	16	–	22	20	2	–	12.02
5	–	–	–	–	5	10	6	–	16	16	–	–	17.86
12	–	–	–	–	12	4	8	–	12	10	2	–	14.27
2	–	–	–	–	2	8	–	–	8	8	–	–	21.98
5	–	–	1	–	6	7	3	–	10	10	–	–	10.24
1	–	–	–	–	1	2	2	–	4	4	–	–	13.75
6	–	1	–	–	7	4	6	–	10	9	1	–	14.51
6	–	–	1	–	7	3	6	–	9	7	2	–	17.08
3	–	–	–	–	3	4	2	–	6	6	–	–	10.58
30	4	2	2	–	38	25	42	–	67	60	6	1	17.28
3	–	–	–	–	3	3	4	–	7	7	–	–	12.25
5	–	2	–	–	7	4	12	–	16	14	2	–	14.35
31	6	3	1	–	41	18	25	–	43	38	5	–	15.56
2	–	–	–	–	2	4	10	–	14	14	–	–	28.40
3	–	–	–	–	3	2	1	–	3	2	1	–	7.94
8	–	–	–	–	8	7	4	–	11	11	–	–	12.05
7	–	1	–	–	8	8	11	–	19	17	2	–	12.71
6	–	–	–	–	6	8	6	–	14	14	–	–	15.30
21	–	1	5	–	27	18	14	–	32	32	–	–	11.07
3	–	–	–	–	3	2	2	–	4	4	–	–	8.91
7	1	–	–	–	8	12	7	–	19	18	1	–	18.32
26	–	7	10	–	43	41	29	–	70	60	9	1	13.51
3	–	–	1	–	4	7	2	–	9	9	–	–	20.04
7	–	–	1	1	9	4	8	–	12	12	–	–	12.05
3	–	–	–	–	3	3	5	–	8	7	–	1	12.58

TABLE

Births, Marriages and Deaths

SOMERSET

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother	Not stated.
Bigelow Pl	57	1	–	–	1	17.54	1	–	–	–	–
Brighton Pl	368	–	–	–	–	–	–	–	–	–	–
Carat unk Pl	218	4	2	–	6	27.52	4	–	1	1	–
Dead River Pl	91	–	1	–	1	10..9	1	–	–	–	–
Dennistown Pl	96	2	2	–	4	41.67	1	1	1	1	–
Flagstaff Pl	115	–	–	–	–	–	–	–	–	–	–
Highland Pl	67	1	1	–	2	29.85	2	–	–	–	–
Jackman Pl	352	12	13	1	26	73.86	3	16	4	3	–
Lexington Pl	231	2	6	–	8	34.63	8	–	–	–	–
Mayfield Pl	89	1	1	–	2	22.47	1	–	1	–	–
Moose River Pl	239	5	1	–	6	25.10	4	1	1	–	–
Pleasant Ridge Pl	114	2	2	–	4	35.09	4	–	–	–	–
The Forks Pl	157	1	2	–	3	19.11	2	1	–	–	–
West Forks Pl	160	1	–	–	1	6.25	1	–	–	–	–
Holeb	30	1	1	–	2	66.67	–	1	1	–	–
Total	*33,526	381	353	1	735	21.92	489	116	70	50	10

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See table No, 1.

No. 6—Continued.

for the Year 1909.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
–	–	–	–	–	–	3	–	–	3	2	1	–	52.63
2	–	–	–	–	2	–	–	–	–	–	–	–	–
1	–	–	–	–	1	2	–	–	2	2	–	–	9.17
1	–	–	–	–	1	3	–	–	3	3	–	–	32.97
1	–	–	–	–	1	–	–	–	–	–	–	–	–
3	–	–	–	–	3	1	–	–	1	1	–	–	8.70
1	–	–	–	–	1	–	–	–	–	–	–	–	–
2	9	1	3	–	15	1	5	–	6	6	–	–	17.05
4	–	–	–	–	4	1	2	–	3	3	–	–	12.99
1	–	–	–	–	1	–	–	–	–	–	–	–	–
1	–	2	1	–	4	1	–	–	1	1	–	–	4.18
1	–	–	–	–	1	–	1	–	1	1	–	–	8.77
1	–	–	1	–	2	1	2	–	3	3	–	–	19.11
1	–	–	–	–	1	1	–	–	1	–	–	1	6.25
–	–	–	–	–	–	2	–	–	2	–	2	–	66.67
250	23	21	28	1	323	230	241	–	471	431	36	4	14.05

TABLE

Births, Marriages and Deaths

WALDO

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	49	30	-	79	17.12	72	2	3	1	1
Belmont	352	3	2	-	5	14.21	4	-	-	1	-
Brooks	669	3	1	-	4	5.98	4	-	-	-	-
Burnham	766	9	6	-	15	19.58	15	-	-	-	-
Frankfort	1,211	9	11	-	20	16.52	11	3	2	4	-
Freedom	479	3	5	-	8	16.70	8	-	-	-	-
Islesboro	923	5	10	-	15	16.25	14	-	1	-	-
Jackson	439	3	5	-	8	17.77	8	-	-	-	-
Knox	558	3	4	-	7	12.54	7	-	-	-	-
Liberty	737	4	8	-	12	16.28	12	-	-	-	-
Lincolnville	1,223	12	3	-	15	12.26	15	-	-	-	-
Monroe	958	7	3	-	10	10.44	10	-	-	-	-
Montville	982	7	7	-	14	14.26	12	1	-	-	1
Morrill	420	4	5	-	9	21.43	9	-	-	-	-
Northport	545	2	3	-	5	9.17	5	-	-	-	-
Palermo	757	9	4	-	13	17.17	12	-	1	-	-
Prospect	648	9	6	-	15	23.15	13	-	2	-	-
Searsmont	949	4	10	-	14	14.75	12	-	1	-	1
Searsport	1,349	11	8	-	19	14.08	16	1	2	-	-
Stockton Springs	872	8	10	-	18	20.64	17	1	-	-	-
Swanville	502	2	4	-	6	11.95	6	-	-	-	-
Thorndike	497	2	5	-	7	14.08	7	-	-	-	-
Troy	766	3	9	-	12	15.67	12	-	-	-	-
Unity	877	4	3	-	7	7.98	7	-	-	-	-
Waldo	468	7	5	-	12	25.64	12	-	-	-	-
Winterport	1,623	10	7	-	17	10.47	16	1	-	-	-
Total	24,185	192	174	-	366	15.13	336	9	12	6	3

No. 6—Continued.

for the Year 1909.

COUNTY.

Marriages.						Death.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
34	–	–	2	1	37	42	46	–	88	85	1	2	19.07
3	–	–	–	–	3	5	1	–	6	5	1	–	17.05
6	–	–	–	–	6	7	7	–	14	13	1	–	20.93
7	–	–	–	–	7	2	4	–	6	6	–	–	7.83
3	–	–	–	–	3	7	6	–	13	11	2	–	10.74
7	–	–	–	–	7	6	4	–	10	10	–	–	20.88
9	–	–	–	–	9	8	9	–	17	17	–	–	18.42
2	–	–	1	–	3	–	3	–	3	3	–	–	6.83
2	–	–	–	–	2	2	3	–	5	4	–	1	8.97
4	–	–	–	–	4	1	4	–	5	5	–	–	6.78
8	–	–	1	–	9	9	6	–	15	15	–	–	12.26
11	–	–	–	–	11	5	6	–	11	11	–	–	11.48
9	–	–	–	–	9	6	7	–	13	13	–	–	13.24
1	–	–	–	–	1	6	2	–	8	8	–	–	19.05
–	–	1	–	–	1	3	7	–	10	10	–	–	18.34
4	–	–	–	–	4	6	3	–	9	9	–	–	11.89
3	–	–	–	–	3	11	5	–	16	16	–	–	24.69
5	–	–	–	–	5	4	8	–	12	11	1	–	12.65
6	–	–	1	–	7	11	21	–	32	32	–	–	23.72
3	–	–	1	–	4	14	10	–	24	23	1	–	27.52
8	–	–	–	–	8	5	2	–	7	7	–	–	13.94
6	–	1	–	–	7	2	5	–	7	6	1	–	14.08
7	–	–	–	–	7	6	6	–	12	12	–	–	15.67
9	–	–	–	–	9	4	7	–	11	10	–	1	12.54
4	–	–	–	–	4	1	1	–	2	2	–	–	4.27
16	–	–	–	–	16	18	12	–	30	30	–	–	18.47
77	–	2	6	1	186	191	195	–	386	374	8	4	15.96

TABLE

Births, Marriages and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,059	3	9	–	12	11.33	11	–	1	–	–
Alexander	333	4	9	–	13	39.04	12	–	–	1	–
Baileyville	215	17	20	–	37	172.09	8	16	7	6	–
Baring	231	1	6	–	7	30.30	1	2	1	3	–
Beddington	86	–	2	–	2	23.26	2	–	–	–	–
Brookton	285	3	4	–	7	24.56	5	1	–	–	1
Calais	7,655	76	72	–	148	19.33	54	23	15	45	11
Centerville	91	1	2	–	3	32.97	3	–	–	–	–
Charlotte	315	5	4	–	9	28.57	8	–	1	–	–
Cherryfield	1,859	13	9	–	22	11.83	21	–	–	1	–
Columbia	516	6	6	–	12	23.26	10	–	1	1	–
Columbia Falls	569	10	16	–	26	45.69	24	–	1	–	1
Cooper	207	4	1	–	5	24.15	5	–	–	–	–
Crawford	112	1	–	–	1	8.93	1	–	–	–	–
Cutler	565	10	3	–	13	23.01	10	–	1	2	–
Danforth	1,092	16	14	–	30	27.47	12	7	7	3	1
Deblois	73	2	–	–	2	27.40	2	–	–	–	–
Dennysville	482	3	7	–	10	20.75	8	–	–	2	–
East Machias	1,521	11	12	1	24	15.78	17	–	1	1	5
Eastport	5,311	54	50	1	105	19.77	41	20	17	26	1
Edmunds	492	6	12	–	18	36.59	14	–	1	3	–
Forest City	151	–	–	–	–	–	–	–	–	–	–
Harrington	1,165	7	5	–	12	10.30	11	–	1	–	–
Jonesboro	606	13	4	–	17	28.05	17	–	–	–	–
Jonesport	2,124	24	35	–	59	27.78	55	1	2	1	–
Lubec	3,005	47	51	–	98	32.61	43	20	25	8	2
Machias	2,082	35	12	–	47	22.57	44	1	–	2	–
Machiasport	1.218	19	13	1	33	27.09	29	–	3	1	–

No. 6—Continued.
for the Year 1909.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	4	6	-	10	10	-	-	9.44
2	-	-	-	-	2	1	4	-	5	3	2	-	15.02
1	2	2	1	-	6	15	12	-	27	19	8	-	125.58
-	-	-	-	-	-	1	2	-	3	2	-	1	12.99
1	-	-	-	-	1	-	1	-	1	1	-	-	11.63
3	-	-	-	-	3	1	-	-	1	-	1	-	3.51
17	3	10	4	-	34	49	64	-	113	63	47	3	14.76
-	-	-	1	-	1	1	1	-	2	2	-	-	21.98
1	-	-	1	-	2	-	4	-	4	4	-	-	12.70
12	-	-	-	-	12	7	7	-	14	12	2	-	7.53
2	-	-	-	-	2	3	3	-	6	5	1	-	11.63
6	-	-	-	-	6	4	4	-	8	8	-	-	14.06
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	1	-	-	2	-	2	-	2	2	-	-	17.86
5	1	-	-	-	6	6	4	-	10	10	-	-	17.70
6	1	1	2	-	10	10	3	-	13	6	7	-	11.90
-	-	-	-	-	-	1	1	-	2	2	-	-	27.40
4	-	1	-	-	5	-	4	-	4	3	1	-	8.30
8	-	-	-	-	8	13	8	-	21	20	1	-	13.81
22	7	6	8	-	43	39	41	-	80	61	19	-	15.06
8	-	1	-	-	9	8	5	-	13	13	-	-	26.42
-	-	-	-	-	-	2	1	-	3	2	1	-	19.87
2	-	-	1	-	3	5	12	-	17	16	-	1	14.59
5	-	-	-	-	5	3	4	-	7	7	-	-	11.55
13	-	-	-	-	13	17	12	-	29	28	1	-	13.65
7	8	4	7	-	26	27	28	-	55	41	14	-	18.30
22	-	-	1	-	23	20	12	-	32	27	5	-	15.37
13	-	-	2	-	15	5	8	-	13	13	-	-	10.67

TABLE

Births, Marriages and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother. and foreign father.	American father. and foreign mother.	Not stated.
Marion	95	6	2	-	8	84.21	8	-	-	-	-
Marshfield	227	1	4	-	5	22.03	5	-	-	-	-
Meddybemps	154	2	1	-	3	19.48	2	-	-	1	-
Milbridge	1,921	15	8	-	23	11.97	21	-	1	1	-
Northfield	126	-	1	-	1	7 94	1	-	-	-	-
Pembroke	1,652	7	13	-	20	12.11	19	-	-	1	-
Perry	1,245	11	9	-	20	16.06	17	1	1	1	-
Princeton	1,094	21	15	-	36	32.91	29	-	3	4	-
Robbinston	844	5	6	-	11	13.03	7	-	3	1	-
Roque Bluffs	168	2	2	-	4	23.81	4	-	-	-	-
Steuben	901	10	11	-	21	23.31	21	-	-	-	-
Talmage	93	-	2	-	2	21.51	2	-	-	-	-
Topsfield	282	6	2	-	8	28.37	5	-	3	-	-
Trescott	463	5	5	-	10	21.60	7	-	-	3	-
Vanceboro	550	12	4	-	16	29.09	2	4	7	2	1
Waite	135	1	1	-	2	14.81	2	-	-	-	-
Wesley	198	2	3	-	5	25.25	5	-	-	-	-
Whiting	399	4	2	-	6	15.04	4	-	1	1	-
Whitneyville	424	2	1	-	3	7.08	3	-	-	-	-
Codyville Pl	68	1	1	-	2	29.41	2	-	-	-	-
Grand Lake Stream Pl	221	6	7	-	13	58.82	8	-	5	-	-
No. 14 Pl	77	1	-	-	1	12.98	1	-	-	-	-
No. 21 Pl	86	2	1	-	3	34.88	1	-	-	2	-
Kossuth	46	-	1	-	1	29.41	1	-	-	-	-
Lambert Lake Pl	113	3	-	-	3	26.55	3	-	-	-	-
Total	*45,002	516	480	3	999	22.20	648	96	109	123	23

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6.—Continued.

for the year 1909.

COUNTY.—Concluded.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000
–	–	–	–	–	–	1	1	–	2	1	1	–	21.05
1	–	–	1	–	2	3	4	–	7	5	1	1	30.84
1	–	–	–	–	1	–	1	–	1	1	–	–	6.49
10	–	–	–	–	10	10	12	–	22	21	1	–	11.45
–	–	–	–	–	–	2	–	–	2	2	–	–	15.87
3	–	–	–	–	3	7	9	–	16	14	2	–	9.69
5	–	2	–	–	7	4	6	–	10	6	3	1	8.03
4	–	–	1	–	5	6	8	–	14	11	3	–	12.80
5	1	2	1	–	9	4	10	–	14	10	4	–	16.59
–	–	–	–	–	–	2	1	–	3	3	–	–	17.86
5	–	1	–	–	6	8	4	–	12	11	1	–	13.32
–	–	–	–	–	–	–	1	–	1	1	–	–	10.75
1	–	–	–	–	1	1	2	–	3	3	–	–	10.64
1	–	–	1	–	2	5	2	–	7	7	–	–	15.12
2	1	–	1	–	4	5	2	–	7	2	5	–	12.73
1	–	–	–	–	1	–	2	–	2	1	1	–	14.81
2	–	–	–	–	2	–	–	–	–	–	–	–	–
8	–	1	–	–	9	3	–	–	3	3	–	–	7.52
–	–	–	–	–	–	2	–	–	2	2	–	–	4.72
–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	–	–	–	–	1	2	1	–	3	1	2	–	13.57
–	–	1	–	–	1	–	2	–	2	2	–	–	25.97
1	–	1	–	–	2	–	1	–	1	1	–	–	11.62
–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	1	1	–	–	1	1	–	–	8.85
218	24	35	33	–	310	308	322	–	630	489	134	7	14.00

TABLE
Births, Marriages and Deaths
YORK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	6	3	–	9	11.57	9	–	–	–	–
Alfred	937	8	5	–	13	13.87	8	–	4	1	–
Berwick	2,280	21	26	–	47	20.61	29	6	5	4	3
Biddeford	16,145	282	263	–	545	33.76	99	330	60	55	1
Buxton	1,838	15	18	–	33	17.95	32	–	–	–	1
Cornish	984	4	6	–	10	10.16	10	–	–	–	–
Dayton	473	3	1	–	4	8.46	3	–	–	1	–
Eliot	1,458	13	17	–	30	20.58	21	4	4	–	1
Hollis	1,274	11	10	–	21	16.48	19	1	–	–	1
Kennebunk	3,228	30	27	–	57	17.66	49	2	–	6	–
Kennebunkport	2,123	18	19	–	37	17.43	26	4	5	2	–
Kittery	2,872	28	22	–	50	17.41	37	1	4	6	2
Lebanon	1,335	10	10	1	21	15.73	17	1	3	–	–
Limerick	874	15	6	–	21	24.03	13	6	2	–	–
Limington	1,001	13	7	–	20	19.98	16	2	1	1	–
Lyman	687	6	4	–	10	14.56	3	2	1	3	1
Newfield	676	7	7	–	14	20.71	11	1	2	–	–
North Berwick	1,748	21	18	–	39	22.31	36	2	1	–	–
Old Orchard	964	7	12	–	19	19.71	11	1	4	3	–
Parsonsfield	1,131	15	13	–	28	24.76	24	–	1	2	1
Saco	6,122	59	40	–	99	16.17	51	24	5	17	2
Sanford	6,078	142	113	–	255	41.95	60	136	29	27	3
Shapleigh	847	6	3	–	9	10.63	9	–	–	–	–
South Berwick	3,188	31	26	–	57	17.88	34	16	2	5	–
Waterboro	1,169	12	7	–	19	16.25	16	1	2	–	–
Wells	2,007	24	18	–	42	20.92	39	–	2	1	–
York	2,668	34	29	–	63	23.61	48	5	4	5	1
Total	64,885	841	730	1	1,572	24.23	730	545	141	139	17

No. 6—Concluded.
for the Year 1909.
COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
–	–	1	–	1	2	7	3	–	10	9	1	–	12.86
5	–	–	–	–	5	6	7	–	13	11	1	1	13.87
14	–	–	1	–	15	12	15	–	27	26	1	–	11.84
45	61	24	26	1	157	153	168	–	321	225	96	–	19.88
5	–	–	–	–	5	18	18	–	36	33	2	1	19.59
5	–	–	–	–	5	4	5	–	9	8	1	–	9.15
2	–	–	–	–	2	2	5	–	7	7	–	–	14.80
3	–	–	1	1	5	12	9	–	21	20	1	–	14.40
1	–	–	–	–	1	9	13	–	22	22	–	–	17.27
18	–	4	–	–	22	20	28	–	48	44	3	1	14.87
7	–	–	1	–	8	23	12	–	35	35	–	–	16.49
15	–	–	1	–	16	21	10	–	31	29	2	–	10.79
5	1	–	–	–	6	7	4	–	11	8	3	–	8.24
6	3	1	–	–	10	5	9	–	14	12	1	1	16.02
5	–	–	–	–	5	8	7	–	15	15	–	–	14.99
2	–	–	–	–	2	2	6	–	8	8	–	–	11.64
11	–	1	–	–	12	7	2	–	9	9	–	–	13.31
17	–	–	–	–	17	16	15	–	31	30	1	–	18.73
4	1	–	2	–	7	10	14	–	24	17	5	2	24.90
7	–	–	–	–	7	9	7	–	16	16	–	–	14.15
39	10	3	2	–	54	49	62	–	111	99	12	–	18.13
24	27	12	11	–	74	60	52	–	112	95	17	–	18.43
2	–	–	–	–	2	9	7	–	16	16	–	–	18.89
13	4	2	1	–	20	29	36	–	65	53	12	–	20.39
9	–	–	–	–	9	10	6	–	16	16	–	–	13.68
5	–	–	1	–	6	19	21	–	40	38	2	–	19.93
16	1	–	1	–	18	36	22	–	58	49	9	–	21.74
285	108	48	48	3	492	563	563	–	1,126	950	170	6	17.36

TABLE

Recapitulation

Counties.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	598	607	–	1,205	22.22	498	439	136	124	8
Aroostook	*59.585	1,258	1,115	1	2,374	39.84	1,334	334	348	339	19
Cumberland	100,689	1,141	1,121	1	2,263	22.48	1,275	579	171	201	37
Franklin	*18,044	199	219	–	418	23.17	300	76	20	20	2
Hancock	*37,039	385	355	–	740	19.98	650	29	31	26	4
Kennebec	59,117	628	631	–	1,259	21.30	727	282	127	110	13
Knox	*30,287	237	201	–	438	14.46	346	45	29	13	5
Lincoln	19,669	155	159	–	314	15.96	293	4	2	13	2
Oxford	*32,059	408	456	–	864	26.88	494	253	65	44	8
Penobscot	*75,755	893	877	–	1,770	23.36	1,058	349	189	147	27
Piscataquis	*16,526	200	183	–	383	23.18	261	56	36	24	6
Sagadahoc	20,330	176	184	–	360	17.71	239	62	28	27	4
Somerset	*33,526	381	353	1	735	21.92	489	116	70	50	10
Waldo	24,185	192	174	–	366	15.13	336	9	12	6	3
Washington	*45,002	516	480	3	999	22.20	648	96	109	123	23
York	64,885	841	730	1	1,572	24.23	730	545	141	139	17
Total	*690,940	8,208	7,845	7	16,060	23.24	9,678	3274	1514	1406	188

* Population omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 7.

by Counties.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
258	91	46	54	2	451	456	443	–	899	694	196	9	16.57
404	55	83	104	–	646	503	422	1	926	702	216	8	15.54
625	114	81	94	2	916	860	930	–	1,790	1,461	308	21	17.78
154	9	11	5	–	179	147	125	–	272	256	15	1	15.07
240	6	8	9	2	265	260	269	–	529	495	28	6	14.29
388	56	52	47	2	545	574	514	–	1,088	959	112	17	18.40
202	9	6	7	1	225	222	242	–	464	434	29	1	15.32
131	2	3	1	1	138	157	146	–	303	293	9	1	15.40
220	56	18	30	1	325	264	276	–	540	497	34	9	16.84
525	61	57	73	2	718	691	618	–	1,309	1,075	210	24	17.28
118	8	13	12	2	153	168	104	–	272	235	31	6	16.46
118	8	7	6	–	139	149	141	–	290	255	28	7	14.26
250	23	21	28	1	323	230	241	–	471	431	36	4	14.05
177	–	2	6	1	186	191	195	–	386	374	8	4	15.96
218	24	35	33	–	310	308	322	–	630	489	134	7	14.00
285	108	48	48	3	492	563	563	–	1,126	950	170	6	17.36
4,313	630	491	557	20	6,011	5,743	5,551	1	11,295	9,600	1,564	131	16.35

TABLE No. 8.

Births and Birth-Rates by Counties for the Years 1902-1909.

	1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,508	20.89	14,453	20.81	14,673	21.13	15,294	21.40	15,878	22.09	15,914	22.02	16,173	22.25	16,060	21.97
Androscoggin	1,117	20.59	1,050	19.36	1,059	19.52	1,164	20.47	1,175	20.47	1,088	18.78	1,124	19.23	1,205	20.43
Aroostook	2,090	35.12	2,095	35.45	2,223	37.27	2,241	34.60	2,323	34.45	2,413	35.20	2,429	34.87	2,374	33.54
Cumberland	1,951	19.37	2,029	20.15	2,011	19.97	2,066	19.03	2,179	20.45	2,163	20.12	2,254	20.78	2,263	20.68
Franklin	416	23.19	383	21.20	376	20.60	432	22.60	404	20.96	442	22.76	402	20.56	418	21.22
Hancock	700	18.92	676	18.27	695	18.76	733	19.05	768	20.62	757	20.33	753	20.22	740	19.87
Kennebec	1,227	20.76	1,084	18.34	1,174	19.86	1,177	19.14	1,225	20.72	1,257	20.75	1,236	20.33	1,259	20.64
Knox	437	14.42	450	14.86	452	14.92	465	15.32	531	17.53	444	14.60	454	14.93	438	14.40
Lincoln	307	15.61	303	15.40	288	14.64	345	17.42	310	15.76	323	16.42	321	16.32	314	15.96
Oxford	689	21.44	729	22.85	730	22.88	792	23.36	880	26.48	787	23.57	906	27.00	864	25.62
Penobscot	1,577	20.80	1,598	21.09	1,541	20.34	1,578	20.04	1,722	22.00	1,772	22.54	1,781	22.55	1,770	22.31
Piscataquis	347	21.11	351	21.30	343	20.64	353	20.29	364	20.87	404	23.06	409	23.24	383	21.67
Sagadahoc	382	18.79	352	17.31	399	19.63	344	15.95	366	17.54	340	16.23	347	16.50	360	17.04
Somerset	583	17.34	591	17.60	634	18.88	698	19.95	692	20.01	703	20.26	749	21.51	735	21.03
Waldo	282	11.66	272	11.25	319	13.19	352	14.52	365	15.09	385	15.92	380	15.71	366	15.13
Washington	991	22.10	1,031	22.99	988	22.03	1,013	21.87	1,023	22.39	1,030	22.51	1,051	22.93	999	21.76
York	1,412	21.76	1,459	22.49	1,441	22.21	1,541	23.03	1,551	23.46	1,606	24.21	1,577	23.70	1,572	23.55

TABLE No. 9.
Births by Counties, Showing Proportion of Males to Females, 1909.

Counties.	Males.	Females	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	598	607	–	1,205	–	9	98.5
Aroostook	1,258	1,115	1	2,374	143	–	112.8
Cumberland	1,141	1,121	1	2,263	20	–	101.7
Franklin	199	219	–	418	–	20	90.9
Hancock	385	355	–	740	30	–	108.5
Kennebec	628	631	–	1,259	–	3	99.5
Knox	237	201	–	438	36	–	117.9
Lincoln	155	159	–	314	–	4	97.5
Oxford	408	456	–	864	–	48	89.5
Penobscot	893	877	–	1,770	16	–	101.8
Piscataquis	200	183	–	383	17	–	109.3
Sagadahoc	176	184	–	360	–	8	95.7
Somerset	381	353	1	735	28	–	107.9
Waldo	192	174	–	366	18	–	110.3
Washington	516	480	3	999	36	–	107.5
York	841	730	1	1,572	111	–	115.2
Total	8,208	7,845	7	16,060	455	92	104.7

TABLE No. 10.

Number of Births in Each Month of 1902-1909, with a Monthly Ratio Compared with a Standard of 100.

Months.	1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,143	92.7	1,210	98.6	1,219	97.8	1,178	90.8	1,173	87.0	1,301	96.3	1,296	94.3	1,306	95.9
February	1,111	99.8	1,151	103.9	1,207	107.2	1,180	100.6	1,206	99.0	1,288	105.0	1,312	102.2	1,276	103.7
March	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7	1,333	102.1	1,431	105.9	1,551	112.9	1,475	108.3
April	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6	1,385	106.1	1,397	106.8	1,345	101.2	1,392	105.6
May	1,333	108.1	1,326	108.1	1,336	107.2	1,365	105.2	1,335	99.0	1,455	107.4	1,464	106.6	1,453	106.7
June	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4	1,310	100.3	1,424	108.9	1,430	107.5	1,309	99.1
July	1,237	100.3	1,215	99.0	1,297	104.1	1,439	110.9	1,454	107.8	1,360	100.6	1,361	99.1	1,353	99.2
August	1,252	101.6	1,223	99.7	1,216	97.6	1,328	102.3	1,450	107.5	1,293	95.7	1,438	104.7	1,437	105.4
September	1,207	101.2	1,205	101.5	1,203	99.8	1,259	100.2	1,364	104.5	1,336	102.1	1,246	93.7	1,351	102.3
October	1,137	92.3	1,134	92.4	1,217	97.7	1,163	89.6	1,280	94.9	1,264	93.5	1,216	88.5	1,251	91.7
November	1,064	89.2	1,026	86.4	1,037	85.9	1,057	84.1	1,260	96.5	1,129	86.3	1,212	91.1	1,221	92.5
December	1,119	90.8	990	80.6	1,057	84.8	1,143	88.1	1,325	98.2	1,231	91.1	1,299	94.6	1,231	90.2
Unknown	10	–	9	–	6	–	4	–	3	–	5	–	3	–	5	–

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 11.
Births, by Sex and Months, by Counties, 1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	51	46	53	51	50	44	50	64	46	48	47	48	-	598	-
females	47	55	58	51	42	58	53	49	51	50	48	44	1	607	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1205
Aroostook, males	98	127	106	103	121	94	130	103	102	78	86	110	-	1258	-
females	78	79	111	105	112	100	96	110	102	55	88	78	1	1115	-
not stated	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2374
Cumberland, males	96	99	111	104	105	77	82	100	99	93	87	88	-	1141	-
females	91	90	107	106	112	101	87	89	89	105	57	87	-	1121	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2263
Franklin, males	17	24	16	14	16	20	16	10	20	15	21	10	-	199	-
females	24	12	13	27	23	20	27	16	20	15	14	8	-	219	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	418
Hancock, males	34	28	30	27	39	36	37	42	32	28	23	29	-	385	-
females	32	32	22	24	36	30	34	31	30	23	38	23	-	355	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	740
Kennebec, males	54	48	59	54	69	46	41	55	53	47	46	56	-	628	-
females	55	52	52	62	59	55	41	57	61	56	40	41	-	631	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1259
Knox, males	17	9	24	23	21	14	17	29	18	25	20	20	-	237	-
females	18	17	12	18	11	20	16	20	16	15	28	10	-	201	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	438
Lincoln, males	9	11	17	7	19	12	12	13	18	10	17	10	-	155	-
females	13	11	15	11	13	9	23	11	12	14	15	12	-	159	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314
Oxford, males	30	29	31	29	36	44	45	34	32	34	31	33	-	408	-
females	31	33	43	39	39	43	47	41	36	38	32	34	-	456	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	864
Penobscot, males	73	75	107	85	65	56	69	79	72	71	63	78	-	893	-
females	67	69	77	71	77	90	61	72	72	83	79	59	-	877	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1770
Piscataquis, males	22	21	17	15	16	9	15	18	14	18	18	17	-	200	-
females	20	18	14	14	24	14	18	13	9	14	6	19	-	183	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
Sagadahoc, males	15	12	17	17	16	9	16	17	23	8	13	13	-	176	-
females	17	17	18	22	15	15	7	14	12	19	20	8	-	184	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360
Somerset, males	40	35	39	29	27	33	22	41	25	33	31	24	2	381	-
females	37	18	26	30	33	31	33	35	27	35	24	24	-	353	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	1	1	735
Waldo, males	14	18	19	20	13	12	18	23	9	16	18	12	-	192	-
females	11	10	23	19	9	15	14	14	19	17	8	15	-	174	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366
Washington, males	44	35	54	48	47	40	42	40	39	40	44	43	-	516	-
females	30	38	51	41	49	38	48	49	40	32	24	40	-	480	-
not stated	-	-	-	-	-	1	-	1	-	-	-	1	-	3	999
York, males	75	55	66	69	78	54	70	79	88	62	62	83	-	841	-
females	46	53	67	57	60	69	65	68	65	54	73	53	-	730	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1572
Total, males	689	672	766	695	738	600	682	747	690	626	627	674	2	8208	-
females	617	604	709	697	714	708	670	689	661	625	594	555	2	7845	-
not stated	-	-	-	-	1	1	1	1	-	-	-	2	1	7	-
Grand total	1306	1276	1475	1392	1453	1309	1353	1437	1351	1251	1221	1231	5	16060	16060

TABLE No. 12.

Births in Cities for 1909, with Rate per 1,000 of Population.

Cities.	Estimated population for 1909.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	14,481	109	149	–	258	17.82	73.2
Augusta	12,775	136	136	–	272	21.29	100.0
Bangor	24,325	196	175	–	371	15.25	112.0
Bath	12,052	113	92	–	205	17.01	122.8
Belfast	5,250	49	30	–	79	15.05	163.0
Biddeford	17,715	282	263	–	545	30.76	107.2
Brewer	5,411	85	69	–	154	28.46	136.9
Calais	7,982	76	72	–	148	18.54	105.5
Eastport	5,673	54	50	1	105	18.51	108.0
Ellsworth	4,297	37	22	–	59	13.73	168.2
Gardiner	5,510	42	51	–	93	16.88	82.3
Hallowell	2,714	26	26	–	52	19.16	100.0
Lewiston	25,615	293	303	–	596	23.27	96.7
Old Town	6,168	90	83	–	173	28.05	108.4
Portland	58,211	613	607	–	1,220	20.96	101.0
Rockland	8,150	66	60	–	126	15.46	110.0
Saco	6,166	59	40	–	99	16.06	147.5
South Portland	6,287	69	72	–	141	22.43	95.8
Waterville	11,510	158	156	–	314	27.28	101.3
Westbrook	7,868	107	76	1	184	23.39	140.7
Total	248,160	2,660	2,532	2	5,194	20.93	105.1

TABLE No. 13.
Percentage of American and Foreign Births by Counties, 1909.

Counties.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	41.33	36.43	21.58	0.66
Aroostook	56.19	14.07	28.94	0.80
Cumberland	56.34	25.59	16.44	1.63
Franklin	71.77	18.18	9.57	0.48
Hancock	87.84	3.92	7.70	0.54
Kennebec	57.74	22.40	18.82	1.04
Knox	79.00	10.28	9.59	1.13
Lincoln	93.31	1.27	4.78	0.64
Oxford	57.18	29.28	12.62	0.92
Penobscot	59.78	19.71	18.98	1.53
Piscataquis	68.15	14.62	15.67	1.56
Sagadahoc	66.39	17.22	15.28	1.11
Somerset	66.53	15.78	16.33	1.36
Waldo	91.80	2.46	4.92	0.82
Washington	64.87	9.61	23.22	2.30
York	46.44	34.67	17.81	1.08
State	60.26	20.39	18.18	1.17

TABLE No. 14.
Percentage of American and Foreign Births by Cities, 1909.

Cities.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	42.64	34.11	22.87	0.38
Augusta	45.59	34.56	19.12	0.73
Bangor	50.94	25.06	19.95	4.05
Bath	60.98	20.49	17.07	1.46
Belfast	91.14	2.53	5.06	1.27
Biddeford	18.16	60.55	21.10	0.19
Brewer	50.65	27.27	22.08	–
Calais	36.49	15.54	40.54	7.43
Eastport	39.05	19.05	40.95	0.95
Ellsworth	88.14	1.69	8.48	1.69
Gardiner	74.19	7.53	15.06	3.22
Hallowell	73.07	9.62	13.46	3.85
Lewiston	24.50	49.33	25.67	0.50
Old Town	45.09	26.01	27.17	1.73
Portland	46.15	34.02	18.28	1.55
Rockland	73.81	13.49	11.11	1.59
Saco	51.51	24.24	22.22	2.03
South Portland	66.67	17.02	14.18	2.13
Waterville	36.94	31.53	30.57	0.96
Westbrook	47.28	29.90	22.28	0.54
Collectively	43.88	33.11	21.53	1.48

TABLE No. 15.
Twin Births by Months and Counties, 1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	2	1	1	1	–	2	3	–	1	1	1	–	13
Aroostook	4	3	1	5	1	3	3	3	–	–	2	4	29
Cumberland	2	3	3	7	1	2	–	–	2	3	2	3	28
Franklin	1	–	–	–	–	–	–	–	–	–	–	1	2
Hancock	1	2	–	2	–	1	–	1	–	1	–	–	8
Kennebec	–	1	1	1	–	1	–	1	1	2	1	1	10
Knox	–	–	–	–	–	–	–	1	–	2	1	1	5
Lincoln	–	–	–	–	–	–	–	1	–	–	–	1	2
Oxford	–	2	3	–	2	–	–	2	1	1	–	1	12
Penobscot	2	1	1	4	2	–	–	–	1	1	4	1	17
Piscataquis	1	1	–	–	–	–	–	–	–	–	–	2	4
Sagadahoc	–	–	–	1	–	–	–	–	–	–	2	–	3
Somerset	2	1	–	–	–	2	–	–	1	–	–	–	6
Waldo	–	–	–	2	–	–	–	–	1	1	–	1	5
Washington	3	–	5	1	3	–	–	–	1	2	–	–	15
York	3	1	–	1	–	–	1	–	2	2	4	2	16
Total	21	16	15	25	9	11	7	9	11	16	17	18	175

TABLE No. 16.
Twin Births by Sex and Parentage, by Counties, 1909.

Counties.	Sex.				Parentage.								
	Both male.	Both female.	One male and one female.	Not stated	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated	Total.	Living children.	Stillborn children.	Total.
Androscoggin	4	5	4	-	3	9	1	-	-	13	24	2	26
Aroostook	10	9	10	-	14	2	6	7	-	29	53	5	58
Cumberland	10	10	8	-	15	9	1	1	2	28	50	6	56
Franklin	1	1	-	-	1	1	-	-	-	2	2	2	4
Hancock	3	4	1	-	6	1	-	1	-	8	12	4	16
Kennebec	1	4	5	-	8	-	1	-	1	10	19	1	20
Knox	1	2	2	-	4	-	-	-	1	5	9	1	10
Lincoln	-	1	1	-	1	-	-	1	-	2	3	1	4
Oxford	4	1	7	-	6	3	1	2	-	12	23	1	24
Penobscot	7	6	4	-	9	5	2	1	-	17	28	6	34
Piscataquis	3	-	1	-	2	1	-	1	-	4	6	2	8
Sagadahoc	1	-	2	-	2	-	-	1	-	3	5	1	6
Somerset	1	1	4	-	4	2	-	-	-	6	12	-	12
Waldo	1	3	1	-	5	-	-	-	-	5	8	2	10
Washington	7	6	2	-	11	2	2	-	-	15	30	-	30
York	6	5	5	-	11	3	-	2	-	16	29	3	32
Total	60	58	57	-	102	38	14	17	4	175	313	37	350

TABLE No. 17.

Stillbirths by Sex and Parentage, by Counties, 1909.

Counties.	Male.	Female.	Sex not stated.	Total	Mother American.	Mother foreign.	Not stated.
Androscoggin	18	11	1	30	18	12	-
Aroostook	60	38	3	101	71	27	3
Cumberland	53	50	-	103	60	43	-
Franklin	6	12	-	18	15	3	-
Hancock	17	16	-	33	25	8	-
Kennebec	30	24	1	55	41	14	-
Knox	8	8	-	16	12	4	-
Lincoln	3	2	-	5	4	1	-
Oxford	21	18	-	39	26	13	-
Penobscot	47	29	1	77	52	24	1
Piscataquis	13	5	-	18	14	4	-
Sagadahoc	11	6	-	17	15	2	-
Somerset	16	11	-	27	21	6	-
Waldo	8	13	2	23	22	1	-
Washington	25	11	-	36	24	12	-
York	47	27	3	77	41	35	1
Total	383	281	11	675	461	209	5

TABLE No. 18.

Stillbirths by Seasons, 1909.

Months.			
January	57		
February	65		
March	63	Total for first quarter	185
April	62		
May	49		
June	64	Total for second quarter	175
July	46		
August	60		
September	44	Total for third quarter	150
October	60		
November	48		
December	57	Total for fourth quarter	165
Total	675		675

NOTES ON BIRTHS.

In the year 1909, 16,735 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896; 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, and 16,914 in 1908).

The number of living children born was 16,060, and the number of stillbirths was 675.

Of the whole number of living children of which the sex was certified, 8,208 were males and 7,845 were females. In 7 births, the sex was not stated. For each 100 girls born there were 104.7 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, and 107.2 in 1908.

Birth-rate.—The birth-rate of living children for the State was 21.97 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.93 as compared with 22.51 the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 33.54, and the lowest in Knox, 14.40. In four counties, Aroostook, Oxford, Penobscot, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

Parentage.—Of the total births in the State, 60.26 per cent. were of native parents, 20.39 per cent. were of foreign parentage; 18.18 per cent. were of parents one of whom was foreign; while in 1.17 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 93.31 per cent., and only 1.27 per cent. in which both parents were foreign-born. Waldo followed with 91.80 per cent. of native parentage, and only 2.46 per cent. in which both parents were foreign-born.

In Hancock county in 87.84 per cent. of the births the parents were native-born, and in 3.92 per cent., foreign-born.

In Knox the percentage of native-born parents was 79.00; in Franklin, 71.77; in Piscataquis, 68.15; in Somerset, 66.53; in Sagadahoc, 66.39; and in Washington, 64.87.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 36.43; in York, 34.67; in Oxford, 29.28; in Cumberland, 25.59; and in Kennebec, 22.40.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 43.88 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 68.09.

The largest percentage of foreign-born parents was in Biddeford, 60.55; and in Lewiston 49.33.

In Ellsworth the percentage of births in which both parents were foreign-born was only 1.69; and in Belfast the percentage of such births was 2.53. For further comparisons see Table No. 14.

Seasons and Births:—The largest number of births in any one month in 1909 was 1,475 in March; the smallest was 1,221 in November; the largest quarterly total was 4,154 in the second quarter; the smallest, 3,705 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 4,320.

The following is a tabular statement of the number of births in each month of the eighteen years 1892-1909:

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15 878
1907	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041

Twin-births:—In 1909, 175 twin-births occurred; in 60 instances twins were both boys; in 58, both girls; in 57, a boy and a girl. In 102 cases the parentage was American; in 38, foreign; in 31 instances the parentage was mixed; and in 4, it was not stated. Of the 350 children, 313 were born alive, and 37 were stillborn.

Triplets:—Triple births occurred in Limestone, Rockland, and Sedgwick. In Rockland they were all living children, while in each of the other places two were stillborn.

Stillbirths:—Of the 675 stillborn children, 383 were males and 281 were females. In 11 the sex was not stated. With the exception of 5 stillbirths as to which the nativity of the mother was not stated, 461 were of American mothers, and 299 were of foreign mothers.

The largest number of stillbirths occurred in Cumberland county, 103; while the minimum number, 5, was reported in Lincoln county.

The largest number of stillbirths, 65, was returned in February; the smallest number was 44 in September. See Tables No. 17 and 18 for other details.

TABLE No. 19.

Marriages and Marriage-Rates by Counties for the Years 1902–1909

	1902		1903		1904		1905		1906		1907		1908		1909	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,905	8.50	6,200	8.93	6,208	8.94	6,264	8.76	6,498	9.04	6,380	8.83	5,904	8.12	6,011	8.22
Androscoggin	462	8.52	485	8.94	465	8.57	500	8.79	536	9.34	475	8.20	465	7.95	451	7.65
Aroostook	569	9.37	617	10.16	623	10.26	564	8.70	664	9.85	592	8.64	580	8.33	646	9.13
Cumberland	846	8.40	903	8.97	848	8.42	876	8.07	918	8.62	963	8.96	854	7.87	916	8.37
Franklin	162	8.78	172	9.33	167	9.05	177	9.31	184	9.54	194	10.00	183	9.36	179	9.09
Hancock	322	8.65	323	8.67	333	8.94	337	8.75	319	8.57	329	8.83	326	8.75	265	7.12
Kennebec	501	8.53	508	8.59	554	9.37	529	8.70	541	8.96	530	9.24	519	8.54	545	8.94
Knox	273	8.98	280	9.21	261	8.58	282	9.20	269	8.84	251	8.25	203	6.67	225	7.40
Lincoln	133	6.76	132	6.71	166	8.44	117	5.91	150	7.63	145	7.37	137	6.97	138	7.02
Oxford	319	9.80	345	10.70	317	9.83	371	10.94	366	11.01	367	10.99	350	10.42	325	9.64
Penobscot	701	9.19	705	9.25	754	9.89	732	9.29	812	10.37	809	10.29	761	9.63	718	9.05
Piscataquis	163	9.62	165	9.74	171	10.09	157	9.03	170	9.75	176	10.05	170	9.66	153	8.65
Sagadahoc	158	7.77	152	7.48	183	9.00	152	7.05	151	7.24	148	7.07	104	4.94	139	6.58
Somerset	308	9.10	349	10.31	337	9.96	350	10.00	331	9.57	354	10.20	326	9.36	323	9.24
Waldo	161	6.66	182	7.53	154	6.37	206	8.50	228	9.43	207	8.56	185	7.65	186	7.69
Washington	344	7.61	360	7.96	332	7.34	368	7.95	362	7.92	306	6.69	315	6.87	310	6.75
York	480	7.40	522	8.05	543	8.37	546	8.16	497	7.52	504	7.60	426	6.40	492	7.37

TABLE No. 20.

Marriages by Counties and Nativity, 1909.

Counties.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	258	91	46	54	2	451
Aroostook	404	55	83	104	–	646
Cumberland	625	114	81	94	2	916
Franklin	154	9	11	5	–	179
Hancock	240	6	8	9	2	265
Kennebec	388	56	52	47	2	545
Knox	202	9	6	7	1	225
Lincoln	131	2	3	1	1	138
Oxford	220	56	18	30	1	325
Penobscot	525	61	57	73	2	718
Piscataquis	118	8	13	12	2	153
Sagadahoc	118	8	7	6	–	139
Somerset	250	23	21	28	1	323
Waldo	177	–	2	6	1	186
Washington	218	24	35	33	–	310
York	285	108	48	48	3	492
Total	4,313	630	491	557	20	6,011

TABLE No. 21.

Marriages by Months and Counties, 1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	27	43	18	27	42	54	42	47	39	43	46	23	451
Aroostook	25	35	28	59	51	89	72	61	61	60	74	31	646
Cumberland	73	58	47	62	60	135	53	62	104	111	91	60	916
Franklin	12	7	10	14	17	25	9	12	21	21	12	19	179
Hancock	21	10	20	13	18	20	20	14	31	28	41	29	265
Kennebec	48	31	18	37	34	78	47	44	63	51	52	42	545
Knox	15	14	10	22	15	22	15	19	27	28	16	22	225
Lincoln	8	10	11	4	12	16	10	8	9	16	17	17	138
Oxford	21	26	15	31	32	37	18	28	25	26	35	31	325
Penobscot	39	38	29	65	47	95	43	68	74	75	76	69	718
Piscataquis	13	7	9	10	6	19	9	8	24	11	19	18	153
Sagadahoc	6	10	11	8	7	20	13	7	14	15	15	13	139
Somerset	18	16	21	31	16	39	27	32	29	30	30	34	323
Waldo	10	16	13	9	12	25	10	11	16	24	22	18	186
Washington	16	14	15	20	23	39	30	29	31	31	29	33	310
York	31	26	11	39	28	76	38	39	51	55	62	36	492
Total	383	361	286	451	420	789	456	489	619	625	637	495	6,011

TABLE No. 22.

Number of Marriages in Each Month of 1902–1909, With Monthly Ratio Compared with a Standard of 100.

Months.	1902		1903		1904		1905		1906		1907		1908		1909	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	436	86.9	407	77.4	439	83.3	423	79.5	487	87.9	409	75.6	437	86.7	383	71.5
February	351	77.5	331	69.7	352	73.9	325	67.7	394	78.8	382	78.1	366	80.8	361	78.3
March	309	61.6	327	62.2	331	62.8	347	65.2	336	60.7	282	52.1	332	65.9	286	56.0
April	442	91.1	437	85.9	463	90.8	357	69.5	450	84.0	503	96.0	405	83.5	451	91.3
May	380	75.6	401	76.2	404	76.7	427	80.3	453	81.8	411	76.0	398	79.0	420	82.3
June	707	145.8	813	159.7	829	162.5	796	154.9	873	163.5	866	165.3	779	160.6	789	159.8
July	394	78.5	408	77.6	390	74.0	449	84.4	467	84.3	497	91.9	405	80.4	456	89.3
August	401	79.9	500	95.1	449	85.2	500	94.0	494	89.2	471	87.1	474	94.0	489	95.8
September	595	122.7	630	123.8	644	126.2	696	135.4	665	124.1	668	127.5	589	121.4	619	125.3
October	649	129.3	670	127.4	675	128.1	698	131.2	696	125.7	706	130.5	641	127.2	625	122.4
November	682	140.6	690	135.6	663	130.0	677	131.7	646	120.5	663	126.5	591	121.9	637	128.9
December	558	111.2	585	111.2	568	107.8	567	106.6	537	97.3	520	96.1	487	96.6	495	97.0
Unknown	1	–	1	–	1	–	2	–	–	–	2	–	–	–	–	–

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 23.

Marriages by Ages and Counties, 1909.

Counties.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin	males	-	27	160	119	56	29	17	14	5	4	19	1	-	-	451
	females	-	96	190	80	32	16	15	6	6	5	4	1	-	-	451
Aroostook	males	-	35	284	165	74	42	12	11	7	4	7	5	-	-	646
	females	9	263	221	83	32	9	12	7	3	3	4	-	-	-	646
Cumberland	males	-	30	305	257	151	72	29	23	24	11	11	3	-	-	916
	females	2	152	340	220	91	50	32	10	10	4	4	-	-	1	916
Franklin	males	-	12	59	49	21	11	5	8	6	4	3	1	-	-	179
	females	-	63	62	20	14	2	5	6	3	2	2	-	-	-	179
Hancock	males	-	15	102	72	26	18	10	8	3	4	5	2	-	-	265
	females	-	91	89	39	14	12	4	8	3	1	4	-	-	-	265
Kennebec	males	-	34	192	126	75	38	23	15	13	8	15	4	1	1	545
	females	-	120	215	90	46	23	16	16	5	4	5	4	-	1	545
Knox	males	-	15	85	51	26	15	9	2	7	5	8	2	-	-	225
	females	1	62	75	36	15	16	2	7	3	3	5	-	-	-	225
Lincoln	males	-	7	53	22	20	10	7	4	8	4	2	1	-	-	138
	females	-	47	42	19	7	5	7	7	2	-	2	-	-	-	138
Oxford	males	-	12	100	88	46	25	14	11	9	7	6	6	-	1	325
	females	-	88	115	50	21	23	11	4	4	1	6	1	-	1	325
Penobscot	males	-	23	256	200	78	53	41	25	17	8	14	3	-	-	718
	females	2	199	242	128	50	42	19	16	7	3	10	-	-	-	718
Piscataquis	males	-	6	47	42	25	16	3	5	4	-	5	-	-	-	153
	females	-	52	49	18	13	9	4	1	2	3	2	-	-	-	153
Sagadahoc	males	-	4	58	46	13	3	3	1	3	2	5	1	-	-	139
	females	-	39	52	28	5	5	4	2	1	1	1	-	-	1	139
Somerset	males	-	21	115	80	44	17	12	14	11	1	4	3	1	-	323
	females	1	106	103	51	24	9	12	8	3	2	3	1	-	-	323
Waldo	males	-	8	62	39	23	17	9	10	5	5	6	2	-	-	186
	females	-	41	66	30	12	14	7	6	2	2	2	4	-	-	186
Washington	males	-	22	121	74	31	19	17	9	6	2	7	2	-	-	310
	females	1	118	104	31	21	6	10	9	3	3	3	1	-	-	310
York	males	-	22	219	117	48	24	15	5	14	8	17	3	-	-	492
	females	-	120	175	104	38	16	12	8	7	5	5	2	-	-	492
Total	males	-	293	2,218	1,547	757	409	226	165	142	77	134	39	2	2	6,011
	females	16	1,657	2,140	1,027	435	257	172	121	64	42	62	14	-	4	6,011
Grand total		16	1,950	4,358	2,574	1,192	666	398	286	206	119	196	53	2	6	12,022

TABLE
Some Interesting Facts in

Counties.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	69	54	38	21	20	376	393	68	53	5	5
Aroostook	72	75	48	14	18	556	579	78	62	10	4
Cumberland	169	109	76	32	53	775	787	125	125	16	4
Franklin	27	19	19	14	15	146	145	25	31	7	3
Hancock	40	35	24	16	14	214	227	42	34	7	4
Kennebec	100	85	71	38	36	421	437	110	99	12	8
Knox	45	35	24	24	28	166	173	49	45	10	7
Lincoln	20	18	19	4	6	116	113	20	22	2	3
Oxford	46	56	38	9	24	258	261	56	57	8	4
Penobscot	113	87	66	46	67	584	583	119	119	12	13
Piscataquis	17	22	13	11	19	120	121	30	29	2	3
Sagadahoc	26	20	12	5	6	114	121	21	18	3	–
Somerset	51	42	38	22	36	259	249	57	67	7	7
Waldo	33	28	25	18	15	140	146	40	34	3	6
Washington	52	40	39	9	6	261	265	45	43	4	2
York	112	59	50	17	21	416	421	67	65	9	6
Total	992	784	600	300	384	4,922	5,021	952	903	117	79

No. 24.
Relation to Marriages.

Fourth marriage.		Fifth marriage.		Sixth marriage.		Number of marriage not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
2	-	-	-	-	-	-	-	902	76	74	17	16	76	74	17	17
1	-	-	-	-	-	1	1	1,292	76	62	17	13	74	61	19	13
-	-	-	-	-	-	-	-	1,832	71	68	17	14	66	64	18	16
1	-	-	-	-	-	-	-	358	75	64	17	15	75	64	18	18
2	-	-	-	-	-	-	-	530	73	65	18	15	73	62	19	15
-	-	-	-	1	-	1	1	1,090	80	75	17	15	75	75	17	16
-	-	-	-	-	-	-	-	450	73	64	18	14	72	55	18	16
-	-	-	-	-	-	-	-	276	73	65	18	15	56	65	18	18
1	1	-	-	-	-	2	2	650	77	74	17	15	77	74	17	18
2	1	-	-	-	-	1	2	1,436	72	69	17	14	72	69	17	17
1	-	-	-	-	-	-	-	306	68	68	18	15	68	68	18	17
1	-	-	-	-	-	-	-	278	70	63	18	16	68	63	18	18
-	-	-	-	-	-	-	-	646	83	76	16	13	83	76	16	16
3	-	-	-	-	-	-	-	372	71	73	17	15	71	71	19	16
-	-	-	-	-	-	-	-	620	78	73	17	14	78	73	17	17
-	-	-	-	-	-	-	-	984	74	70	17	16	74	70	17	16
14	2	-	-	1	-	5	6	12,022								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1909 was 6,011 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, and 5,904 in 1908). We have therefore for the year 1909, a marriage-rate of 16.44 (persons married) to every 1,000 of population, or at the rate of 8.22 marriages per 1,000 persons.

Marriage-rates:—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 9.64 per 1,000. The lowest marriage-rate, that of 6.58 per 1,000, was in Sagadahoc county. See Table No. 3.

Nativity:—Of the 5,991 records of marriage in which there was a statement of birthplace, in 73 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons:—The largest number of marriages, 789, was solemnized in June, while the smallest number in any one month, 286, occurred in March. See Table No. 21.

Ages of the Married:—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 16 brides were married; in the age-period 15-20 years there were 293 grooms and 1,657 brides; in the period 20-25 years, 2,218 men and 2,140 women were married; from 25-30, 1,547 men and 1,027 women; from 30-35, 757 men and 435 women; from 35-40, 409 men and 257 women; from 40-45, 226 men and 172 women; from 45-50, 165 men and 121 women; from 50-55, 142 men and 64 women; from 55-60, 77 men and 42 women; from 60-70, 134 men and 62 women; from 70-80, 39 men and 14 women; over 80, 2 men. The ages of 2 grooms and 4 brides were not stated. See Table No. 23.

In 5,019 marriages the groom was older than the bride; while in 992 the bride was the elder; 784 widowers and 600 widows were remarried; 300 men and 384 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 4,922 men and 5,021 women were married for the first time; that 952 men and 903 women were married the second time; that 117 men and 79 women were united in the third marriage; that 14 men and 2 women contracted marriage a fourth time; and one man was married the sixth time. The oldest groom was 83 years of age, and the oldest bride was 76. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years 1 groom was married; at 17 years, 19; at 18 years, 82; and at 19 years, 191. At the age of 13 years 2 brides were married; at 14 years, 14; at 15 years, 57; at 16 years, 193; at 17 years, 326; and at 18 years, 574.

In one marriage where the groom was 58, and the bride 65 years of age, it was the first marriage of each. Three grooms were married for the first time at the ages of 71, 62, and 61, respectively. One groom who had been twice divorced was married for the third time at the age of 26. At 16 years of age two brides were married a second time after having been divorced; and at 18 years, five.

At the age of 21, one bride, who had been divorced, was married a third time. One woman contracted marriage for the first time at the age of 74 years.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery, cruel and abusive treatment, and non-support.	Cruelty.	Extreme cruelty.	Extreme cruelty, cruel and abusive treatment, and utter desertion.	Utter desertion.	Utter desertion and failure to support.	Intoxication.	Intoxication and adultery.
Androscoggin	62	18	13	–	–	–	–	10	–	9	–
Aroostook	40	17	7	–	–	–	–	13	–	5	–
Cumberland	110	34	8	1	–	–	1	45	1	13	1
Franklin	20	14	7	–	–	–	–	6	–	3	–
Hancock	27	14	7	–	–	1	–	19	–	4	–
Kennebec	87	33	21	–	48	–	–	18	–	20	–
Knox	66	10	3	–	–	–	–	18	–	7	–
Lincoln	7	4	2	–	–	–	–	1	–	1	–
Oxford	24	10	3	–	–	–	–	12	–	4	–
Penobscot	83	32	14	–	–	3	–	23	–	16	–
Piscataquis	17	4	4	–	–	–	–	5	–	4	–
Sagadahoc	18	7	1	–	–	–	–	5	–	3	–
Somerset	34	15	14	–	–	1	–	10	–	3	–
Waldo	24	12	1	–	–	1	–	10	1	3	1
Washington	29	12	5	–	–	–	–	19	–	4	–
York	51	22	6	–	–	–	–	31	–	11	–
Total	699	258	116	1	48	6	1	245	2	110	2

No. 25.
Year, 1909, as returned by Clerks of the Several Counties.

Intoxication and failure to support.	Intoxication and extreme cruelty.	Gross and confirmed intoxication from the use of drugs.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment, failure to support and gross habits of intoxication.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty	Cruel and abusive treatment, extreme cruelty and non-support.	Cruel and abusive treatment, extreme cruelty and gross and confirmed habits of intoxication.	Cruel and abusive treatment, gross and confirmed habits of intoxication and utter desertion.	Cruel and abusive treatment and utter desertion	Failure to support.	Refusing to provide suitable maintenance.	Gross, wanton and cruel neglect, and refusal to provide support.	Insanity.	Impotence.	Marriage annulled.	Total.
–	–	–	46	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	80
–	–	–	25	–	–	–	1	1	–	1	–	–	4	–	–	–	–	–	57
2	1	–	32	1	11	–	15	5	1	1	1	1	1	–	–	–	1	1	144
–	–	–	13	–	–	–	1	1	–	–	–	–	3	–	–	–	–	–	34
–	–	–	8	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	1	–	–	120
1	–	–	36	–	1	–	7	–	–	–	–	–	3	–	–	–	–	–	76
–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
1	–	1	53	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	115
–	–	–	5	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	21
–	–	–	9	–	1	–	3	3	–	–	–	–	–	–	–	–	–	–	25
–	–	–	20	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	49
–	–	–	17	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	36
–	–	–	12	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	41
–	–	–	22	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	73
4	1	1	320	2	16	1	32	12	1	2	1	1	25	2	1	1	2	1	957

TABLE No. 26.

Divorces by Causes, Sex of Libellants, and the Number of Years Married, 1909

Causes.	Libellants.			Number of Years Married.							
	Number.	Sex.		Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
		Males	74		4	25	27	12	4		2
Adultery	116	Females	42		1	15	11	13	1	1	-
Adultery, cruel and abusive treatment and non-support		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	1	-	-	-	-	-
Cruelty		Males	7	-	-	2	1	2	2	-	-
	48	Females	41	2	-	10	14	8	6	1	-
Extreme cruelty		Males	-	-	-	-	-	-	-	-	-
	6	Females	6	-	-	4	-	2	-	-	-
Extreme cruelty, cruel and abusive treatment and utter desertion		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	1	-	-	-	-
Utter desertion		Males	96	1	-	16	26	33	16	4	-
	245	Females	149	-	-	15	41	62	25	5	1
Utter desertion and failure to support		Males	-	-	-	-	-	-	-	-	-
	2	Females	2	-	-	-	1	-	1	-	-
Intoxication		Males	4	-	-	2	1	1	-	-	-
	110	Females	106	-	1	31	25	38	9	1	1
Intoxication and adultery		Males	2	-	-	-	-	1	1	-	-
	2	Females	-	-	-	-	-	-	-	-	-
Intoxication, and failure to support		Males	-	-	-	-	-	-	-	-	-
	4	Females	4	-	-	1	2	1	-	-	-
Intoxication and extreme cruelty		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	1	-	-	-	-
Gross and confirmed intoxication from the use of drugs		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	-	1	-	-	-
Cruel and abusive treatment		Males	71	-	1	18	22	16	10	4	-
	320	Females	249	1	5	71	70	58	29	13	2
Cruel and abusive treatment and adultery		Males	-	-	-	-	-	-	-	-	-
	2	Females	2	-	-	1	-	1	-	-	-
Cruel and abusive treatment and failure to support		Males	-	-	-	-	-	-	-	-	-
	16	Females	16	-	-	6	3	4	2	-	1
Cruel and abusive treatment, failure to support, and gross habits of intoxication		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	1	-	-	-	-
Cruel and abusive treatment and intoxication		Males	1	-	-	1	-	-	-	-	-
	32	Females	31	-	1	11	6	10	3	-	-
Cruel and abusive treatment and extreme cruelty		Males	1	-	-	-	1	-	-	-	-
	12	Females	11	-	1	3	3	1	3	-	-
Cruel and abusive treatment, extreme cruelty, and non-support		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	1	-	-	-	-	-
Cruel and abusive treatment, extreme cruelty, and gross and confirmed habits of intoxication		Males	-	-	-	-	-	-	-	-	-
	2	Females	2	-	-	1	-	-	1	-	-
Cruel and abusive treatment, gross and confirmed habits of intoxication, and utter desertion		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	-	1	-	-	-
Cruel and abusive treatment and utter desertion		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	-	1	-	-	-
Failure to support		Males	-	-	-	-	-	-	-	-	-
	25	Females	25	-	-	9	9	5	2	-	-
Refusing to provide suitable maintenance		Males	-	-	-	-	-	-	-	-	-
	2	Females	2	-	-	1	1	-	-	-	-
Gross, wanton and cruel neglect, and refusal to provide support		Males	-	-	-	-	-	-	-	-	-
	1	Females	1	-	-	-	-	1	-	-	-
Insanity		Males	1	-	1	-	-	-	-	-	-
	1	Females	-	-	-	-	-	-	-	-	-
Impotence		Males	-	-	-	-	-	-	-	-	-
	2	Females	2	-	-	1	1	-	-	-	-
Marriage annulled		Males	1	-	-	1	-	-	-	-	-
	1	Females	-	-	-	-	-	-	-	-	-
Total		Males	258	1	6	65	78	65	33	8	2
	957	Females	699	3	9	182	190	207	82	21	5

NOTES OF DIVORCES.

Nine hundred and fifty-seven divorces were decreed in the year 1909 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, and 904 in 1908). In 1909, there was decreed in Maine one divorce for every 6.3 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 116, or 12.1 per cent. of the whole number; cruelty, 48, or 5.0 per cent.; desertion, 245, or 25.6 per cent.; intoxication, 110, or 11.5 per cent.; cruel and abusive treatment, 320, or 33.4 per cent.; failure to support, 25, or 2.6 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 699 divorces, and the husband in 258.

In the divorces granted for adultery, the husband was the libellant 74 times, and the wife 42 times.

On account of cruelty, the wife was the libellant in 41 cases, and the husband in 7 cases.

For desertion, the husband was the libellant 149 times, and the wife 96.

For intoxication, the husband was the libellant in 4 cases, and the wife in 106.

For cruel and abusive treatment, the husband was the libellant in 71 instances, and the wife in 249.

For failure to support, the wife was the libellant in the 25 divorces decreed for that cause.

Four divorces were granted before the marriage life had lasted six months; 15 before one year's marriage; 247 after from 1 to 5 years' marriage; 268 after 5 to 10 years; 272 after 10 to 20 years; 115 after 20 to 30 years; 29 after more than 30 years of married life; while in 7 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

TABLE No. 27.

Deaths and Death-Rates by Counties for the Years 1902–1909.

	1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	10,673	15.37	11,009	15.85	11,346	16.34	11,381	15.92	11,427	15.90	11,802	16.33	11,664	16.05	11,295	15.45
Androscoggin	806	14.86	745	13.73	833	15.36	900	15.83	1,054	18.36	1,046	18.06	952	16.29	899	15.24
Aroostook	736	12.37	773	13.08	805	13.50	802	12.38	1,013	15.02	840	12.25	975	14.00	926	13.08
Cumberland	1,682	16.70	1,712	17.00	1,810	17.98	1,788	16.47	1,702	15.98	1,884	17.52	1,781	16.42	1,790	16.35
Franklin	258	14.38	277	15.33	306	16.77	283	14.80	293	15.20	316	16.27	337	17.23	272	13.81
Hancock	468	12.66	531	14.35	492	13.28	544	14.14	469	12.66	545	14.63	555	14.90	529	14.21
Kennebec	1,020	17.25	1,092	18.47	1,086	18.37	1,115	18.13	965	15.98	1,136	18.75	1,144	18.82	1,088	17.83
Knox	445	14.69	483	15.95	487	16.08	478	15.75	460	15.19	489	16.08	473	15.56	464	15.26
Lincoln	253	12.86	327	16.63	319	16.22	269	13.58	249	12.66	288	14.64	340	17.29	303	15.40
Oxford	557	17.33	541	16.99	572	17.93	506	14.92	580	17.45	573	17.16	561	16.72	540	16.01
Penobscot	1,224	16.14	1,282	16.93	1,361	17.96	1,305	16.57	1,397	17.85	1,430	18.19	1,283	16.24	1,309	16.50
Piscataquis	217	13.20	214	12.99	252	15.17	270	15.52	237	13.59	218	12.45	250	14.21	272	15.39
Sagadahoc	310	15.25	339	16.67	312	15.35	322	14.93	296	14.19	288	13.75	335	15.93	290	13.73
Somerset	534	15.88	547	16.29	560	16.68	561	16.03	471	13.62	532	15.33	524	15.05	471	13.48
Waldo	368	15.22	358	14.80	394	16.29	407	16.79	395	16.33	385	15.92	368	15.22	386	15.96
Washington	579	12.91	611	13.63	581	12.96	673	14.53	653	14.29	604	13.20	643	14.03	630	13.72
York	1,216	18.74	1,177	18.14	1,176	18.12	1,158	17.30	1,193	18.04	1,228	18.51	1,143	17.17	1,126	16.87

TABLE NO. 28.

Number of Deaths in Each Month of 1902–1909, with Monthly Ratio Compared with a Standard of 100.

Months.	1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	876	96.7	1,066	107.6	985	102.2	981	101.4	822	84.7	1,118	111.5	1,128	113.8	985	102.6
February	900	110.0	944	111.8	1,035	118.9	1,009	115.6	853	97.2	1,128	124.6	985	106.4	887	102.0
March	929	102.5	996	106.5	1,080	117.8	1,197	123.8	1,060	109.2	1,177	117.3	1,001	101.0	1,178	122.8
April	939	107.1	989	109.3	1,116	119.7	1,023	109.4	985	104.8	1,069	110.2	1,045	109.1	1,022	110.1
May	919	101.4	930	99.5	1,038	107.7	957	99.0	961	99.0	973	97.0	954	96.3	960	101.1
June	805	91.8	786	86.9	806	86.5	830	88.8	848	90.2	947	97.6	818	85.4	838	90.3
July	837	92.4	901	96.4	800	83.0	768	79.4	885	91.2	844	84.1	820	82.7	831	86.6
August	861	95.0	865	92.4	896	93.0	1,006	104.0	1,133	116.8	898	89.5	1,033	104.2	886	92.4
September	911	103.9	957	105.7	907	97.2	1,012	108.2	1,117	118.9	855	88.1	1,079	112.6	912	98.2
October	854	94.3	865	92.5	909	94.3	958	99.1	920	94.8	931	92.8	990	99.9	979	102.1
November	820	93.5	831	91.8	817	87.6	824	88.1	885	94.2	875	90.2	890	92.9	872	93.9
December	998	110.1	919	98.3	944	97.9	799	82.6	942	97.2	978	97.6	919	92.7	945	98.5
Unknown	24	–	20	–	12	–	17	–	16	–	9	–	2	–	–	–

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Showing the Number of Deaths in the State and in

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature births)	11,514	911	945	1,822
I. General diseases	2,695	185	185	430
II. Diseases of nervous system and organs of special sense	1,543	123	81	267
III. Diseases of circulatory system	1,565	98	83	270
IV. Diseases of respiratory system	1,509	134	110	247
V. Diseases of digestive system	1,215	143	203	151
VI. Diseases of genito-urinary system and its adnexa	799	77	38	149
VII. The puerperal state	83	11	8	11
VIII. Diseases of skin and cellular tissue	102	13	7	7
IX. Diseases of organs of locomotion	11	2	–	2
X. Malformations	87	14	6	9
XI. Early infancy	490	32	46	94
XII. Old age	517	25	50	70
XIII. Deaths from external causes	610	40	54	84
XIV. Deaths from ill-defined causes	288	14	74	37

No. 29.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
276	541	1,119	469	307	555	1,337	275	295	479	389	639	1,155
62	130	259	132	73	125	332	76	72	100	79	177	278
41	77	192	72	57	63	150	25	34	63	59	86	153
25	79	149	79	51	81	201	27	58	60	68	93	143
40	66	140	42	37	73	184	36	37	74	46	78	165
25	51	115	23	19	38	146	18	24	54	25	59	121
23	36	56	29	30	47	65	21	21	33	47	26	101
4	4	6	5	3	2	8	1	2	4	3	5	6
2	6	12	2	1	9	13	4	3	2	3	5	13
–	1	1	–	–	1	3	–	–	–	1	–	–
2	3	10	4	3	4	6	3	2	3	1	9	8
7	21	54	13	9	36	55	7	9	16	6	21	64
16	35	53	31	13	21	59	20	14	23	25	26	36
21	28	55	26	9	39	79	33	12	28	18	32	52
8	4	17	11	2	16	36	4	7	19	8	22	15

TABLE No. 29—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,695	185	185	430	62	130	259	132	73	125	332	76	72	100	79	177	278
Typhoid fever	110	2	12	17	4	10	7	6	1	5	18	2	–	7	1	10	8
Intermittent fever and malarial cachexia	5	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	1
Measles	36	–	3	4	3	–	1	4	3	1	4	1	2	6	–	3	1
Scarlatina	32	5	2	4	–	–	–	6	–	1	5	–	5	–	–	1	3
Whooping cough	58	5	1	9	–	1	2	1	1	6	10	3	4	–	–	3	12
Diphtheria and croup	112	9	14	18	1	–	9	5	2	6	8	3	1	3	1	11	21
Influenza	170	9	18	18	5	8	19	4	5	14	11	5	4	9	5	14	22
Cholera nostras	7	–	–	1	–	–	2	–	–	1	2	–	–	–	–	–	1
Dysentery	15	2	1	–	–	2	2	–	–	2	2	1	–	–	–	1	2
Erysipelas	23	3	1	3	2	1	2	–	1	2	6	–	–	–	1	1	–
Other epidemic diseases	4	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–
Purulent and septicemic affections	11	1	1	–	–	–	–	–	–	1	3	–	1	1	1	–	2
Tuberculosis of larynx	8	1	–	1	–	1	–	–	1	1	2	–	1	–	–	–	–
Tuberculosis of lungs	830	59	63	130	12	46	91	28	20	26	116	23	22	30	25	61	78
Tuberculosis of meninges	100	10	4	28	1	6	8	2	3	–	10	2	2	1	1	9	13
Tuberculosis of peritoneum	63	4	5	7	2	2	7	7	–	2	8	2	2	1	1	6	7
Pott's disease	8	–	2	–	–	–	1	–	–	1	2	–	–	2	–	–	–
Cold abscess	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
White swelling	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	17	2	1	2	–	1	–	1	2	–	5	1	–	–	2	–	–
General tuberculosis	31	2	2	2	2	4	1	4	3	–	6	–	–	1	2	1	1
Scrofula	5	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	1
Syphilis	12	1	2	3	–	1	2	–	–	–	1	–	–	–	1	–	1
Gonorrhea (5 years and over)	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer of mouth	28	2	3	6	–	2	1	1	2	–	4	–	2	2	–	2	–
Cancer of stomach and liver	286	17	13	49	7	17	16	15	10	23	36	11	10	13	10	13	26
Cancer of peritoneum, intestines and rectum	97	7	4	26	4	4	7	4	3	5	5	3	1	6	5	2	11
Cancer of female genital organs	108	12	2	20	–	3	16	9	1	5	14	3	3	2	6	6	6
Cancer of breast	62	4	2	16	2	1	7	5	2	2	8	1	1	1	1	5	3
Cancer of skin	39	2	3	3	1	1	5	1	–	1	8	4	2	1	1	1	5
Cancer of other organs and organs not specified	107	4	5	17	1	3	14	5	3	8	9	1	4	5	2	7	19
Other tumors	8	–	–	2	–	–	2	–	–	–	1	–	–	2	–	–	1
Acute articular rheumatism	22	1	1	3	–	–	2	1	–	1	3	2	1	3	–	3	1
Chronic rheumatism and gout	23	2	3	2	3	1	2	1	–	–	1	3	–	1	1	1	1
Diabetes	129	4	8	17	4	6	15	11	8	6	12	3	2	2	10	3	18
Exophthalmic goiter	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Addison's disease	6	1	1	–	–	–	–	1	–	–	2	–	–	–	–	–	1
Leukemia	11	–	1	–	–	–	3	1	–	2	2	–	–	–	–	1	1
Anemia, chlorosis	72	8	3	12	6	5	9	6	1	2	4	2	1	–	1	6	6
Other general diseases	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Alcoholism, acute or chronic	28	4	1	6	1	–	3	2	1	–	1	–	–	–	–	4	5
Other chronic poisonings	5	1	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
II.—Diseases of the nervous system and of the organs of special sense	1,543	123	81	267	41	77	192	72	57	63	150	25	34	63	59	86	153
Encephalitis	10	1	1	–	–	–	–	1	–	2	1	–	1	1	–	–	2
Simple meningitis	153	16	21	21	2	7	12	4	5	3	13	2	2	8	3	10	24

TABLE No. 29—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Progressive locomotor ataxia	25	3	1	5	–	1	1	4	–	2	2	1	1	–	–	1	3
Other diseases of the spinal cord	61	2	1	17	–	3	3	4	4	6	4	–	–	1	3	2	11
Congestion and hemorrhage of the brain	817	58	34	146	27	36	92	41	33	34	81	15	26	40	3[illegible]	40	75
Softening of the brain	26	6	–	7	1	1	1	1	–	4	–	–	–	–	1	2	2
Paralysis without specified cause	212	17	15	44	3	13	19	10	6	8	17	2	3	8	10	1[illegible]	24
General paralysis	26	1	–	1	–	–	14	–	1	1	8	–	–	–	–	–	–
Other forms of mental alienation	55	3	–	3	–	3	30	3	2	–	4	–	–	–	1	2	3
Epilepsy	40	1	3	5	1	4	13	1	3	1	2	1	1	1	1	–	2
Eclampsia (non-puerperal)	4	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1
Convulsions of children	45	4	1	5	1	7	3	2	–	–	10	1	–	1	2	6	2
Tetanus	5	–	1	1	–	–	–	–	–	–	1	1	–	1	–	1	–
Other diseases of nervous system	59	9	3	12	6	2	4	–	3	1	5	2	–	2	4	2	4
Diseases of the ear	5	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
III.—Diseases of the circulatory system	1,565	98	83	270	25	79	149	79	51	81	201	27	58	60	68	93	143
Pericarditis	11	1	–	1	–	–	–	–	1	–	2	–	1	1	2	1	1
Acute endocarditis	65	3	9	12	–	1	7	1	1	3	8	3	6	2	1	5	5
Organic diseases of heart	1,173	71	61	205	19	62	105	62	32	66	142	16	38	49	52	74	119
Angina pectoris	81	8	1	9	2	4	12	5	6	4	13	3	3	1	2	1	7
Affections of the arteries (atheroma, aneurism, etc.)	151	9	5	28	2	10	17	3	8	5	21	3	6	7	8	9	10
Embolism and thrombosis	65	4	4	12	–	1	8	8	1	2	13	2	4	–	3	3	–
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	6	1	1	–	1	–	–	–	1	–	–	–	–	–	–	1	1
Hemorrhages	13	1	2	3	1	1	–	–	1	1	2	–	–	–	–	1	–
IV.—Diseases of the respiratory system	1,509	134	110	247	40	66	140	42	37	73	184	36	37	74	46	78	165
Diseases of the nasal fossae	6	2	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Diseases of the larynx	8	–	–	3	–	–	1	–	2	–	–	1	–	–	–	–	1
Diseases of the thyroid body	6	2	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Acute bronchitis	141	7	3	24	5	7	15	4	2	5	19	2[illegible]	4	14	11	5	14
Chronic bronchitis	73	13	3	8	1	2	10	2	4	3	9	1	3	2	1	5	6
Broncho pneumonia	204	23	15	33	3	7	27	2	6	13	27	4	5	10	5	13	11
Pneumonia	916	78	74	155	26	40	64	26	18	46	112	25	22	39	2[illegible]	48	118
Pleurisy	32	4	7	2	1	–	5	–	1	4	1	1	1	2	1	1	1
Congestion of the lungs	82	2	5	14	4	5	10	5	3	1	11	1	1	4	3	3	10
Gangrene of the lungs	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	16	2	2	2	–	1	2	3	–	–	–	–	–	2	–	1	1
Pulmonary emphysema	4	–	–	1	–	–	1	–	1	–	–	–	1	–	–	–	–
Other diseases of the respiratory system	18	–	–	2	–	1	5	–	–	1	4	–	–	–	–	2	3
V.—Diseases of the digestive system	1,215	143	203	151	25	51	115	23	19	38	146	18	24	54	25	59	121
Affections of the pharynx	13	1	3	–	–	–	3	1	–	1	2	–	–	2	–	–	–
Affections of the esophagus	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Ulcer of the stomach	19	2	–	4	–	–	1	1	1	1	3	1	–	3	–	–	2
Other affections of the stomach (cancer excepted)	220	23	14	27	5	12	28	1	9	10	29	4	3	11	7	10	27

TABLE No. 29—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Infantile diarrhea (under two years)	483	69	148	46	8	8	33	4	3	12	46	5	11	12	2	30	46
Diarrhea and enteritis (two years and over)	96	9	8	14	–	5	15	3	1	1	11	4	3	5	2	5	10
Intestinal parasites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hernia and other intestinal obstructions	86	9	6	13	2	7	4	3	2	3	11	–	2	4	7	3	10
Other affections of the intestines	17	–	–	4	–	–	2	–	2	–	2	–	–	3	2	1	1
Acute yellow atrophy of liver	4	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–
Hydatid tumors of the liver	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cirrhosis of liver	55	7	2	7	1	5	4	1	–	1	6	3	1	5	2	3	7
Biliary calculi	9	–	1	1	–	3	1	–	–	–	1	–	–	–	–	1	1
Other affections of the liver	60	9	5	10	–	4	9	1	–	1	9	–	2	1	–	1	8
Affections of the spleen	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Inflammatory peritonitis (puerperal excepted)	59	4	6	16	1	5	2	2	–	2	11	–	1	2	1	2	4
Appendicitis and abscess of the iliac fossa	86	10	9	8	7	2	11	5	1	6	14	1	1	5	2	1	2
VI.—Diseases of the genito-urinary system and its adnexa	799	77	38	149	23	36	56	29	30	47	65	21	21	33	47	26	101
Acute nephritis	82	7	2	19	3	2	6	3	1	10	4	2	–	3	10	3	7
Bright's disease	595	47	30	119	17	30	38	20	28	30	50	18	15	22	32	20	79
Other diseases of the kidneys and their adnexa	22	1	4	2	–	1	1	1	–	1	1	–	2	–	2	2	4
Diseases of the bladder	35	4	2	6	2	1	4	1	–	4	2	–	2	–	2	–	5
Diseases of the prostate	25	5	–	1	1	1	3	–	1	2	4	–	2	4	–	–	1
Metritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine hemorrhage (non-puerperal)	3	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Uterine tumor (non-cancerous)	10	1	–	–	–	–	3	3	–	–	–	–	–	–	–	–	3
Other diseases of the uterus	6	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1
Cysts and other tumors of the ovary	5	2	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Other diseases of the female genital organs	15	6	–	1	–	–	1	1	–	–	–	1	–	2	1	1	1
VII—The puerperal state	83	11	8	11	4	4	6	5	3	2	8	1	2	4	3	5	6
Accidents of pregnancy	15	1	–	2	1	1	1	1	1	1	2	–	–	–	–	4	–
Puerperal hemorrhage	6	1	–	–	1	–	1	1	–	–	1	–	–	–	–	1	–
Other accidents of labor	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Puerperal septicemia	27	6	2	5	2	2	3	3	1	–	2	–	–	–	–	–	1
Puerperal albuminuria and convulsions	24	2	3	4	–	1	–	–	–	1	–	1	1	4	2	–	5
Other puerperal accidents, sudden death	9	–	3	–	–	–	1	–	1	–	2	–	1	–	1	–	–
VIII.—Diseases of the skin and cellular tissue	102	13	7	7	2	6	12	2	1	9	13	4	3	2	3	5	13
Gangrene	68	12	5	3	2	4	8	1	1	7	7	3	3	1	1	3	7
Furuncle, boil, carbuncle	6	–	–	1	–	1	–	–	–	1	2	–	–	1	–	–	–
Phlegmon, acute abscess	15	1	–	1	–	–	2	1	–	–	3	1	–	–	–	1	5
Other diseases of the skin and its adnexa	13	–	2	2	–	1	2	–	–	1	1	–	–	–	2	1	1
IX.—Diseases of the organs of locomotion	11	2	–	2	–	1	1	–	–	1	3	–	–	–	1	–	–

TABLE No. 29—Concluded.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Non-tuberculous diseases of the bones	11	2	–	2	–	1	1	–	–	1	3	–	–	–	1	–	–
X.—Malformations.																	
Malformations, congenital (stillbirths excepted)	87	14	6	9	2	3	10	4	3	4	6	3	2	3	1	9	8
XI.—Early infancy	490	32	46	94	7	21	54	13	9	36	55	7	9	16	6	21	64
Congenital icterus, debility and sclerema	418	28	39	69	5	17	48	10	9	32	47	6	8	15	6	19	60
Other diseases of early infancy	31	3	4	6	2	2	5	1	–	2	3	–	–	–	–	1	2
Lack of care	41	1	3	19	–	2	1	2	–	2	5	1	1	1	–	1	2
XII.—Old age.																	
Senile debility	517	25	50	70	16	35	53	31	13	21	59	20	14	23	25	26	36
XIII.—Deaths from external causes	610	40	54	84	21	28	55	26	9	39	79	33	12	28	18	32	52
Suicide by poison	14	–	2	2	–	–	–	1	–	3	–	–	–	1	2	–	3
Suicide by asphyxia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide by hanging or strangulation	20	–	–	1	2	1	2	–	–	2	1	2	1	2	4	1	1
Suicide by drowning	12	1	–	–	–	1	4	1	1	–	1	1	–	–	–	2	–
Suicide by firearms	34	4	2	6	–	1	3	1	–	1	3	5	–	2	2	2	2
Suicide by cutting instruments	12	2	–	1	–	1	–	–	–	1	3	1	–	–	–	–	3
Other suicides	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fractures	83	4	2	23	1	–	11	7	1	5	9	4	1	4	2	5	4
Other accidental injuries	173	12	24	20	9	8	16	7	–	10	21	7	3	7	6	8	15
Burns and scalds	35	3	3	4	3	–	3	2	1	–	4	1	1	2	1	3	4
Sunstroke	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Freezing	5	–	–	1	–	–	–	–	–	–	1	–	–	–	–	2	1
Electric shock	4	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Accidental drowning	115	3	11	15	3	10	8	2	3	8	17	9	5	6	–	6	9
Starvation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Inhalation of deleterious gases (suicide excepted)	7	2	–	1	–	–	–	1	–	–	1	–	–	1	–	–	1
Other acute poisonings	31	2	1	1	1	1	5	3	1	4	7	1	–	–	1	–	3
Other external violence	59	7	7	6	1	5	2	1	2	5	11	2	1	3	–	2	4
XIV.—Deaths from ill-defined causes	288	14	74	31	8	4	17	11	2	16	36	4	7	19	8	22	15
Dropsy	11	–	5	–	1	–	–	–	–	1	–	–	–	–	1	–	3
Sudden death	23	2	–	–	2	–	1	3	1	1	8	1	–	1	–	2	1
Unspecified or ill-defined causes of death	254	12	69	31	5	4	16	8	1	14	28	3	7	18	7	20	11

TABLE No. 30.

Death from All Causes by Months—1909.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
All causes (including premature births)	11,514	995	907	1,193	1,039	977	860	854	905	936	991	890	967
I.—General diseases	2,695	243	212	278	248	218	214	207	196	200	210	232	237
II.—Diseases of nervous system and organs of special sense	1,543	135	132	149	120	152	111	122	114	121	127	123	137
III.—Diseases of circulatory system	1,565	142	112	162	131	141	129	120	96	129	148	138	117
IV.—Diseases of respiratory system	1,509	173	163	245	199	143	95	54	53	49	85	102	148
V.—Diseases of digestive system	1,215	65	60	86	57	53	65	119	213	216	156	63	62
VI.—Diseases of genito-urinary system and its adnexa	799	74	59	72	70	81	74	63	57	52	71	58	68
VII.—The puerperal state	83	6	11	10	11	6	10	3	9	2	4	3	8
VIII.—Diseases of skin and cellular tissue	102	5	8	10	12	12	6	6	7	8	8	9	11
IX.—Diseases of organs of locomotion	11	2	2	1	–	1	1	–	2	–	–	–	2
X.—Malformations	87	4	9	6	14	14	3	5	5	7	8	8	4
XI.—Early infancy	490	32	42	57	46	43	33	31	34	47	39	38	48
XII.—Old age	517	45	35	48	54	43	49	39	30	35	50	46	43
XIII.—Deaths from external causes	610	41	39	38	45	52	48	67	60	53	61	49	57
XIV.—Deaths from ill-defined causes	288	28	23	31	32	18	22	18	29	17	24	21	25

TABLE No. 30—Continued.

Deaths from All Causes by Months—1909.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
I.—General diseases	2695	243	212	278	248	218	214	207	196	200	210	232	237
Typhoid fever	110	9	10	7	7	4	4	7	7	9	22	14	10
Intermittent fever and malarial cachexia	5	–	–	1	1	–	–	–	–	1	1	1	–
Measles	36	5	3	2	1	4	2	5	3	2	2	3	4
Scarlatina	32	3	2	6	7	2	2	–	–	1	2	5	2
Whooping cough	58	10	6	5	4	3	7	2	5	1	4	4	7
Diphtheria and croup	112	12	8	7	3	4	9	8	8	5	12	20	16
Influenza	179	15	23	45	36	24	5	1	2	2	5	6	6
Cholera nostras	7	–	–	–	–	–	1	–	1	2	2	1	–
Dysentery	15	1	–	–	–	–	–	1	4	5	2	2	–
Erysipelas	23	4	1	3	3	1	4	1	–	–	1	3	2
Other epidemic diseases	4	–	1	2	–	–	–	–	–	–	1	–	–
Purulent and septicemic affections	11	1	1	1	–	1	1	–	1	–	–	4	1
Tuberculosis of larynx	8	–	–	–	3	1	–	–	–	1	1	1	1
Tuberculosis of lungs	830	67	64	79	91	78	72	65	50	50	61	65	88
Tuberculosis of meninges	100	10	10	12	17	6	11	10	7	5	4	1	7
Tuberculosis of peritoneum	63	6	1	9	7	6	8	4	6	6	3	3	4
Pott's disease	8	–	–	–	–	–	3	2	–	–	1	1	1
Cold abscess	1	–	1	–	–	–	–	–	–	–	–	–	–
White swelling	1	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculosis of other organs	17	1	1	1	1	2	2	2	–	2	1	2	2
General tuberculosis	31	2	2	1	3	2	4	5	3	4	2	1	2
Scrofula	5	1	–	–	–	–	–	1	–	2	–	–	1
Syphilis	12	–	1	3	1	–	–	2	2	1	1	–	1
Gonorrhea (five years and over)	2	–	–	–	–	–	1	1	–	–	–	–	–
Cancer of mouth	28	1	–	1	4	6	3	1	6	2	–	2	2
Cancer of stomach and liver	286	30	24	26	16	17	23	25	38	23	23	22	19
Cancer of peritoneum, intestines and rectum	97	6	7	6	2	4	8	7	9	17	8	13	10
Cancer of female genital organs	108	9	5	9	4	10	4	14	8	8	13	12	12
Cancer of breast	62	7	3	8	8	2	3	6	6	8	5	3	3
Cancer of skin	39	5	1	5	2	2	1	4	5	4	3	6	1
Cancer of other organs and organs not specified	107	7	12	8	5	13	12	9	7	9	8	11	6
Other tumors	8	–	2	–	1	1	–	2	–	–	–	2	–
Acute articular rheumatism	22	6	2	–	1	4	1	2	–	3	–	2	1
Chronic rheumatism and gout	23	2	1	2	2	1	–	3	4	1	–	4	3
Diabetes	129	13	16	14	9	10	9	7	6	12	10	9	14
Exophthalmic goiter	2	–	–	–	–	–	–	–	–	–	–	2	–
Addison's disease	6	1	1	–	–	–	1	1	–	2	–	–	–
Leukemia	11	–	–	4	–	1	–	1	–	4	–	1	–
Anemia, chlorosis	72	7	2	9	7	7	7	2	4	5	7	6	9
Other general diseases	1	–	–	–	–	–	–	–	–	–	1	–	–
Alcoholism, acute or chronic	28	2	1	2	2	1	5	5	2	3	4	–	1
Other chronic poisonings	5	–	–	–	–	1	1	–	2	–	–	–	1
II.—Diseases of the nervous system, and of the organs of special sense	1543	135	132	149	120	152	111	122	114	121	127	123	137
Encephalitis	10	–	–	–	4	–	1	2	–	2	–	–	1
Simple meningitis	153	11	14	19	12	18	8	6	12	14	13	13	13
Progressive locomotor ataxia	25	3	–	1	1	2	4	4	3	–	–	4	3
Other diseases of the spinal cord	61	5	2	7	3	7	3	8	3	4	7	5	7
Congestion and hemorrhage of the brain	817	72	73	78	62	88	65	64	53	68	67	67	60
Softening of the brain	26	1	1	1	4	4	3	4	1	1	1	1	4
Paralysis without specified cause	212	22	21	16	14	19	11	16	14	15	21	17	26
General paralysis	26	3	2	–	1	1	3	2	4	2	2	2	4
Other forms of mental alienation	55	6	5	4	4	6	3	3	5	6	3	6	4
Epilepsy	40	1	3	7	5	3	1	4	7	–	6	1	2
Eclampsia (non-puerperal)	4	–	1	1	1	–	–	1	–	–	–	–	–
Convulsions of children	45	4	4	5	5	3	2	2	5	5	3	3	4
Tetanus	5	1	–	–	–	–	1	1	–	1	–	–	1
Other diseases of nervous system	59	6	6	10	3	–	6	4	7	3	4	4	6
Diseases of the ear	5	–	–	–	1	1	–	1	–	–	–	–	2

TABLE No. 30—Continued.

Deaths from All Causes by Months—1909.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
III.—Diseases of the circulatory system	1565	142	112	162	131	141	129	120	96	129	148	138	117
Pericarditis	11	1	–	3	1	–	–	1	1	–	–	2	2
Acute endocarditis	65	2	6	8	3	8	6	6	4	4	9	5	4
Organic diseases of heart	1173	123	87	120	100	112	93	82	70	101	98	98	89
Angina pectoris	81	2	4	8	7	5	9	10	5	7	11	7	6
Affections of the arteries (atheroma, aneurism, etc.)	151	10	6	16	9	11	12	13	9	14	20	19	12
Embolism and thrombosis	65	4	8	4	7	2	8	7	5	2	9	5	4
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	6	–	1	1	–	2	–	1	1	–	–	–	–
Hemorrhages	13	–	–	2	4	1	1	–	1	1	1	2	–
IV.—Diseases of the respiratory system	1509	173	163	245	199	143	95	54	53	49	85	102	148
Diseases of the nasal fossae	6	2	–	1	1	1	1	–	–	–	–	–	–
Diseases of the larynx	8	1	–	1	2	2	1	–	–	–	–	1	–
Diseases of the thyroid body	6	–	–	1	–	–	1	2	1	–	–	1	–
Acute bronchitis	141	18	13	21	17	15	9	3	5	4	8	11	17
Chronic bronchitis	73	8	5	7	9	8	12	4	6	3	2	3	6
Broncho pneumonia	204	18	30	43	29	18	8	6	6	3	9	17	17
Pneumonia	916	113	103	150	124	84	53	26	27	31	54	58	93
Pleurisy	32	3	1	4	3	1	3	5	1	3	–	3	5
Congestion of the lungs	82	7	7	15	10	6	4	7	3	5	5	7	6
Gangrene of the lungs	3	–	–	–	–	1	–	–	1	–	–	–	1
Asthma	16	1	–	1	3	3	2	–	–	–	5	–	1
Pulmonary emphysema	4	–	–	–	1	2	–	–	–	–	1	–	–
Other diseases of the respiratory system	18	2	4	1	–	2	1	1	3	–	1	1	2
V.—Diseases of the digestive system	1215	65	60	86	57	53	65	119	213	216	156	63	62
Affections of the pharynx	13	2	2	4	1	–	–	1	–	2	1	–	–
Diseases of the esophagus	3	–	–	1	–	–	–	–	–	1	1	–	–
Ulcer of the stomach	19	–	1	2	1	3	2	3	–	2	1	3	1
Other affections of the stomach (cancer excepted)	220	16	28	23	15	12	15	24	24	18	13	16	16
Infantile diarrhea (under two years)	483	5	3	13	7	9	11	48	132	140	91	16	8
Diarrhea and enteritis (two years and over)	96	4	4	7	8	3	4	9	13	15	16	6	7
Intestinal parasites	1	–	–	–	–	–	1	–	–	–	–	–	–
Hernias and other intestinal obstructions	86	6	2	5	6	4	7	9	13	7	9	6	12
Other affections of the intestines	17	3	1	2	1	1	3	1	1	1	2	1	–
Acute yellow atrophy of liver	4	–	1	–	–	–	–	–	1	2	–	–	–
Hydatid tumors of the liver	2	–	1	–	–	–	–	–	–	–	–	–	1
Cirrhosis of liver	55	7	4	7	2	4	1	6	3	8	4	5	4
Biliary calculi	9	–	–	1	1	1	1	2	1	–	1	1	–
Other affections of the liver	60	5	4	8	7	5	5	8	8	3	4	1	2
Affections of the spleen	2	1	–	–	–	–	–	–	1	–	–	–	–
Inflammatory peritonitis (puerperal excepted)	59	6	2	3	2	4	7	1	11	8	7	7	1
Appendicitis and abscess of the iliac fossa	86	10	7	10	6	7	8	7	5	9	6	1	10
VI.—Diseases of the genito-urinary system and its adnexa	799	74	59	72	70	81	74	63	57	52	71	58	68
Acute nephritis	82	10	2	10	5	5	8	8	5	9	5	8	7
Bright's disease	595	54	49	48	52	71	54	40	45	35	56	43	48
Other diseases of the kidneys and their adnexa	22	5	2	3	2	1	3	1	–	1	1	1	2
Diseases of the bladder	35	3	2	3	5	2	2	5	1	2	6	2	2
Diseases of the prostate	25	–	3	2	2	–	4	7	1	3	1	1	1
Metritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Uterine hemorrhage (non-puerperal)	3	–	–	–	–	–	1	–	1	–	–	–	1
Uterine tumor (non-cancerous)	10	1	1	2	1	–	1	–	1	1	–	1	1
Other diseases of the uterus	6	–	–	2	1	–	–	1	1	–	–	–	1
Cysts and other tumors of the ovary	5	–	–	–	1	1	–	–	–	–	–	1	2
Other diseases of the female genital organs	15	1	–	2	–	1	1	1	2	1	2	1	3

TABLE No. 30—Concluded.

Deaths from All Causes by Months—1909.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
VII.—The puerperal state	83	6	11	10	11	6	10	3	9	2	4	3	8
Accidents of pregnancy	15	2	3	1	-	1	2	2	-	-	2	-	2
Puerperal hemorrhage	6	2	1	-	-	-	-	-	1	2	-	-	-
Other accidents of labor	2	-	1	-	-	-	1	-	-	-	-	-	-
Puerperal septicemia	27	1	3	3	5	2	3	1	3	-	-	2	4
Puerperal albuminuria and convulsions	24	-	1	4	6	2	4	-	4	-	2	-	1
Other puerperal accidents, sudden death	9	1	2	2	-	1	-	-	1	-	-	1	1
VIII.—Diseases of the skin and cellular tissue	102	5	8	10	12	12	6	6	7	8	8	9	11
Gangrene	68	4	7	7	8	9	3	4	4	4	7	6	5
Furuncle, boil, carbuncle	6	1	-	1	-	1	-	1	-	1	-	-	1
Phlegmon, acute abscess	15	-	-	1	4	1	-	1	1	3	-	-	4
Other diseases of the skin and its adnexa	13	-	1	1	-	1	3	-	2	-	1	3	1
IX.—Diseases of the organs of locomotion	11	2	2	1	-	1	1	-	2	-	-	-	2
Non-tuberculous diseases of the bones	11	2	2	1	-	1	1	-	2	-	-	-	2
X.—Malformations.													
Malformations, congenital (stillbirths excepted)	87	4	9	6	14	14	3	5	5	7	8	8	4
XI.—Early infancy	490	32	42	57	46	43	33	31	34	47	39	38	48
Congenital icterus, debility and sclerema	418	23	36	44	40	37	32	29	29	39	34	31	44
Other diseases of early infancy	31	4	2	9	2	2	-	-	3	1	2	3	3
Lack of care	41	5	4	4	4	4	1	2	2	7	3	4	1
XII.—Old age.													
Senile debility	517	45	35	48	54	43	49	39	30	35	50	46	43
XIII.—Deaths from external causes	610	41	39	38	45	52	48	67	60	53	61	49	57
Suicide by poison	14	2	-	-	-	1	1	6	1	-	-	3	-
Suicide by asphyxia	1	-	-	-	-	-	-	-	1	-	-	-	-
Suicide by hanging or strangulation	20	2	2	1	2	4	1	2	1	2	3	-	-
Suicide by drowning	12	-	-	-	-	3	2	2	-	-	3	2	-
Suicide by firearms	34	2	3	2	7	1	-	3	2	3	5	3	3
Suicide by cutting instruments	12	3	1	2	1	2	-	-	2	-	-	1	-
Other suicides	1	-	-	-	-	-	-	-	-	-	1	-	-
Fractures	83	6	5	5	7	6	6	5	7	11	13	8	4
Other accidental injuries	173	8	14	11	6	13	13	17	16	12	21	19	23
Burns and scalds	35	5	2	2	3	2	4	3	-	3	4	5	2
Sunstroke	3	-	-	-	-	-	2	-	1	-	-	-	-
Freezing	5	2	2	-	-	-	-	-	-	-	-	-	1
Electric shock	4	-	-	-	-	-	-	1	1	-	1	1	-
Accidental drowning	115	3	2	2	9	15	14	17	21	11	5	5	11
Inanition (starvation)	1	-	-	1	-	-	-	-	-	-	-	-	-
Absorption of deleterious gases (non-suicidal)	7	-	-	-	1	1	-	1	1	1	-	-	2
Other acute poisonings	31	3	2	2	3	2	3	6	3	3	1	1	2
Other external violence	59	5	6	10	6	2	2	4	3	7	4	1	9
XIV.—Deaths from ill-defined causes	288	28	23	31	32	18	22	18	29	17	24	21	25
Dropsy	11	1	-	1	-	-	1	2	2	-	3	-	1
Sudden death	23	3	-	4	3	2	1	-	-	2	4	3	1
Unspecified or ill-defined causes of death	254	24	23	26	29	16	20	16	27	15	17	18	23

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
All causes	Totals	103,645	16456	2688	1240	824	631	21839
	Males	53,260	9207	1416	636	441	330	12030
	Females	50,321	7204	1271	603	383	301	9762
	Not stated	64	45	1	1	–	–	47
Typhoid fever	Totals	1,527	8	9	12	10	16	55
	Males	878	2	7	5	5	7	26
	Females	649	6	2	7	5	9	29
Typhus fever	Totals	1	–	–	–	–	–	–
	Males	1	–	–	–	–	–	–
	Females	–	–	–	–	–	–	–
Intermittent fever and malarial cachexia	Totals	90	–	–	1	–	–	1
	Males	86	–	–	1	–	–	1
	Females	4	–	–	–	–	–	–
Smallpox	Totals	22	4	–	1	–	–	5
	Males	14	4	–	–	–	–	4
	Females	8	–	–	1	–	–	1
Measles	Totals	339	90	73	29	12	3	207
	Males	157	51	35	9	7	2	104
	Females	181	38	38	20	5	1	102
	Not stated	1	1	–	–	–	–	1
Scarlatina	Totals	134	9	14	16	15	16	70
	Males	60	3	6	10	6	9	34
	Females	74	6	8	6	9	7	36
Whooping cough	Totals	600	395	105	43	22	9	574
	Males	297	202	49	20	8	3	282
	Females	303	193	56	23	14	6	292
Diphtheria and croup	Totals	1,087	116	114	122	121	105	578
	Males	573	68	65	70	62	60	325
	Females	514	48	49	52	59	45	253
Influenza	Totals	1,791	216	53	17	14	10	310
	Males	821	122	24	9	6	5	166
	Females	970	94	29	8	8	5	144
Cholera nostras	Totals	141	14	2	10	3	5	34
	Males	64	9	–	3	1	2	15
	Females	77	5	2	7	2	3	19
Dysentery	Totals	272	51	19	12	14	13	109
	Males	124	27	11	4	10	9	61
	Females	148	24	8	8	4	4	48
Erysipelas	Totals	202	31	2	1	–	–	34
	Males	107	13	–	–	–	–	13
	Females	95	18	2	1	–	–	21
Other epidemic affections	Totals	9	1	1	2	1	1	6
	Males	5	–	1	2	–	–	3
	Females	4	1	–	–	1	1	3
Purulent and septicemic affections	Totals	356	26	4	1	1	2	34
	Males	203	12	3	–	1	–	16
	Females	153	14	1	1	–	2	18
Glanders and farcy	Totals	3	–	–	–	–	–	–
	Males	3	–	–	–	–	–	–
	Females	–	–	–	–	–	–	–
Malignant pustule and anthrax	Totals	7	1	–	–	–	–	1
	Males	6	1	–	–	–	–	1
	Females	1	–	–	–	–	–	–
Rabies	Totals	1	–	–	1	–	–	1
	Males	–	–	–	–	–	–	–
	Females	1	–	–	1	–	–	1
Actinomycosis, trichinosis, etc.	Totals	1	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	1	–	–	–	–	–	–
Tuberculosis of larynx	Totals	98	–	1	1	–	–	2
	Males	60	–	1	–	–	–	1
	Females	38	–	–	1	–	–	1

No. 31.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
2000	1552	2590	3518	3286	3105	3174	3237	3640	4281	5072	6217	7998	8836	9037	7112	4397	1638	407	40	665
1055	772	1262	1725	1518	1447	1535	1566	1830	2243	2667	3345	4140	4637	4711	3550	1983	664	139	14	421
945	780	1328	1793	1768	1658	1639	1669	1810	2038	2405	2872	3858	4199	4326	3561	2414	974	268	26	228
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	16
99	111	238	270	189	131	111	70	8	43	34	29	21	13	14	2	1	–	–	–	9
43	45	114	166	125	85	70	47	50	30	17	19	13	7	6	1	1	–	–	–	7
56	66	124	104	64	46	41	29	25	13	17	10	8	6	8	1	–	–	–	–	2
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	4	3	2	–	–	1	1	5	26	20	10	6	8	2	–	–	–	1
–	–	–	4	3	1	–	–	1	1	5	25	20	10	6	7	2	–	–	–	–
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1
2	–	–	1	1	3	–	1	5	1	1	1	–	–	–	–	–	–	–	–	1
2	–	–	–	–	2	–	1	3	–	1	–	–	–	–	–	–	–	–	–	1
–	–	–	1	1	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
24	14	12	9	8	14	9	3	8	5	6	2	7	3	2	2	2	–	–	–	2
12	7	3	2	2	5	3	1	4	3	2	2	4	1	–	1	–	–	–	–	1
12	7	9	7	6	9	6	2	4	2	4	–	3	2	2	1	2	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	20	1	1	3	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
15	8	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	12	1	–	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
17	2	2	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2
9	1	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1
8	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
307	105	35	21	10	2	7	5	3	4	2	1	2	1	1	–	–	–	–	–	3
152	51	14	12	6	–	5	–	2	3	–	–	–	–	–	–	–	–	–	–	3
155	54	21	9	4	2	2	5	1	1	2	1	2	1	1	–	–	–	–	–	–
36	15	18	14	25	24	19	27	34	33	55	79	129	221	265	280	147	40	11	3	7
19	3	11	7	12	9	8	13	16	18	24	36	55	92	124	139	57	13	1	1	4
17	12	7	7	13	15	11	14	18	15	31	43	67	129	141	148	90	33	10	2	3
8	4	–	1	1	2	1	1	4	3	1	6	8	13	22	15	10	2	1	–	4
5	3	–	–	1	–	–	1	2	2	1	4	–	3	11	7	5	1	–	–	3
3	1	–	1	–	2	1	–	2	1	–	2	8	10	11	8	5	1	1	–	1
11	1	1	1	3	3	4	–	6	5	11	8	15	30	27	16	12	9	–	–	–
4	1	–	–	1	1	2	–	1	2	–	6	6	15	14	4	3	3	–	–	–
7	–	1	1	2	2	2	–	5	3	11	2	9	15	13	12	9	6	–	–	–
–	3	3	4	4	8	6	9	11	13	16	11	15	16	23	14	6	5	1	–	–
–	2	2	2	1	8	4	6	3	7	8	6	11	6	14	10	2	2	–	–	–
–	1	1	2	3	–	2	3	8	6	8	5	4	10	9	4	4	3	1	–	–
–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	8	15	13	19	24	18	17	25	29	19	26	34	27	17	17	4	1	1	–	4
3	5	11	5	6	10	9	11	15	21	9	16	21	16	11	10	2	1	1	–	4
1	3	4	8	13	14	9	6	10	8	10	10	13	11	6	7	2	–	–	–	–
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	1	–	–	–	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	2	3	11	16	11	14	5	6	7	6	5	5	3	2	–	–	–	–	–	–
–	–	2	6	8	8	10	2	5	3	6	4	2	1	2	–	–	–	–	–	–
–	2	1	5	8	3	4	3	1	4	–	1	3	2	–	–	–	–	–	–	–

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Tuberculosis of lungs	Totals	8.402	120	59	28	24	15	246
	Males	3,839	73	29	11	13	9	135
	Females	4,563	47	30	17	11	6	111
Tuberculosis of meninges	Totals	729	192	115	54	35	37	433
	Males	360	97	59	26	19	18	219
	Females	369	95	56	28	16	19	214
Tuberculosis of peritoneum	Totals	528	31	14	5	3	3	56
	Males	224	19	5	1	2	2	29
	Females	304	12	9	4	1	1	27
Pott's disease	Totals	84	6	2	1	1	1	11
	Males	40	4	1	-	1	-	6
	Females	44	2	1	1	-	1	5
Cold abscess	Totals	16	2	-	1	-	-	3
	Males	7	1	-	1	-	-	2
	Females	9	1	-	-	-	-	1
White swelling	Totals	34	-	-	-	-	-	-
	Males	20	-	-	-	-	-	-
	Females	14	-	-	-	-	-	-
Tuberculosis of other organs	Totals	129	6	7	-	-	-	13
	Males	71	3	6	-	-	-	9
	Females	58	3	1	-	-	-	4
General tuberculosis	Totals	391	23	5	8	4	1	41
	Males	181	13	5	5	2	-	25
	Females	210	10	-	3	2	1	16
Scrofula	Totals	47	20	5	-	1	-	26
	Males	24	13	2	-	-	-	15
	Females	23	7	3	-	1	-	11
Syphilis	Totals	82	38	2	-	1	-	41
	Males	54	25	1	-	1	-	27
	Females	28	13	1	-	-	-	14
Gonorrhea	Totals	5	2	-	-	-	-	2
	Males	2	-	-	-	-	-	-
	Females	3	2	-	-	-	-	2
Cancer of mouth	Totals	227	-	-	-	-	-	-
	Males	187	-	-	-	-	-	-
	Females	40	-	-	-	-	-	-
Cancer of stomach and liver	Totals	2,241	4	-	-	-	-	4
	Males	1,038	-	-	-	-	-	-
	Females	1,203	4	-	-	-	-	4
Cancer of peritoneum, intestines and rectum	Totals	750	1	-	-	-	-	1
	Males	266	1	-	-	-	-	1
	Females	484	-	-	-	-	-	-
Cancer of female genital organs	Totals	874	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	874	-	-	-	-	-	-
Cancer of breast	Totals	519	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females	515	-	-	-	-	-	-
Cancer of skin	Totals	278	-	-	-	-	-	-
	Males	193	-	-	-	-	-	-
	Females	85	-	-	-	-	-	-
Cancer of other organs and of organs not specified	Totals	958	3	4	1	2	1	11
	Males	445	-	3	1	2	1	7
	Females	513	3	1	-	-	-	4
Other tumors	Totals	96	1	1	-	-	-	2
	Males	22	1	-	-	-	-	1
	Females	74	-	1	-	-	-	1
Acute articular rheumatism	Totals	277	3	1	-	10	2	16
	Males	157	2	1	-	6	1	10
	Females	120	1	-	-	4	1	6
Chronic rheumatism and gout	Totals	192	-	1	-	-	-	1
	Males	82	-	1	-	-	-	1
	Females	110	-	-	-	-	-	-

No. 31—Continued.

Age Groups—1901-1909.

5–9.	10–14.	15–19.	20–24.	25–29.	30–34.	35–39.	40–44.	45–49.	50–54.	55–59.	60–64.	65–69.	70–74.	75–79.	80–84.	85–89.	90–94.	95–99.	100 and over.	Unknown.
75	172	792	1249	1129	901	706	578	477	399	400	344	347	264	189	81	21	5	-	-	27
34	43	296	529	477	393	307	283	240	227	224	181	187	128	94	35	11	2	-	-	13
41	129	496	720	652	508	399	295	237	172	176	163	160	136	95	46	10	3	-	-	14
99	43	37	31	18	16	9	11	7	5	5	5	5	1	1	-	-	-	-	-	3
49	19	16	15	11	7	4	5	3	4	1	2	1	1	1	-	-	-	-	-	2
50	24	21	16	7	9	5	6	4	1	4	3	4	-	-	-	-	-	-	-	1
21	20	50	61	57	30	38	27	30	29	17	29	30	13	9	6	3	-	1	-	1
12	6	20	27	19	7	16	9	13	13	11	17	9	7	5	3	1	-	-	-	-
9	14	30	34	38	23	22	18	17	16	6	12	21	6	4	3	2	-	1	-	1
7	7	5	6	11	4	6	2	4	2	4	6	5	2	1	1	-	-	-	-	-
4	4	4	3	6	2	-	1	1	1	1	3	2	1	1	-	-	-	-	-	-
3	3	1	3	5	2	6	1	3	1	3	3	3	1	-	1	-	-	-	-	-
-	1	2	-	1	3	2	-	-	1	-	2	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
-	-	2	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	4	4	3	5	3	1	1	-	1	2	2	3	1	1	-	-	-	-	-	-
1	2	2	2	3	2	1	1	-	-	2	2	1	1	-	-	-	-	-	-	-
2	2	2	1	2	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
3	5	8	11	9	7	11	7	5	5	9	6	7	9	7	5	1	-	-	-	1
1	2	4	5	7	2	6	4	3	2	5	1	5	6	4	3	1	-	-	-	1
2	3	4	6	2	5	5	3	2	3	4	5	2	3	3	2	-	-	-	-	-
14	23	36	57	39	31	29	20	28	19	16	9	14	8	1	3	-	1	-	-	2
7	9	18	24	14	9	14	10	13	13	8	3	4	7	-	1	-	-	-	-	2
7	14	18	33	25	22	15	10	15	6	8	6	10	1	1	2	-	1	-	-	-
-	3	2	2	-	2	2	-	-	1	1	-	1	3	2	1	-	-	-	-	1
-	1	1	1	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	1
-	2	1	1	-	1	1	-	-	-	1	-	1	2	1	1	-	-	-	-	-
-	-	-	4	1	7	2	7	5	4	5	2	2	-	-	1	-	-	-	-	1
-	-	-	2	-	3	2	5	4	3	3	2	1	-	-	1	-	-	-	-	1
-	-	-	2	1	4	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	2	3	3	8	16	22	34	42	32	28	16	16	1	1	-	-
1	-	-	1	1	1	3	2	8	14	18	28	31	27	23	15	12	1	1	-	-
-	-	-	-	-	1	-	1	-	2	4	6	11	5	5	1	4	-	-	-	-
1	1	3	5	10	25	44	80	130	193	250	297	368	368	266	142	39	7	1	-	7
-	-	1	3	3	10	18	36	45	80	115	135	182	190	135	63	16	2	-	-	4
1	1	2	2	7	15	26	44	85	113	135	162	186	178	131	79	23	5	1	-	3
1	-	2	-	6	18	20	29	61	63	89	108	112	103	91	27	12	3	1	-	3
1	-	1	-	3	7	6	6	19	19	31	37	43	41	34	11	4	1	-	-	1
-	-	1	-	3	11	14	23	42	44	58	71	69	62	57	16	8	2	1	-	2
-	-	1	2	17	46	69	92	113	128	101	114	74	62	31	15	6	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	17	46	69	92	113	128	101	114	74	62	31	15	6	1	-	-	2
-	-	-	-	1	10	19	29	59	57	56	67	59	64	55	24	13	6	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
-	-	-	-	1	10	19	29	59	56	55	67	58	64	54	24	13	6	-	-	-
-	1	-	-	-	-	4	8	8	23	19	23	36	41	42	41	22	8	2	-	-
-	-	-	-	-	-	1	5	6	20	13	19	26	28	32	28	12	3	-	-	-
-	1	-	-	-	-	3	3	2	3	6	4	10	13	10	13	10	5	2	-	-
2	4	8	12	18	15	32	44	61	65	114	122	121	122	93	68	27	10	-	-	9
1	-	4	8	7	9	9	13	17	17	48	66	59	58	57	39	16	3	-	-	7
1	4	4	4	11	6	23	31	44	48	66	56	62	64	36	29	11	7	-	-	2
1	2	-	-	-	-	2	1	14	8	11	9	19	9	8	5	4	-	-	-	1
1	1	-	-	-	-	-	-	3	2	2	3	2	2	3	2	-	-	-	-	-
-	1	-	-	-	-	2	1	11	6	9	6	17	7	5	3	4	-	-	-	1
19	16	22	10	7	10	13	13	13	9	20	18	25	30	22	9	3	1	1	-	-
10	8	11	4	5	6	7	7	6	5	8	10	17	21	15	4	3	-	-	-	-
9	8	11	6	2	4	6	6	7	4	12	8	8	9	7	5	-	1	1	-	-
-	2	1	2	4	5	7	7	6	12	11	20	30	31	29	16	6	1	-	-	1
-	2	-	2	1	2	3	2	4	3	4	11	14	12	12	7	1	-	-	-	1
-	-	1	-	3	3	4	5	2	9	7	9	16	19	17	9	5	1	-	-	-

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Scurvy	Totals	3	2	–	–	–	–	2
	Males	–	–	–	–	–	–	–
	Females	3	2	–	–	–	–	2
Diabetes	Totals	941	–	2	9	5	4	20
	Males	445	–	1	7	3	3	14
	Females	496	–	1	2	2	1	6
Exophthalmic goiter	Totals	22	–	–	–	–	–	–
	Males	5	–	–	–	–	–	–
	Females	17	–	–	–	–	–	–
Addison's disease	Totals	44	–	–	1	–	–	1
	Males	26	–	–	1	–	–	1
	Females	18	–	–	–	–	–	–
Leukemia	Totals	69	2	2	3	1	1	9
	Males	41	1	1	1	–	1	4
	Females	28	1	1	2	1	–	5
Anemia, chlorosis	Totals	509	53	12	4	1	2	72
	Males	184	23	4	2	–	1	30
	Females	325	30	8	2	1	1	42
Other general diseases	Totals	29	6	1	–	3	–	10
	Males	11	1	1	–	3	–	5
	Females	18	5	–	–	–	–	5
Alcoholism, acute or chronic	Totals	240	–	–	–	–	–	–
	Males	216	–	–	–	–	–	–
	Females	24	–	–	–	–	–	–
Chronic lead poisoning	Totals	7	–	–	–	2	–	2
	Males	6	–	–	–	1	–	1
	Females	1	–	–	–	1	–	1
Other chronic poisonings	Totals	32	–	–	–	–	–	–
	Males	13	–	–	–	–	–	–
	Females	19	–	–	–	–	–	–
Encephalitis	Totals	119	31	6	4	1	1	43
	Males	68	23	4	2	–	–	29
	Females	51	8	2	2	1	1	14
Simple meningitis	Totals	1,955	704	230	108	83	54	1179
	Males	1,058	387	123	50	49	27	636
	Females	896	316	107	58	34	27	542
	Not stated	1	1	–	–	–	–	1
Epidemic cerebro spinal meningitis	Totals	77	24	9	7	2	4	46
	Males	37	14	2	4	1	2	23
	Females	40	10	7	3	1	2	23
Progressive locomotor ataxia	Totals	188	1	–	–	–	–	1
	Males	129	1	–	–	–	–	1
	Females	59	–	–	–	–	–	–
Other diseases of the spinal cord	Totals	448	19	9	2	3	1	34
	Males	236	10	3	1	3	–	17
	Females	212	9	6	1	–	1	17
Congestion and hemorrhage of the brain	Totals	6,608	98	15	5	1	4	123
	Males	3,267	61	9	2	1	3	76
	Females	3,341	37	6	3	–	1	47
Softening of the brain	Totals	319	–	–	–	–	–	–
	Males	163	–	–	–	–	–	–
	Females	156	–	–	–	–	–	–
Paralysis without specified cause	Totals	2,045	12	6	–	–	–	18
	Males	990	6	3	–	–	–	9
	Females	1,055	6	3	–	–	–	9
General paralysis	Totals	217	–	–	–	–	–	–
	Males	134	–	–	–	–	–	–
	Females	83	–	–	–	–	–	–
Other forms of mental alienation	Totals	606	–	–	–	–	–	–
	Males	261	–	–	–	–	–	–
	Females	345	–	–	–	–	–	–

No. 31—Continued.

Age Groups—1901—1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	37	27	18	32	30	22	49	39	76	79	122	135	116	65	31	13	2	1	-	1
12	19	18	5	19	15	13	32	20	37	33	50	51	52	30	18	6	1	-	-	-
14	18	9	13	13	15	9	17	19	39	46	72	84	64	35	13	7	1	1	-	1
-	-	1	-	3	3	2	3	3	3	1	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	3	1	2	2	3	2	-	-	2	-	1	-	-	-	-	-	-
-	-	1	2	3	5	4	4	9	2	4	2	4	2	-	1	-	-	-	-	-
-	-	1	1	1	1	4	2	5	-	4	1	3	2	-	-	-	-	-	-	-
-	-	-	1	2	4	-	2	4	2	-	1	1	-	-	1	-	-	-	-	-
3	2	2	3	6	3	4	3	2	6	9	7	6	4	-	-	-	-	-	-	-
2	1	1	1	2	2	2	2	2	4	7	5	2	4	-	-	-	-	-	-	-
1	1	1	2	4	1	2	1	-	2	2	2	4	-	-	-	-	-	-	-	-
3	14	11	21	26	27	20	45	35	41	44	35	40	35	25	8	6	1	-	-	-
2	2	2	4	3	5	8	6	15	17	17	16	23	16	9	4	4	1	-	-	-
1	12	9	17	23	22	12	39	20	24	27	19	17	19	16	4	2	-	-	-	-
2	-	2	-	-	-	1	2	1	1	2	3	-	1	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-
2	-	2	-	-	-	1	2	1	-	-	3	-	-	2	-	-	-	-	-	-
-	-	2	6	16	26	42	35	37	15	16	17	8	8	2	2	-	-	-	-	8
-	-	2	5	14	24	34	33	31	15	15	17	6	8	2	2	-	-	-	-	8
-	-	-	1	2	2	8	2	6	-	1	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	2	1	-	4	2	5	2	5	2	2	3	2	1	-	-	-	-	-
-	1	-	2	-	-	-	2	2	-	1	-	-	2	2	1	-	-	-	-	-
-	-	-	-	1	-	4	-	3	2	4	2	2	1	-	-	-	-	-	-	-
12	5	5	1	1	3	2	3	6	5	-	5	3	7	11	6	-	-	-	-	1
7	4	2	-	-	-	1	1	1	3	-	2	3	5	7	3	-	-	-	-	-
5	1	3	1	1	3	1	2	5	2	-	3	-	2	4	3	-	-	-	-	1
167	115	82	46	46	43	33	27	40	41	32	29	21	17	13	15	3	1	-	-	5
84	52	43	27	32	22	23	16	14	21	23	23	14	10	6	7	2	-	-	-	3
83	63	39	19	14	21	10	11	26	20	9	6	7	7	7	8	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	6	2	2	2	3	-	-	-	1	-	1	-	1	1	-	-	-	-	1
3	1	4	-	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
4	3	2	2	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	3	-	2	5	3	14	15	30	33	33	28	11	5	1	2	-	-	2
-	-	-	1	-	1	3	3	8	10	27	26	18	18	7	2	-	2	-	-	2
-	-	-	2	-	1	2	-	6	5	3	7	15	10	4	3	1	-	-	-	-
8	12	7	1	7	9	17	15	23	21	50	42	66	69	46	17	2	1	-	-	1
4	7	4	-	3	4	7	6	12	9	31	24	34	39	23	8	2	1	-	-	1
4	5	3	1	4	5	10	9	11	12	19	18	32	30	23	9	-	-	-	-	-
15	4	23	26	32	53	82	150	183	373	484	647	916	1046	1122	792	387	106	15	-	29
10	3	11	12	17	32	40	83	92	179	261	326	455	533	553	340	189	34	6	-	15
5	1	12	14	15	21	42	67	91	194	223	321	461	513	569	452	198	72	9	-	14
1	-	-	1	-	2	-	5	10	14	12	32	42	54	79	45	18	2	1	-	1
1	-	-	1	-	1	-	-	8	6	6	18	19	28	47	20	5	2	1	-	-
-	-	-	-	-	1	-	5	2	8	6	14	23	26	32	25	13	-	-	-	1
2	7	7	2	9	19	26	42	64	92	125	196	279	346	383	250	128	38	4	-	8
2	3	4	2	4	7	21	21	40	47	53	91	136	165	184	126	53	19	-	-	3
-	4	3	-	5	12	5	21	24	45	72	105	143	181	199	124	75	19	4	-	5
-	-	1	-	1	10	16	13	26	12	19	21	22	23	22	19	9	1	1	-	1
-	-	1	-	1	7	12	10	23	9	12	12	10	10	10	11	5	-	-	-	1
-	-	-	-	-	3	4	3	3	3	7	9	12	13	12	8	4	1	1	-	-
-	1	6	17	14	44	41	52	52	67	59	53	93	43	36	13	8	2	2	-	3
-	-	4	7	6	20	22	20	14	26	26	25	46	16	15	6	6	1	-	-	1
-	1	2	10	8	24	19	32	38	41	33	28	47	27	21	7	2	1	2	-	2

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Epilepsy	Totals	306	18	4	1	3	5	31
	Males	166	6	3	1	2	2	14
	Females	140	12	1	–	1	3	17
Eclampsia (non-puerperal)	Totals	75	–	–	–	–	–	–
	Males	21	–	–	–	–	–	–
	Females	54	–	–	–	–	–	–
Convulsions of children	Totals	749	547	106	53	25	16	747
	Males	418	310	57	32	11	7	417
	Females	331	237	49	21	14	9	330
Tetanus	Totals	66	6	–	–	–	2	8
	Males	43	4	–	–	–	2	6
	Females	23	2	–	–	–	–	2
Chorea	Totals	13	1	–	–	1	–	2
	Males	3	1	–	–	–	–	1
	Females	10	–	–	–	1	–	1
Other diseases of nervous system	Totals	677	38	11	3	7	3	62
	Males	318	20	8	–	3	–	31
	Females	358	17	3	3	4	3	30
	Not stated	1	1	–	–	–	–	1
Diseases of the eye and its adnexa	Totals	5	–	–	–	–	–	–
	Males	1	–	–	–	–	–	–
	Females	4	–	–	–	–	–	–
Diseases of the ear	Totals	31	10	1	4	–	1	16
	Males	18	8	1	1	–	–	10
	Females	13	2	–	3	–	1	6
Pericarditis	Totals	96	2	–	1	–	1	4
	Males	47	2	–	1	–	–	3
	Females	49	–	–	–	–	1	1
Acute endocarditis	Totals	438	5	–	–	2	1	8
	Males	224	4	–	–	2	–	6
	Females	214	1	–	–	–	1	2
Organic diseases of heart	Totals	9,658	147	20	3	4	7	181
	Males	5,420	88	6	2	3	1	100
	Females	4,238	59	14	1	1	6	81
Angina pectoris	Totals	788	–	–	–	–	–	–
	Males	470	–	–	–	–	–	–
	Females	318	–	–	–	–	–	–
Affections of the arteries (atheroma, aneurism, etc.)	Totals	610	2	1	–	–	–	3
	Males	400	1	–	–	–	–	1
	Females	210	1	1	–	–	–	2
Embolism and thrombosis	Totals	442	8	1	–	–	1	10
	Males	201	5	1	–	–	1	7
	Females	241	3	–	–	–	–	3
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	Totals	32	1	–	–	–	–	1
	Males	15	1	–	–	–	–	1
	Females	17	–	–	–	–	–	–
Affections of the lymphatic system	Totals	5	1	–	–	–	–	1
	Males	2	1	–	–	–	–	1
	Females	3	–	–	–	–	–	–
Hemorrhages	Totals	139	33	5	4	–	1	43
	Males	67	20	2	–	–	1	23
	Females	72	13	3	4	–	–	20
Other affections of the circulatory system	Totals	6	3	–	–	–	–	3
	Males	–	–	–	–	–	–	–
	Females	6	3	–	–	–	–	3
Diseases of the nasal fossae	Totals	12	5	1	–	–	–	6
	Males	6	3	–	–	–	–	3
	Females	6	2	1	–	–	–	3
Affections of the larynx	Totals	128	27	26	13	9	8	83
	Males	74	18	17	6	7	2	50
	Females	54	9	9	7	2	6	33

No. 31—Continued.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
7	9	24	30	24	22	21	29	12	15	15	16	12	15	8	9	3	1	-	-	3
4	6	13	18	12	12	13	11	8	5	9	11	8	8	3	4	3	1	-	-	3
3	3	11	12	12	10	8	18	4	10	6	5	4	7	5	5	-	-	-	-	-
20	7	6	5	11	4	4	3	2	2	6	2	1	-	-	-	-	-	-	-	2
7	1	-	2	-	-	2	2	-	2	2	1	-	-	-	-	-	-	-	-	2
13	6	6	3	11	4	2	1	2	-	4	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
8	9	5	3	6	5	3	6	3	2	-	1	1	2	2	1	1	-	-	-	-
6	7	5	2	2	1	1	4	2	2	-	1	-	1	2	1	-	-	-	-	-
2	2	-	1	4	4	2	2	1	-	-	-	1	1	-	-	1	-	-	-	-
1	2	2	-	-	1	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
1	2	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
13	17	21	20	24	32	25	29	31	63	53	53	66	62	64	29	11	1	-	-	1
9	7	13	7	6	13	12	13	17	30	28	28	30	25	32	13	4	-	-	-	-
4	10	8	13	18	19	13	16	14	33	25	25	36	37	32	16	7	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-
4	3	-	1	-	-	1	1	-	-	2	2	-	-	-	-	1	-	-	-	-
3	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-
5	6	4	5	3	2	3	1	3	6	7	6	11	15	9	5	1	-	-	-	-
2	1	2	1	2	2	1	-	1	6	4	3	5	7	5	1	1	-	-	-	-
3	5	2	4	1	-	2	1	2	-	3	3	6	8	4	4	-	-	-	-	-
11	5	13	7	13	10	14	16	18	25	27	50	52	59	60	27	17	3	1	-	2
3	3	6	1	6	6	7	11	12	8	13	34	21	29	31	15	10	2	-	-	-
8	2	7	6	7	4	7	5	6	17	14	16	31	30	29	12	7	1	1	-	2
37	66	75	79	119	151	198	253	324	455	712	1007	1362	1542	1478	1013	446	105	17	1	37
14	27	36	36	56	64	106	119	163	263	403	630	807	908	836	568	214	42	5	1	22
23	39	39	43	63	87	92	134	161	192	309	377	555	634	642	445	232	63	12	-	15
1	-	3	9	11	5	6	19	39	62	64	93	120	135	112	68	30	7	1	-	3
-	-	1	3	3	2	4	13	27	40	45	64	64	83	60	38	18	2	-	-	3
1	-	2	6	8	3	2	6	12	22	19	29	56	52	52	30	12	5	1	-	-
-	-	-	1	1	1	11	7	7	18	17	54	85	102	120	106	51	20	5	-	1
-	-	-	1	-	1	6	5	3	12	13	45	52	68	92	63	23	11	4	-	-
-	-	-	-	1	-	5	2	4	6	4	9	33	34	28	43	28	9	1	-	1
1	3	9	15	17	20	16	26	20	19	33	40	55	55	68	17	9	6	2	-	1
1	-	1	5	6	7	3	7	8	9	18	21	27	35	33	10	3	-	-	-	-
-	3	8	10	11	13	13	19	12	10	15	19	28	20	35	7	6	6	2	-	1
1	-	-	-	-	1	2	2	-	3	1	3	5	5	3	3	2	-	-	-	-
1	-	-	-	-	-	2	1	-	1	1	1	3	1	2	-	1	-	-	-	-
-	-	-	-	-	1	-	1	-	2	-	2	2	4	1	3	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
7	4	1	6	6	4	14	2	6	6	6	5	11	9	4	2	2	1	-	-	-
5	1	1	3	1	1	7	1	4	4	2	2	6	1	2	1	1	1	-	-	-
2	3	-	3	5	3	7	1	2	2	4	3	5	8	2	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
21	3	3	1	2	3	1	-	1	1	2	-	3	1	1	1	-	1	-	-	-
12	-	2	1	1	1	-	-	-	1	1	-	2	-	1	1	-	1	-	-	-
9	3	1	-	1	2	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Affections of the thyroid body	Totals	27	2	–	–	1	–	3
	Males	6	2	–	–	–	–	2
	Females	21	–	–	–	1	–	1
Acute bronchitis	Totals	1,059	480	108	35	16	7	646
	Males	483	266	56	13	9	3	347
	Females	576	214	52	22	7	4	299
Chronic bronchitis	Totals	799	17	6	2	1	–	26
	Males	335	11	2	2	1	–	16
	Females	464	6	4	–	–	–	10
Broncho pneumonia	Totals	1,498	452	173	72	27	21	745
	Males	695	245	88	37	18	8	396
	Females	802	206	85	35	9	13	348
	Not stated	1	1	–	–	–	–	1
Pneumonia	Totals	7,896	1107	379	163	94	48	1791
	Males	4,004	608	208	81	45	31	973
	Females	3,887	497	170	82	49	17	815
	Not stated	5	2	1	–	–	–	3
Pleurisy	Totals	187	9	5	3	2	1	20
	Males	116	5	3	1	–	1	10
	Females	71	4	2	2	2	–	10
Congestion of the lungs, pulmonary apoplexy	Totals	544	114	22	3	7	2	148
	Males	266	65	13	2	4	2	86
	Females	278	49	9	1	3	–	62
Gangrene of the lungs	Totals	38	–	–	–	–	–	–
	Males	31	–	–	–	–	–	–
	Females	7	–	–	–	–	–	–
Asthma	Totals	192	10	6	1	–	–	17
	Males	105	3	3	–	–	–	6
	Females	87	7	3	1	–	–	11
Emphysema of the lungs	Totals	27	–	–	–	–	–	–
	Males	16	–	–	–	–	–	–
	Females	11	–	–	–	–	–	–
Other diseases of the respiratory system (phthisis excepted)	Totals	215	24	3	1	–	1	29
	Males	123	12	1	1	–	1	15
	Females	92	12	2	–	–	–	14
Affections of the mouth and its adnexa	Totals	29	18	–	2	–	–	20
	Males	19	11	–	2	–	–	13
	Females	10	7	–	–	–	–	7
Affections of the pharynx	Totals	119	16	4	2	7	7	36
	Males	63	7	2	–	4	5	18
	Females	56	9	2	2	3	2	18
Affections of the esophagus	Totals	13	–	1	–	–	–	1
	Males	4	–	–	–	–	–	–
	Females	9	–	1	–	–	–	1
Ulcer of the stomach	Totals	180	2	1	–	1	–	4
	Males	74	–	1	–	1	–	2
	Females	106	2	–	–	–	–	2
Other affections of the stomach (cancer excepted)	Totals	1,502	368	59	18	9	5	459
	Males	753	223	28	13	5	3	272
	Females	749	145	31	5	4	2	187
Infantile diarrhea (under two years)	Totals	4,452	3916	529	–	–	–	4445
	Males	2,485	2202	280	–	–	–	2482
	Females	1,966	1714	249	–	–	–	1963
	Not stated	1	–	–	–	–	–	–
Diarrhea and enteritis (two years and over)	Totals	979	–	1	144	68	39	252
	Males	461	–	–	77	42	18	137
	Females	517	–	1	66	26	21	114
	Not stated	1	–	–	1	–	–	1
Intestinal parasites	Totals	18	2	5	4	1	–	12
	Males	11	1	4	3	–	–	8
	Females	7	1	1	1	1	–	4
Hernias and other intestinal obstructions	Totals	715	70	17	7	6	4	104
	Males	361	46	13	6	3	1	69
	Females	354	24	4	1	3	3	35

No. 31—Continued.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	1	-	-	2	1	2	3	1	1	3	7	-	2	-	-	1	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	2	1	1	3	1	1	3	6	-	2	-	-	-	-	-	-	-
9	3	4	7	3	2	1	3	2	7	7	19	44	49	73	82	64	22	10	1	1
1	1	1	3	2	1	1	-	1	2	1	5	18	18	19	21	26	10	5	-	-
8	2	3	4	1	1	-	3	1	5	6	14	26	31	54	61	38	12	5	1	1
5	3	5	2	4	9	13	5	10	16	40	48	76	120	148	142	74	37	11	1	4
4	-	3	-	3	3	6	3	5	7	16	25	29	42	63	61	26	17	3	-	3
1	3	2	2	1	6	7	2	5	9	24	23	47	78	85	81	48	20	8	1	1
38	7	6	13	7	10	18	18	23	25	35	53	67	105	136	92	71	22	5	-	2
19	3	2	8	2	6	10	8	15	15	11	28	22	37	45	32	25	7	2	-	2
19	4	4	5	5	4	8	10	8	10	24	25	45	68	91	60	46	15	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	86	170	236	212	229	261	265	314	381	390	470	636	643	683	520	298	90	29	1	31
94	43	87	146	117	133	146	152	177	209	209	226	286	275	333	214	121	32	10	1	20
66	43	83	90	95	96	115	113	137	172	181	244	350	368	350	306	177	58	19	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
10	1	13	14	8	8	6	8	15	11	10	5	10	17	10	11	8	2	-	-	-
7	1	7	11	7	4	4	6	10	7	8	3	5	11	7	4	3	1	-	-	-
3	-	6	3	1	4	2	2	5	4	2	2	5	6	3	7	5	1	-	-	-
11	3	7	10	12	18	14	13	21	11	29	20	38	61	54	28	33	9	2	1	1
6	-	3	4	4	8	5	6	13	5	14	11	16	26	26	13	12	5	2	-	1
5	3	4	6	8	10	9	7	8	6	15	9	22	35	28	15	21	4	-	1	-
-	2	2	1	-	1	2	1	-	1	7	6	6	4	3	1	-	1	-	-	-
-	1	1	1	-	1	2	1	-	1	4	6	4	4	3	1	-	1	-	-	-
-	1	1	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-
1	1	-	1	2	1	3	13	7	7	12	24	23	30	28	14	2	2	1	-	3
1	1	-	1	2	-	-	6	2	4	7	13	12	22	15	8	2	1	1	-	1
-	-	-	-	-	1	3	7	5	3	5	11	11	8	13	6	-	1	-	-	2
-	-	-	1	1	-	1	-	1	2	1	6	1	3	4	4	1	1	-	-	-
-	-	-	1	-	-	1	-	1	2	-	3	-	3	3	1	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	1	3	1	-	1	3	1	-	-	-	-
2	4	7	14	13	5	13	9	13	16	18	19	20	13	7	4	6	3	-	-	-
-	2	3	5	6	2	7	8	9	10	12	15	12	7	2	3	3	2	-	-	-
2	2	4	9	7	3	6	1	4	6	6	4	8	6	5	1	3	1	-	-	-
1	-	1	-	1	1	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
1	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
16	6	5	3	3	7	4	4	2	3	5	2	6	7	4	3	2	1	-	-	-
8	3	5	2	2	6	2	2	1	-	3	1	2	4	1	1	1	1	-	-	-
8	3	-	1	1	1	2	2	1	3	2	1	4	3	3	2	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	2	-	-	3	2	-	-	2	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	2	-	-	1
1	-	3	10	11	9	8	8	11	11	22	21	16	16	10	13	4	-	1	-	1
-	-	1	2	3	2	2	1	5	5	11	11	5	8	3	9	3	-	1	-	-
1	-	2	8	8	7	6	7	6	6	11	10	11	8	7	4	1	-	-	-	1
21	7	11	23	24	28	32	29	34	58	82	90	135	128	147	112	56	19	2	-	5
10	2	4	3	8	9	14	12	12	31	46	44	67	68	70	52	17	8	1	-	3
11	5	7	20	16	19	18	17	22	27	36	46	68	60	77	60	39	11	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
57	17	8	10	22	9	19	23	21	35	48	58	74	72	102	78	55	11	5	-	3
24	10	4	4	8	2	7	11	7	16	22	30	41	34	49	31	19	3	1	-	1
33	7	4	6	14	7	12	12	14	19	26	28	33	38	53	47	36	8	4	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	16	9	16	15	16	16	26	31	41	43	66	70	77	58	48	24	7	1	-	7
12	8	5	11	9	5	7	8	13	20	20	27	32	42	31	22	12	4	1	-	3
12	8	4	5	6	11	9	18	18	21	23	39	38	35	27	26	12	3	-	-	4

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other affections of the intestines	Totals	219	41	3	1	2	5	52
	Males	105	20	2	1	1	–	24
	Females	114	21	1	–	1	5	28
Acute yellow atrophy of liver	Totals	39	4	–	–	–	–	4
	Males	16	2	–	–	–	–	2
	Females	23	2	–	–	–	–	2
Hydatid tumors of the liver	Totals	7	–	–	–	–	–	–
	Males	2	–	–	–	–	–	–
	Females	5	–	–	–	–	–	–
Cirrhosis of the liver	Totals	464	2	–	–	–	–	2
	Males	294	1	–	–	–	–	1
	Females	170	1	–	–	–	–	1
Biliary calculi	Totals	140	–	–	–	–	–	–
	Males	41	–	–	–	–	–	–
	Females	99	–	–	–	–	–	–
Other affections of the liver	Totals	578	34	6	1	2	2	45
	Males	314	25	4	–	1	1	31
	Females	264	9	2	1	1	1	14
Affections of the spleen	Totals	24	–	–	1	–	–	1
	Males	13	–	–	–	–	–	–
	Females	11	–	–	1	–	–	1
Inflammatory peritonitis (puerperal excepted)	Totals	630	41	12	8	9	6	76
	Males	274	26	5	5	3	3	42
	Females	356	15	7	3	6	3	34
Other affections of the digestive system (cancer and tuberculosis excepted)	Totals	10	3	–	–	–	–	3
	Males	4	2	–	–	–	–	2
	Females	6	1	–	–	–	–	1
Appendicitis and abscess of the iliac fossa	Totals	617	3	4	7	6	12	32
	Males	354	1	2	4	4	8	19
	Females	263	2	2	3	2	4	13
Acute nephritis	Totals	566	26	13	9	4	3	55
	Males	280	13	8	7	2	1	31
	Females	286	13	5	2	2	2	24
Bright's disease	Totals	5,249	29	3	3	7	9	51
	Males	2,984	16	2	1	1	4	24
	Females	2,265	13	1	2	6	5	27
Other diseases of the kidneys and their adnexa	Totals	212	9	2	–	1	1	13
	Males	130	7	1	–	1	–	9
	Females	82	2	1	–	–	1	4
Calculi of the urinary tract	Totals	14	–	–	–	–	–	–
	Males	9	–	–	–	–	–	–
	Females	5	–	–	–	–	–	–
Diseases of the bladder	Totals	413	9	–	–	–	–	9
	Males	364	6	–	–	–	–	6
	Females	49	3	–	–	–	–	3
Diseases of the urethra, urinary abscess, etc.	Totals	17	–	–	–	–	–	–
	Males	14	–	–	–	–	–	–
	Females	3	–	–	–	–	–	–
Diseases of the prostate	Totals	207	–	–	–	–	–	–
	Males	207	–	–	–	–	–	–
	Females	–	–	–	–	–	–	–
Non-venereal diseases of the male genital organs	Totals	8	–	–	–	–	–	–
	Males	8	–	–	–	–	–	–
	Females	–	–	–	–	–	–	–
Metritis	Totals	3	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	3	–	–	–	–	–	–
Uterine hemorrhage (non-puerperal)	Totals	26	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	26	–	–	–	–	–	–
Uterine tumor (non-cancerous)	Totals	72	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	72	–	–	–	–	–	–

No. 31—Continued.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
5	4	7	4	11	10	7	8	3	10	11	11	16	21	17	10	11	-	-	-	1
2	4	4	1	5	6	2	3	1	5	3	6	8	6	10	7	7	-	-	-	1
3	-	3	3	6	4	5	5	2	5	8	5	8	15	7	3	4	-	-	-	-
1	1	1	3	4	1	1	-	3	2	2	6	2	4	3	1	-	-	-	-	-
-	-	-	1	-	-	1	-	2	2	1	2	2	1	2	-	-	-	-	-	-
1	1	1	2	4	1	-	-	1	-	1	4	-	3	1	1	-	-	-	-	-
-	1	-	-	1	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	4	5	3	17	19	30	40	42	67	79	65	52	30	7	-	-	-	1
-	1	-	2	3	2	9	14	22	26	29	45	47	38	31	20	4	-	-	-	-
-	-	-	2	2	1	8	5	8	14	13	22	32	27	21	10	3	-	-	-	1
-	-	3	2	3	7	5	8	10	10	17	18	20	17	14	3	2	1	-	-	-
-	-	-	-	2	1	2	2	2	1	4	8	11	5	2	-	1	-	-	-	-
-	-	3	2	1	6	3	6	8	9	13	10	9	12	12	3	1	1	-	-	-
9	7	7	16	12	16	16	26	27	40	52	49	76	65	51	42	17	3	-	-	2
6	2	6	10	5	8	6	12	13	27	25	27	46	30	25	24	8	1	-	-	2
3	5	1	6	7	8	10	14	14	13	27	22	30	35	26	18	9	2	-	-	-
-	-	1	1	2	1	2	1	5	3	-	2	1	3	1	-	-	-	-	-	-
-	-	-	-	1	1	-	1	4	2	-	-	1	2	1	-	-	-	-	-	-
-	-	1	1	1	-	2	-	1	1	-	2	-	1	-	-	-	-	-	-	-
44	41	56	48	43	34	44	33	28	38	26	23	28	30	17	12	8	-	-	-	1
22	23	23	17	14	11	13	7	10	15	16	14	11	18	8	8	2	-	-	-	-
22	18	33	31	29	23	31	26	18	23	10	9	17	12	9	4	6	-	-	-	1
-	-	1	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-
59	100	82	64	45	43	24	34	35	24	17	17	14	12	6	4	4	1	-	-	-
27	54	45	44	28	26	13	20	24	14	12	9	10	6	-	1	2	-	-	-	-
32	46	37	20	17	17	11	14	11	10	5	8	4	6	6	3	2	1	-	-	-
27	11	24	28	36	38	35	38	29	31	33	36	43	41	35	16	7	2	-	-	1
15	5	11	11	13	11	9	20	13	21	16	17	20	26	21	11	6	2	-	-	1
12	6	13	17	23	27	26	18	16	10	17	19	23	15	14	5	1	-	-	-	-
22	29	46	73	99	120	161	251	296	373	463	541	736	759	623	374	159	37	13	1	22
10	17	13	25	35	50	66	118	159	206	265	313	425	481	399	241	95	23	5	-	14
12	12	33	48	64	70	95	133	137	167	198	228	311	278	224	133	64	14	8	1	8
-	-	5	4	6	13	8	2	11	15	12	20	23	18	27	20	11	4	-	-	-
-	-	3	1	1	7	5	1	5	6	7	10	15	14	20	16	7	3	-	-	-
-	-	2	3	5	6	3	1	6	9	5	10	8	4	7	4	4	1	-	-	-
-	-	-	-	-	-	-	2	-	1	-	2	2	2	2	3	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-
1	-	-	-	2	1	3	4	7	11	11	24	54	74	87	63	45	13	1	-	3
1	-	-	-	2	1	1	3	3	8	9	21	53	66	76	58	40	12	1	-	3
-	-	-	-	-	-	2	1	4	3	2	3	1	8	11	5	5	1	-	-	-
-	-	-	-	1	-	3	-	4	-	1	3	1	1	1	1	1	-	-	-	-
-	-	-	-	-	-	3	-	4	-	1	2	-	1	1	1	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	2	8	16	29	39	47	38	21	5	1	-	-
-	-	-	-	-	-	1	-	-	2	8	16	29	39	47	38	21	5	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	1	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	1	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	1	4	2	4	5	1	6	2	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	3	3	7	7	12	5	11	5	9	5	4	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	3	3	7	7	12	5	11	5	9	5	4	-	-	-	-	-	-

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other diseases of the uterus	Totals	101	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	101	–	–	–	–	–	–
Cysts and other tumors of ovary	Totals	81	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	81	–	–	–	–	–	–
Other diseases of female genital organs	Totals	80	1	–	–	–	–	1
	Males	–	–	–	–	–	–	–
	Females	80	1	–	–	–	–	1
Non-puerperal diseases of the breast (cancer excepted)	Totals	2	1	–	–	–	–	1
	Males	2	1	–	–	–	–	1
	Females	–	–	–	–	–	–	–
Accidents of pregnancy	Totals	158	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	158	–	–	–	–	–	–
Puerperal hemorrhage	Totals	54	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	54	–	–	–	–	–	–
Other accidents of labor	Totals	62	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	62	–	–	–	–	–	–
Puerperal septicemia	Totals	258	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	258	–	–	–	–	–	–
Puerperal albuminuria and eclampsia	Totals	163	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	163	–	–	–	–	–	–
Other puerperal accidents, sudden death	Totals	126	–	–	–	–	–	–
	Males	–	–	–	–	–	–	–
	Females	126	–	–	–	–	–	–
Gangrene	Totals	579	11	–	–	–	1	12
	Males	354	9	–	–	–	1	10
	Females	225	2	–	–	–	–	2
Furuncle (boil, carbuncle)	Totals	36	1	–	–	–	–	1
	Males	27	–	–	–	–	–	–
	Females	9	1	–	–	–	–	1
Phlegmon, acute abscess	Totals	74	14	2	–	1	1	18
	Males	41	7	2	–	–	–	9
	Females	33	7	–	–	1	1	9
Other diseases of the skin and its adnexa	Totals	55	21	2	–	1	–	24
	Males	20	8	1	–	–	–	9
	Females	35	13	1	–	1	–	15
Affections of the bones (non-tuberculous)	Totals	101	17	8	2	1	1	29
	Males	59	11	2	2	1	1	17
	Females	42	6	6	–	–	–	12
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Totals	8	1	–	–	–	–	1
	Males	5	1	–	–	–	–	1
	Females	3	–	–	–	–	–	–
Amputation	Totals	4	–	–	–	–	–	–
	Males	4	–	–	–	–	–	–
	Females	–	–	–	–	–	–	–
Other affections of the organs of locomotion	Totals	3	–	–	–	–	–	–
	Males	2	–	–	–	–	–	–
	Females	1	–	–	–	–	–	–
Malformations, congenital (stillbirths excepted)	Totals	645	600	21	3	2	2	628
	Males	360	338	12	1	–	1	352
	Females	282	259	9	2	2	1	273
	Not stated	3	3	–	–	–	–	3
Congenital icterus, debility, and sclerema	Totals	3,403	3235	–	–	–	–	3235
	Males	1,902	1801	–	–	–	–	1801
	Females	1,467	1409	–	–	–	–	1409
	Not stated	34	25	–	–	–	–	25

No. 31—Continued.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
–	–	7	9	15	10	9	21	16	3	3	2	1	2	–	2	1	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	7	9	15	10	9	21	16	3	3	2	1	2	–	2	1	–	–	–	–
–	–	–	4	5	8	5	6	4	6	9	4	9	10	9	2	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	4	5	8	5	6	4	6	9	4	9	10	9	2	–	–	–	–	–
–	–	2	14	19	11	12	9	7	–	3	–	1	1	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	2	14	19	11	12	9	7	–	3	–	1	1	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	7	36	43	35	27	8	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	7	36	43	35	27	8	–	–	–	–	–	–	–	–	–	–	–	–	2
–	1	3	9	8	11	13	7	1	–	–	–	–	–	–	–	–	–	–	–	1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	1	3	9	8	11	13	7	1	–	–	–	–	–	–	–	–	–	–	–	1
–	–	4	9	11	13	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	4	9	11	13	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–
–	–	22	83	57	49	30	14	1	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	22	83	57	49	30	14	1	–	–	–	–	–	–	–	–	–	–	–	2
–	–	18	49	32	27	25	12	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	18	49	32	27	25	12	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	7	26	40	23	17	12	1	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	7	26	40	23	17	12	1	–	–	–	–	–	–	–	–	–	–	–	–
1	1	–	1	–	2	5	4	8	10	15	33	59	90	123	105	78	22	6	1	3
–	–	–	1	–	1	2	4	5	5	9	13	22	52	91	72	48	13	3	1	2
1	1	–	–	–	1	3	–	3	5	6	20	37	38	32	33	30	9	3	–	1
–	–	1	3	–	–	1	1	2	3	2	8	5	3	2	2	2	–	–	–	–
–	–	1	2	–	–	–	1	2	3	2	5	3	3	2	2	1	–	–	–	–
–	–	–	1	–	–	1	–	–	–	–	3	2	–	–	–	1	–	–	–	–
2	2	5	2	2	2	7	4	2	6	5	1	3	5	3	2	1	2	–	–	–
1	2	4	2	1	1	6	2	1	3	1	1	1	1	2	1	1	1	–	–	–
1	–	1	–	1	1	1	2	1	3	4	–	2	4	1	1	–	1	–	–	–
–	–	–	1	1	–	–	1	–	3	1	2	3	3	7	6	2	–	–	1	–
–	–	–	1	–	–	–	1	–	1	–	–	2	1	2	3	–	–	–	–	–
–	–	–	–	1	–	–	–	–	2	1	2	1	2	5	3	2	–	–	1	–
9	7	2	2	4	3	2	3	4	5	6	9	4	4	4	3	–	–	–	–	1
5	3	1	2	3	3	1	2	1	2	3	5	4	2	2	2	–	–	–	–	1
4	4	1	–	1	–	1	1	3	3	3	4	–	2	2	1	–	–	–	–	–
–	1	–	–	–	–	–	–	–	–	1	–	2	2	–	–	1	–	–	–	–
–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
–	–	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
–	–	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
6	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	168
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	101
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other diseases of early infancy	Totals	269	265	-	-	-	-	265
	Males	148	146	-	-	-	-	146
	Females	118	116	-	-	-	-	116
	Not stated	3	3	-	-	-	-	3
Lack of care	Totals	480	480	-	-	-	-	480
	Males	280	280	-	-	-	-	280
	Females	198	198	-	-	-	-	198
	Not stated	2	2	-	-	-	-	2
Old age	Totals	5,657	-	-	-	-	-	-
	Males	2,492	-	-	-	-	-	-
	Females	3,165	-	-	-	-	-	-
Suicide by poison	Totals	116	-	-	-	-	-	-
	Males	77	-	-	-	-	-	-
	Females	39	-	-	-	-	-	-
Suicide by asphyxia	Totals	11	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals	231	-	-	-	-	-	-
	Males	194	-	-	-	-	-	-
	Females	37	-	-	-	-	-	-
Suicide by drowning	Totals	106	-	-	-	-	-	-
	Males	61	-	-	-	-	-	-
	Females	45	-	-	-	-	-	-
Suicide by firearms	Totals	248	-	-	-	-	-	-
	Males	229	-	-	-	-	-	-
	Females	19	-	-	-	-	-	-
Suicide by cutting instruments	Totals	72	-	-	-	-	-	-
	Males	61	-	-	-	-	-	-
	Females	11	-	-	-	-	-	-
Suicide by jumping from high places	Totals	4	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Other suicides	Totals	21	-	-	-	-	-	-
	Males	14	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Fractures	Totals	544	5	2	2	3	2	14
	Males	326	4	1	1	2	2	10
	Females	218	1	1	1	1	-	4
Dislocations and sprains	Totals	5	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Other accidental injuries	Totals	1,486	21	13	22	20	18	94
	Males	1,291	16	6	16	15	10	63
	Females	195	5	7	6	5	8	31
Burns and scalds	Totals	366	8	31	50	29	21	139
	Males	132	3	11	30	13	8	65
	Females	234	5	20	20	16	13	74
Sunstroke	Totals	42	6	1	1	1	2	11
	Males	30	2	1	-	1	2	6
	Females	12	4	-	1	-	-	5
Freezing	Totals	50	2	-	-	-	-	2
	Males	42	1	-	-	-	-	1
	Females	8	1	-	-	-	-	1
Electric shock	Totals	54	-	-	-	-	-	-
	Males	47	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Accidental drowning	Totals	1,041	6	13	8	9	21	57
	Males	948	4	11	5	6	18	44
	Females	91	2	2	3	3	3	13
Inanition	Not stated	2	-	-	-	-	-	-
	Totals	10	2	-	-	-	-	2
	Males	7	1	-	-	-	-	1
	Females	3	1	-	-	-	-	1

No. 31—Continued.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	6	48	417	933	1571	1578	828	226	28	22
-	-	-	-	-	-	-	-	-	-	-	4	19	196	423	752	666	332	78	10	12
-	-	-	-	-	-	-	-	-	-	-	2	29	221	510	819	912	496	148	18	10
-	1	7	15	4	11	14	10	10	12	8	4	9	7	1	1	1	-	-	-	1
-	-	1	9	3	6	12	8	5	11	6	2	7	4	1	1	1	-	-	-	-
-	1	6	6	1	5	2	2	5	1	2	2	2	3	-	-	-	-	-	-	1
-	-	-	-	2	2	2	1	1	1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
-	1	3	4	3	11	5	21	33	24	23	26	17	16	18	8	12	1	-	-	5
-	1	3	4	2	9	4	16	26	21	21	22	15	13	14	7	10	1	-	-	5
-	-	-	-	1	2	1	5	7	3	2	4	2	3	4	1	2	-	-	-	-
-	-	2	7	10	7	12	3	11	8	15	10	7	5	5	2	-	-	-	-	2
-	-	-	1	7	4	10	1	7	5	7	3	3	4	5	2	-	-	-	-	2
-	-	2	6	3	3	2	2	4	3	8	7	4	1	-	-	-	-	-	-	-
-	-	5	33	18	22	25	20	26	30	15	16	13	14	5	1	-	1	-	-	4
-	-	5	28	14	19	24	18	25	30	12	16	13	14	5	1	-	1	-	-	4
-	-	-	5	4	3	1	2	1	-	3	-	-	-	-	-	-	-	-	-	-
-	-	-	2	4	5	6	8	8	6	7	5	7	6	4	-	2	-	-	-	2
-	-	-	1	3	5	6	7	6	5	6	5	5	5	4	-	1	-	-	-	2
-	-	-	1	1	-	-	1	2	1	1	-	2	1	-	-	1	-	-	-	-
-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	1	1	3	5	-	4	2	-	1	-	-	-	-	-	1
-	-	-	-	1	-	1	1	2	3	-	3	1	-	1	-	-	-	-	-	1
-	-	-	-	1	1	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-
11	6	21	27	30	24	25	19	22	22	18	24	23	35	46	72	68	26	7	1	3
8	5	21	26	30	23	23	19	21	19	16	18	12	15	16	23	14	5	1	-	1
3	1	-	1	-	1	2	-	1	3	2	6	11	20	30	49	54	21	6	1	2
-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	67	96	149	125	108	105	68	88	79	68	56	77	77	64	38	26	8	8	-	25
44	58	94	149	121	104	102	66	84	74	61	48	59	57	46	21	9	4	3	-	24
16	9	2	-	4	4	3	2	4	5	7	8	18	20	18	17	17	4	5	-	1
29	8	15	23	14	16	10	11	10	13	9	6	15	11	12	14	6	5	-	-	-
9	1	4	11	7	8	5	4	1	3	1	1	4	3	-	4	1	-	-	-	-
20	7	11	12	7	8	5	7	9	10	8	5	11	8	12	10	5	5	-	-	-
-	1	-	-	2	-	2	1	-	-	2	1	3	8	5	3	2	-	-	-	1
-	1	-	-	2	-	2	1	-	-	2	1	1	7	3	3	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	-	-	-	-
-	-	3	1	1	1	5	3	6	5	3	3	4	4	3	3	-	-	-	-	3
-	-	3	-	1	1	5	3	5	4	3	1	4	3	3	2	-	-	-	-	3
-	-	-	1	-	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-
1	-	8	7	8	6	3	5	3	6	5	1	-	1	-	-	-	-	-	-	-
1	-	7	6	8	6	2	4	2	4	5	1	-	1	-	-	-	-	-	-	-
-	-	1	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
102	133	153	160	78	60	76	38	32	26	26	17	19	9	8	3	1	-	-	-	43
93	125	139	147	66	55	72	35	29	24	26	16	19	9	7	2	1	-	-	-	39
9	8	14	13	12	5	4	3	3	2	-	1	-	-	1	1	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	2	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Inhalation of deleterious gases (suicide excepted)	Totals	100	3	2	1	3	3	12
	Males	64	3	2	–	1	2	8
	Females	36	–	–	1	2	1	4
Other acute poisonings	Totals	263	24	37	29	17	9	116
	Males	152	13	22	15	8	4	62
	Females	111	11	15	14	9	5	54
Other external violence	Totals	373	226	5	5	2	1	239
	Males	229	132	2	1	–	1	136
	Females	144	94	3	4	2	–	103
Dropsy	Totals	214	3	5	–	–	2	10
	Males	101	1	3	–	–	1	5
	Females	113	2	2	–	–	1	5
Sudden death	Totals	277	42	–	–	2	1	45
	Males	173	19	–	–	1	–	20
	Females	103	23	–	–	1	1	25
Unspecified or ill-defined causes of death	Not stated	1	–	–	–	–	–	–
	Totals	3,314	1433	103	38	15	16	1605
	Males	1,671	795	53	18	7	8	881
	Females	1,635	632	50	20	8	8	718
	Not stated	8	6	–	–	–	–	6

No. 31—Concluded.

Age Groups—1901-1909.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
10	3	5	4	7	6	6	5	10	4	5	-	7	4	4	3	4	-	1	-	-
8	3	2	2	4	5	5	5	6	3	1	-	4	3	1	1	3	-	-	-	-
2	-	3	2	3	1	1	-	4	1	4	-	3	1	3	2	1	-	1	-	-
13	8	6	11	8	14	13	11	13	18	7	5	6	3	4	2	1	1	-	-	3
7	3	3	4	7	9	5	9	11	14	4	2	1	3	3	-	1	1	-	-	3
6	5	3	7	1	5	8	2	2	4	3	3	5	-	1	2	-	-	-	-	-
4	8	8	16	14	11	9	6	8	7	8	8	5	2	9	4	-	-	-	-	7
2	5	6	8	12	7	8	2	7	5	5	5	4	2	9	2	-	-	-	-	4
2	3	2	8	2	4	1	4	1	2	3	3	1	-	-	2	-	-	-	-	3
2	3	2	2	3	3	6	2	7	11	12	18	25	35	43	18	4	6	1	-	1
2	-	2	-	-	2	2	-	4	6	6	8	11	16	24	7	2	3	-	-	1
-	3	-	2	3	1	4	2	3	5	6	10	14	19	19	11	2	3	1	-	-
-	-	3	8	6	9	6	10	9	12	16	31	26	38	20	13	14	2	-	-	9
-	-	2	4	3	6	5	5	8	7	10	22	20	28	11	7	10	-	-	-	5
-	-	1	4	3	3	1	5	1	5	6	9	6	10	9	6	4	2	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
47	20	34	42	37	37	58	67	54	70	86	162	221	203	235	160	93	33	5	-	45
17	8	15	20	13	16	15	28	14	34	50	79	101	94	115	86	47	11	1	-	26
30	12	19	22	24	21	43	39	40	36	36	83	120	109	120	73	46	22	4	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1

TABLE

Deaths in Each County and City from Special

The State and County.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Maine	694,466	36	32	112
Androscoggin	54,242	–	5	9
Aroostook	60,744	3	2	14
Cumberland	100,689	4	4	18
Franklin	18,444	3	–	1
Hancock	37,241	–	–	–
Kennebec	59,117	1	–	9
Knox	30,406	4	6	5
Lincoln	19,669	3	–	2
Oxford	32,238	1	1	6
Penobscot	76,246	4	5	8
Piscataquis	16,949	1	–	3
Sagadahoc	20,330	2	5	1
Somerset	33,849	6	–	3
Waldo	24,185	–	–	1
Washington	45,232	3	1	11
York	64,885	1	3	21
Cities.				
Totals	225,022	8	18	58
Auburn	12,951	–	1	2
Augusta	11,683	–	–	2
Bangor	21,850	3	3	1
Bath	10,477	1	5	–
Belfast	4,615	–	–	1
Biddeford	16,145	–	–	15
Brewer	4,835	–	–	–
Calais	7,655	1	–	1
Eastport	5,311	–	1	4
Ellsworth	4,297	–	–	–
Gardiner	5,501	–	–	2
Hallowell	2,714	–	–	3
Lewiston	23,761	–	4	6
Old Town	5,763	–	–	–
Portland	50,145	1	3	13
Rockland	8,150	2	–	3
Saco	6,122	–	–	1
South Portland	6,287	–	1	–
Waterville	9,477	–	–	2
Westbrook	7,283	–	–	2

No. 32.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
58	110	23	27	11	170	15	96	7	483	830	229	5
5	2	3	6	1	9	2	9	–	69	59	19	1
1	12	1	2	1	18	1	8	–	148	63	15	–
9	17	3	5	–	18	–	14	1	46	130	40	1
–	4	2	2	–	5	–	–	–	8	12	5	–
1	10	1	2	–	8	2	5	–	8	46	14	–
2	7	2	3	–	19	2	15	2	33	91	17	–
1	6	–	3	–	4	–	3	–	4	28	15	–
1	1	1	1	–	5	–	1	–	3	20	9	–
6	5	2	–	1	14	2	1	1	12	26	4	1
10	18	6	2	3	11	2	11	2	46	116	33	–
3	2	–	–	–	5	1	4	–	5	23	5	–
4	–	–	–	1	4	–	3	–	11	22	5	–
–	7	–	–	1	9	–	5	–	12	30	5	1
–	1	1	–	1	5	–	2	–	2	25	6	–
3	10	1	–	–	14	1	5	–	30	61	16	–
12	8	–	1	2	22	2	10	1	46	78	21	1
29	48	10	14	–	33	3	34	3	190	327	94	2
–	–	1	2	–	5	–	3	–	13	17	4	–
1	3	–	1	–	4	–	9	–	10	30	3	–
1	9	5	1	–	3	–	5	1	8	45	15	–
3	–	–	–	–	1	–	1	–	7	9	1	–
–	1	–	–	–	–	–	–	–	–	4	1	–
10	4	–	–	–	1	–	2	–	23	26	8	–
4	1	–	–	–	–	–	–	1	2	8	2	–
–	3	–	–	–	1	–	1	–	2	9	1	–
–	–	–	–	–	–	–	–	–	7	14	3	–
–	2	–	–	–	–	–	–	–	2	5	2	–
–	1	–	–	–	1	–	1	1	–	9	2	–
–	1	–	–	–	2	1	–	–	1	5	1	–
3	1	1	4	–	–	2	2	–	49	26	10	1
1	3	–	–	–	1	–	1	–	5	9	2	–
4	15	1	4	–	4	–	5	–	36	78	27	1
–	3	–	–	–	1	–	–	–	1	3	4	–
–	–	–	–	–	6	–	–	–	4	5	1	–
–	–	–	–	–	1	–	1	–	3	4	3	–
1	1	2	1	–	1	–	2	–	13	12	3	–
1	–	–	1	–	1	–	1	–	4	9	1	–

TABLE

Deaths in Each County and City from Certain

The State and County.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Maine	694,466	28	45	727	129	490	517
Androscoggin	54,242	4	3	48	4	32	25
Aroostook	60,744	1	4	33	8	46	50
Cumberland	100,689	6	6	137	17	94	70
Franklin	18,444	1	3	15	4	7	16
Hancock	37,241	-	1	31	6	21	35
Kennebec	59,117	3	4	66	15	54	53
Knox	30,406	2	2	40	11	13	31
Lincoln	19,669	1	-	21	8	9	13
Oxford	32,238	-	1	44	6	36	21
Penobscot	76,246	1	4	84	12	55	59
Piscataquis	16,949	-	5	23	3	7	20
Sagadahoc	20,330	-	1	23	2	9	14
Somerset	33,849	-	4	30	2	16	23
Waldo	24,185	-	1	25	10	6	25
Washington	45,232	4	4	37	3	21	26
York	64,885	5	2	70	18	64	36
Cities.							
Totals	225,022	16	15	255	41	149	144
Auburn	12,951	1	-	14	1	7	9
Augusta	11,683	1	-	12	2	5	16
Bangor	21,850	-	3	25	1	11	9
Bath	10,477	-	1	5	2	3	5
Belfast	4,615	-	-	7	3	-	2
Biddeford	16,145	3	-	15	1	16	7
Brewer	4,835	-	-	6	1	6	4
Calais	7,655	2	-	7	1	2	5
Eastport	5,311	-	2	5	-	4	3
Ellsworth	4,297	-	-	2	1	2	1
Gardiner	5,501	1	-	6	-	2	7
Hallowell	2,714	-	1	3	1	2	-
Lewiston	23,761	3	2	27	2	19	7
Old Town	5,763	-	-	8	2	-	8
Portland	50,145	3	2	68	10	37	27
Rockland	8,150	1	-	15	4	6	14
Saco	6,122	-	-	6	3	3	5
South Portland	6,287	-	2	9	1	3	10
Waterville	9,477	-	1	5	3	14	4
Westbrook	7,283	1	1	10	2	7	1

No. 33.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
163	817	558	1330	1120	214	175	636	83	595	56	94	516
17	58	46	83	101	20	13	65	7	47	5	7	33
22	34	25	71	89	6	15	47	2	30	6	4	50
21	146	100	227	188	32	27	91	19	119	6	11	73
2	27	12	21	29	6	5	17	3	17	2	2	19
7	36	34	67	47	9	10	38	2	30	2	4	24
12	92	88	124	91	25	24	67	6	38	3	10	45
5	41	26	68	28	6	8	16	3	20	2	3	23
5	33	19	40	24	6	7	15	1	28	2	1	8
5	34	24	73	59	8	6	25	10	30	2	7	32
14	81	53	165	139	28	17	89	4	50	6	8	71
2	15	7	22	29	3	4	9	2	18	1	9	24
3	26	5	48	27	7	3	10	–	15	2	1	11
9	40	14	53	49	16	9	37	3	22	4	5	23
3	33	23	57	30	12	4	21	10	32	3	8	10
10	46	30	79	61	10	7	24	3	20	5	5	27
26	75	52	132	129	20	16	65	7	79	5	9	43
77	243	218	436	401	61	72	254	33	211	22	28	165
3	14	14	23	19	4	3	15	3	9	–	4	4
2	20	59	26	28	3	5	16	2	9	1	1	13
7	26	13	53	9	6	8	40	2	18	3	1	24
1	8	2	24	13	2	1	5	–	8	2	–	3
3	3	5	14	7	2	1	6	5	5	1	3	1
13	12	8	30	50	1	6	17	–	13	4	3	10
2	5	1	1	10	–	3	5	–	2	–	–	1
1	7	4	14	12	3	1	7	–	3	–	–	10
2	4	6	7	5	–	1	1	1	2	1	1	2
1	1	1	8	8	2	2	8	–	4	–	–	2
1	9	4	10	4	2	2	6	–	4	–	1	1
–	3	1	7	1	1	1	1	–	–	–	–	3
12	20	19	24	61	9	7	31	2	24	4	3	19
1	2	4	11	12	1	–	8	–	1	–	2	5
17	75	50	121	104	13	15	61	12	72	2	4	45
1	10	6	17	7	2	4	3	3	7	2	1	8
4	5	5	14	9	1	4	3	1	17	–	–	3
1	4	2	13	6	5	2	5	2	3	–	2	3
4	9	6	11	17	3	3	12	–	2	1	2	2
1	6	8	8	19	1	3	4	–	8	1	–	6

TABLE

Deaths by Ages, Sex

Counties.		Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Androscoggin,	males	91	28	15	13	19	22	29	49	62	91	33	3	-	1
	females	83	19	13	18	30	26	31	38	59	76	43	3	1	3
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook,	males	176	46	10	22	28	25	19	42	38	61	29	6	-	1
	females	124	33	14	37	33	22	29	24	28	50	23	5	-	-
	not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland,	males	120	39	12	32	47	60	69	98	132	164	79	8	-	-
	females	111	38	18	28	55	70	63	87	149	182	108	21	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin,	males	19	4	2	7	8	9	4	17	22	30	22	3	-	-
	females	17	4	4	5	6	11	9	9	19	19	20	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock,	males	37	4	5	14	14	13	16	19	50	59	24	4	-	1
	females	23	8	4	14	20	18	19	27	37	62	32	4	1	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec,	males	65	23	5	16	34	43	55	62	94	118	46	11	-	2
	females	64	20	3	17	36	30	41	43	82	91	70	15	-	2
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox,	males	15	8	1	10	10	13	16	23	46	62	14	4	-	-
	females	16	9	4	6	16	8	17	26	34	63	39	4	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln,	males	15	6	2	6	3	3	7	16	27	43	26	3	-	-
	females	15	6	1	5	7	9	11	16	24	38	21	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford,	males	42	8	3	7	18	14	12	22	42	54	36	4	-	2
	females	42	10	5	10	8	17	20	31	38	46	43	5	-	1
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot,	males	103	40	10	21	45	44	47	76	102	125	60	10	-	8
	females	81	31	13	26	43	48	34	59	79	121	71	10	-	2
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis,	males	15	4	4	9	12	9	9	18	22	39	21	2	-	4
	females	7	11	3	6	5	8	4	7	13	19	17	2	-	2
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc,	males	22	6	1	5	5	5	6	14	21	35	27	2	-	-
	females	12	7	1	5	9	3	13	12	23	34	18	4	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset,	males	49	8	2	5	9	12	9	19	37	49	27	4	-	-
	females	18	8	2	7	22	11	28	15	36	44	39	11	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo,	males	11	8	4	1	10	9	10	20	38	47	27	4	-	2
	females	14	3	-	4	10	12	11	15	31	43	45	7	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington,	males	67	13	8	10	13	14	9	34	37	61	38	4	-	-
	females	45	18	11	17	19	23	24	25	35	65	35	5	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York,	males	114	33	10	15	28	26	26	57	79	120	49	4	-	2
	females	68	33	18	11	29	34	34	53	91	108	67	14	-	3
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total,	males	961	278	94	193	303	321	343	586	849	1158	558	76	-	23
	females	732	256	114	216	348	350	388	487	778	1061	691	115	2	13
	not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total		1694	534	208	409	651	671	731	1073	1627	2219	1249	191	2	36

No. 34.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Grand total.
36	32	48	39	41	37	47	44	29	32	33	38	456	–
33	33	44	49	41	44	30	42	26	30	44	27	443	–
–	–	–	–	–	–	–	–	–	–	–	–	–	899
33	28	41	38	54	38	35	65	54	51	34	32	503	–
42	42	39	24	27	40	29	45	45	34	29	26	422	–
–	–	–	–	–	–	–	–	–	–	–	1	1	926
82	72	76	87	65	59	66	64	82	69	77	61	860	–
74	70	106	81	82	73	66	66	77	76	69	90	930	–
–	–	–	–	–	–	–	–	–	–	–	–	–	1,790
15	12	14	12	8	17	14	7	10	11	18	9	147	–
13	10	16	15	11	12	11	5	10	9	11	2	125	–
–	–	–	–	–	–	–	–	–	–	–	–	–	272
13	18	23	22	24	23	27	21	22	21	23	23	260	–
21	30	32	26	25	28	22	17	19	17	17	15	269	–
–	–	–	–	–	–	–	–	–	–	–	–	–	529
48	53	62	58	53	27	41	33	48	58	34	59	574	–
45	49	56	47	47	25	33	36	41	43	45	47	514	–
–	–	–	–	–	–	–	–	–	–	–	–	–	1,088
21	14	25	21	10	13	21	21	19	18	19	20	222	–
19	22	29	18	15	21	19	19	16	19	21	24	242	–
–	–	–	–	–	–	–	–	–	–	–	–	–	464
14	9	22	10	19	10	15	13	9	15	6	15	157	–
12	15	18	12	10	9	12	8	12	12	12	14	146	–
–	–	–	–	–	–	–	–	–	–	–	–	–	303
20	25	31	23	22	25	21	16	13	19	20	29	264	–
23	15	29	33	25	23	18	15	26	25	22	22	276	–
–	–	–	–	–	–	–	–	–	–	–	–	–	540
63	61	73	55	63	46	40	55	65	62	52	56	691	–
52	49	65	66	39	50	42	40	46	61	52	56	618	–
–	–	–	–	–	–	–	–	–	–	–	–	–	1,309
23	13	14	13	18	11	11	12	8	14	14	17	168	–
9	4	11	14	8	12	7	5	7	10	8	9	104	–
–	–	–	–	–	–	–	–	–	–	–	–	–	272
16	7	15	8	14	10	13	11	17	16	8	14	149	–
15	16	18	12	12	10	11	11	9	7	11	9	141	–
–	–	–	–	–	–	–	–	–	–	–	–	–	290
29	15	23	20	22	18	14	9	24	18	20	18	230	–
23	22	28	22	23	15	18	13	22	15	17	23	241	–
–	–	–	–	–	–	–	–	–	–	–	–	–	471
18	15	22	8	23	19	12	13	11	16	12	22	191	–
10	14	18	14	14	12	7	26	11	26	14	29	195	–
–	–	–	–	–	–	–	–	–	–	–	–	–	386
28	23	25	27	24	17	25	21	31	32	26	29	308	–
34	25	43	30	19	20	17	26	21	39	25	23	322	–
–	–	–	–	–	–	–	–	–	–	–	–	–	630
42	36	59	56	52	32	42	62	46	59	38	39	563	–
59	38	53	62	50	42	45	45	36	45	41	47	563	–
–	–	–	–	–	–	–	–	–	–	–	–	–	1,126
501	433	573	497	512	402	444	467	488	511	434	481	5,743	–
484	454	605	525	448	436	387	419	424	468	438	463	5,551	–
–	–	–	–	–	–	–	–	–	–	–	1	1	–
985	887	1178	1022	960	838	831	886	912	979	872	945	11,295	11,295

TABLE

Deaths by Ages, Sex and

Cities.		Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn,	males	15	5	4	4	5	5	7	14	12	20	15	-	-	1
	females	16	3	1	4	4	9	9	4	15	24	14	-	-	1
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Augusta,	males	19	5	1	6	9	21	24	25	25	25	5	2	-	1
	females	22	6	-	2	11	8	15	15	17	22	12	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bangor,	males	26	9	3	7	24	24	30	26	40	32	10	2	-	2
	females	20	14	5	12	22	22	14	20	22	40	22	5	-	1
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bath,	males	14	4	-	3	3	1	4	9	11	8	9	-	-	-
	females	4	5	1	2	4	2	7	4	11	20	3	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belfast,	males	3	3	1	-	5	3	-	3	9	12	3	-	-	-
	females	2	-	-	1	2	6	2	1	6	10	13	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biddeford,	males	48	12	4	4	12	9	11	12	17	17	5	2	-	-
	females	39	16	9	5	13	13	12	15	19	16	8	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brewer,	males	10	2	-	-	1	2	2	6	4	7	5	2	-	-
	females	9	-	1	1	2	3	3	1	7	4	3	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calais,	males	7	1	1	3	1	3	1	5	8	8	10	1	-	-
	females	6	4	-	2	3	7	12	4	10	12	4	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastport,	males	12	1	2	1	3	3	-	1	4	8	3	-	-	1
	females	11	1	4	4	1	4	1	3	3	6	2	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellsworth,	males	5	-	-	-	3	1	3	1	7	8	4	1	-	-
	females	-	2	-	-	3	3	-	2	5	11	1	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gardiner,	males	2	1	1	-	3	2	4	7	5	17	3	1	-	-
	females	2	-	-	2	3	-	5	3	3	7	9	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallowell,	males	1	3	-	1	1	1	3	2	2	3	1	-	-	1
	females	3	1	1	3	-	-	1	1	5	3	5	1	-	1
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston,	males	58	18	10	5	9	13	16	23	34	38	4	1	-	-
	females	52	13	9	9	20	13	12	23	31	25	12	-	1	2
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town,	males	9	7	-	1	4	1	2	5	12	10	5	-	-	-
	females	9	3	1	3	3	1	3	2	5	9	2	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland,	males	70	23	6	18	33	45	46	62	82	81	27	5	-	-
	females	72	26	12	19	33	40	42	48	76	87	41	9	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rockland,	males	7	2	-	5	1	4	6	9	14	14	1	-	-	-
	females	6	1	3	3	6	2	3	9	12	17	13	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saco,	males	9	3	3	1	1	1	1	7	12	7	4	-	-	-
	females	3	1	1	2	2	5	5	6	9	17	9	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Portland,	males	7	2	-	1	1	-	3	5	11	10	4	1	-	-
	females	3	4	-	1	2	9	2	4	11	5	9	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterville,	males	28	4	2	2	8	5	7	3	8	7	1	-	-	-
	females	7	10	8	6	9	5	2	7	4	7	8	7	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook,	males	17	6	-	5	-	3	2	5	8	9	4	-	-	-
	females	8	3	-	1	9	4	4	5	8	14	1	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total,	males	367	111	38	67	127	147	172	230	325	341	123	18	-	6
	females	294	113	56	82	152	156	154	177	279	356	191	40	1	5
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total		661	224	94	149	279	303	326	407	604	697	314	58	1	11

No. 35.

Months, by Cities.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Grand total.
10	5	14	8	13	12	13	5	9	8	5	5	107	-
8	12	13	12	10	6	8	11	5	7	9	8	104	-
-	-	-	-	-	-	-	-	-	-	-	-	-	211
8	18	10	15	21	5	11	16	15	16	12	21	168	-
10	15	13	11	9	7	12	7	20	11	6	12	133	-
-	-	-	-	-	-	-	-	-	-	-	-	-	301
19	26	28	19	20	17	15	18	18	19	15	21	235	-
22	17	19	23	17	14	20	14	13	20	21	19	219	-
-	-	-	-	-	-	-	-	-	-	-	-	-	454
8	3	6	4	6	4	5	6	9	5	4	6	66	-
6	7	10	4	5	3	5	6	4	5	5	4	64	-
-	-	-	-	-	-	-	-	-	-	-	-	-	130
2	4	3	2	4	6	2	4	2	5	4	4	42	-
4	3	3	2	5	3	2	5	4	8	3	4	46	-
-	-	-	-	-	-	-	-	-	-	-	-	-	88
9	8	15	13	16	7	10	16	16	23	12	8	153	-
13	7	10	17	11	19	18	14	16	11	16	16	168	-
-	-	-	-	-	-	-	-	-	-	-	-	-	321
5	2	3	3	9	1	1	2	5	4	-	6	41	-
4	4	8	2	3	3	1	1	2	3	1	2	34	-
-	-	-	-	-	-	-	-	-	-	-	-	-	75
4	2	3	2	3	5	3	2	7	2	12	4	49	-
6	3	8	9	1	5	6	3	3	7	7	6	64	-
-	-	-	-	-	-	-	-	-	-	-	-	-	113
3	2	4	1	1	1	4	6	4	6	4	3	39	-
3	2	6	1	4	-	1	2	5	7	6	4	41	-
-	-	-	-	-	-	-	-	-	-	-	-	-	80
2	3	4	2	3	2	3	1	3	4	6	-	33	-
1	1	2	6	1	4	1	1	2	2	4	2	27	-
-	-	-	-	-	-	-	-	-	-	-	-	-	60
4	1	8	8	3	2	3	4	3	4	1	5	46	-
2	4	5	3	3	3	3	2	1	2	2	6	36	-
-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	2	2	2	2	-	2	1	4	-	2	2	19	-
2	4	1	-	5	-	-	3	2	4	3	1	25	-
-	-	-	-	-	-	-	-	-	-	-	-	-	44
19	18	21	24	12	14	26	29	10	11	18	27	229	-
16	8	18	27	23	29	20	24	12	15	17	13	222	-
-	-	-	-	-	-	-	-	-	-	-	-	-	451
3	3	4	3	6	5	3	5	4	9	5	6	56	-
5	5	3	5	2	2	1	-	5	6	4	3	41	-
-	-	-	-	-	-	-	-	-	-	-	-	-	97
46	41	34	48	36	30	44	36	46	51	47	39	498	-
43	34	32	56	42	42	44	35	42	43	40	52	505	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1,003
6	4	5	1	2	5	9	7	7	7	4	6	63	-
5	7	11	7	7	7	3	6	4	6	6	8	77	-
-	-	-	-	-	-	-	-	-	-	-	-	-	140
2	2	6	5	5	7	5	5	7	1	3	1	49	-
9	9	8	7	6	5	3	2	2	3	4	4	62	-
-	-	-	-	-	-	-	-	-	-	-	-	-	111
3	1	4	10	3	3	3	4	7	1	2	4	45	-
4	4	2	4	6	4	4	6	4	5	6	2	51	-
-	-	-	-	-	-	-	-	-	-	-	-	-	96
10	8	9	6	5	2	4	3	6	8	7	7	75	-
7	10	8	6	9	5	2	7	4	7	8	7	80	-
-	-	-	-	-	-	-	-	-	-	-	-	-	155
7	5	13	8	4	4	2	3	5	4	3	1	59	-
6	7	7	5	8	5	1	4	3	4	2	5	57	-
-	-	-	-	-	-	-	-	-	-	-	-	-	116
170	158	196	184	174	132	168	173	187	188	166	176	2,072	-
176	163	187	207	177	166	150	153	153	176	170	178	2,056	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
346	321	383	391	351	298	318	326	340	364	336	354	4,128	4,128

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Eighteen Years, 1892-1909.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	670	501	1,203	2,784	3,505	18,873	9,458	18,423	3,938	11,231
Males	311	241	569	1,394	1,988	8,354	-	9,092	1,815	5,477
Females	357	260	634	1,389	1,516	10,518	-	9,324	2,123	5,754
Not stated	2	-	-	1	1	1	-	7	-	-
January	64	37	114	288	259	1,623	127	2,666	492	1,027
February	53	41	92	242	229	1,589	106	2,498	449	994
March	71	67	101	181	296	1,909	135	2,690	540	1,009
April	65	50	98	185	253	1,827	136	2,353	452	936
May	79	44	81	197	234	1,823	139	1,810	382	992
June	56	42	108	169	189	1,589	244	999	266	889
July	66	23	99	155	168	1,498	1,239	454	176	830
August	42	20	121	151	273	1,411	3,078	385	120	891
September	28	33	112	197	432	1,315	2,753	546	168	878
October	49	40	78	304	494	1,444	1,124	959	266	902
November	55	59	88	363	356	1,326	235	1,277	263	898
December	42	45	108	349	310	1,504	139	1,775	358	981
Not stated	-	-	3	3	7	15	3	11	6	4

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100 Eighteen Years, 1892-1909.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January	113.58	86.96	111.58	121.80	87.01	101.25	15.81	170.38	147.10	107.67
February	103.11	106.69	99.70	111.88	85.17	109.76	14.61	176.75	149.01	115.37
March	126.00	157.46	98.85	76.55	99.48	119.10	16.81	171.92	161.45	104.84
April	118.03	121.42	99.11	80.85	87.82	117.78	17.49	155.40	139.65	101.40
May	140.20	103.41	79.28	83.32	78.61	113.73	17.31	115.68	114.21	104.00
June	101.69	98.71	109.22	82.60	65.61	102.44	31.39	65.98	82.18	96.31
July	117.13	54.05	96.90	65.55	56.44	93.46	154.26	27.02	52.62	87.01
August	74.53	47.00	118.43	117.57	93.39	88.03	383.22	24.61	35.88	93.41
September	50.84	80.11	113.27	83.32	149.96	86.06	354.12	36.06	51.90	95.12
October	86.96	94.01	76.34	128.57	165.95	90.09	139.94	61.29	79.53	94.56
November	99.87	143.27	89.00	158.64	123.58	86.77	30.23	84.33	81.26	97.28
December	74.53	105.76	105.71	131.11	104.14	93.83	17.31	113.44	107.04	102.84
Mean	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1909 was 11,295. This was 369 less than for the preceding year, 1908. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1900, has gradually lessened until 1907, when it was the same as in 1894, while this year it was only 15.45.

Years.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892	12,147	5,939	6,175	33	18.19
1893	11,134	5,557	5,551	26	16.59
1894	11.012	5,570	5,422	20	16.33
1895	10,464	5,226	5,228	10	15.44
1896	10,626	5,350	5,268	8	15.60
1897	11,236	5,624	5,606	6	16.42
1898	10,956	5,506	5,447	3	15.93
1899	11,370	5,676	5.686	8	16.45
1900	11,389	5,734	5,649	6	16.40
1901	11,133	5,604	5,523	6	15.94
1902	10,673	5,454	5,216	3	15.19
1903	11,009	5,629	5,378	2	15.58
1904	11,346	5,868	5,468	10	15.97
1905	11,381	5,835	5,545	1	15.92
1906	11,427	5,925	5,497	5	15.90
1907	11,803	6,100	5,700	3	16.33
1908	11,664	6,060	5,602	2	16.05
1909	11,295	5,743	5,551	1	15.45
Average	11,226	5,689	5,528	9	16.09

By referring to Table No. 3, it will be seen that the lowest death-rate was in Aroostook county, being only 13.08. The counties Androscoggin, Aroostook, Franklin, Hancock, Knox, Lincoln, Piscataquis, Sagadahoc, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Kennebec, Oxford, Penobscot, Waldo, and

York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 17.83.

The death rate in the cities was 16.63 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, and 17.03 in 1908), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.85 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 18.97, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, and 15.54 in 1908).

Seasons and Mortality.—The largest number of deaths occurred in March, 1,178. The smallest number of deaths in any one month was 831 in July. During the spring months 3,160 deaths occurred; during the summer, 2,555; during the autumn, 2,763; in the winter, 2,817. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1909.

	Largest Number.		Smallest Number.	
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	June	844
1908	January	1,128	July	818
1909	March	1,178	July	831

The following is a tabular statement of the number of deaths in each quarter of the eighteen years 1892-1909:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615
1904	3,100	2,961	2,603	2,670
1905	3,187	2,810	2,786	2,581
1906	2,735	2,794	3,135	2,747
1907	3,423	2,989	2,597	2,785
1908	3,114	2,817	2,932	2,796
1909	3,050	2,820	2,629	2,796
Average	3,039	2,758	2,786	2,629

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1909:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1909.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
1907	1,118	1,128	1,177	1,069	973	947	844	898	855	932	875	978	9	11,803
1908	1,128	985	1,001	1,045	954	818	820	1,033	1,079	990	890	919	2	11,664
1909	985	887	1,178	1,022	960	838	831	886	912	979	872	945	–	11,295
Total	18,455	17,289	18,873	18,113	17,099	14,586	15,000	17,483	17,696	16,432	14,624	16,173	242	202,065

Table No. 28 exhibits the total number of deaths which occurred in each month of the years 1902-1909. The number of deaths for 1909 in each month by counties is shown in Table No. 34.

Sex and Mortality.—Of the 11,295 decedents, 5,743 were males and 5,551 were females. The sex of one was unstated.

Among children dying before they were 5 years old, 1,239 were males and 988 were females; there were 251 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 5 to 50 years, there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80, and from 80 to 100, more among females. At the age of 100 years and over two women died. See Table No. 34.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,694	15.00 per cent.
From 1-5 years of age	534	4.73 per cent.
From 5-10 years of age	208	1.84 per cent.
From 10-20 years of age	409	3.62 per cent.
From 20-30 years of age	651	5.76 per cent.
From 30-40 years of age	671	5.94 per cent.
From 40-50 years of age	731	6.48 per cent.
From 50-60 years of age	1,073	9.50 per cent.
From 60-70 years of age	1,627	14.40 per cent.
From 70-80 years of age	2,219	19.65 per cent.
From 80-90 years of age	1,249	11.05 per cent.
From 90-100 years of age	191	1.69 per cent.
100 years of age and over	2	0.02 per cent.
Ages not stated	36	0.32 per cent.

The Causes of Death.—Compared with 1908, among the chief causes of death there were in 1909, 60 more from bronchitis, 52 more from pneumonia, 46 more from diseases of heart, 17 more from cancer, 15 more from measles, 15 more from scarlet fever, 13 more from diabetes, and 7 more from diphtheria and croup.

On the other hand there was a smaller number of deaths from the following causes; from diarrheal diseases, 229 fewer, from

tuberculosis, 86; from diseases of nervous system, 81; from influenza, 71; from typhoid fever, 41; from whooping cough, 22; from nephritis and Bright's disease, 12; from peritonitis, 5, and from rheumatism, 2.

The next table gives a cursory view of the relative mortality in 1908 and 1909 from some of the leading causes of death.

DEATHS FROM SOME OF THE LEADING CAUSES.

Diseases.	1908.	1909.	More in 1908.	More in 1909.
Measles	21	36	–	15
Scarlet fever	17	32	–	15
Influenza	241	170	71	–
Whooping cough	80	58	22	–
Diphtheria and croup	105	112	–	7
Typhoid fever	151	110	41	–
Tuberculosis	1,145	1,059	86	–
Diarrheal diseases	808	579	229	–
Rheumatism	47	45	2	–
Cancer	710	727	–	17
Diabetes	116	129	–	13
Diseases of nervous system	1,619	1,538	81	–
Diseases of heart	1,284	1,330	–	46
Pneumonia	1,068	1,120	–	52
Bronchitis	154	214	–	60
Peritonitis	64	59	5	–
Nephritis and Bright's disease	689	677	12	–

The following table shows the mortality from ten prominent causes in the eighteen years 1892-1909. The various diseases of the brain have occupied the first place among the causes of death, except in 1892, when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, and 1908 it occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES, 1892-1909.

Years.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Old age.	Cancer.	Kidney disease.†	Infantile diarrhea.	Bronchitis.	Diphtheria and croup.
1892	3d	4th	1st	2d	5th	7th	8th	6th	9th	10th
1893	1st	4th	3d	2d	5th	7th	8th	6th	9th	10th
1894	1st	4th	3d	2d	5th	6th	8th	7th	9th	10th
1895	1st	3d	4th	2d	5th	7th	8th	6th	9th	10th
1896	1st	3d	4th	2d	5th	7th	8th	6th	10th	9th
1897	1st	3d	4th	2d	5th	7th	8th	6th	10th	9th
1898	1st	2d	4th	3d	6th	7th	8th	5th	9th	10th
1899	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1900	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1901	1st	2d	4th	3d	5th	6th	8th	7th	9th	10th
1902	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1903	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1904	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1905	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1906	1st	2d	3d	4th	8th	7th	5th	6th	9th	10th
1907	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1908	1st	2d	3d	4th	8th	5th	6th	7th	9th	10th
1909	1st	2d	3d	4th	7th	5th	6th	8th	9th	10th

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1909.

Counties.	Estimated population for 1909.	Aggregate deaths from six infectious diseases—1909.	Infectious death rate per 10,000—1909.
Androscoggin	58,985	21	3.56
Aroostook	70,779	32	4.52
Cumberland	109,455	52	4.75
Franklin	19,695	8	4.06
Hancock	37,241	11	2.95
Kennebec	61,007	19	3.11
Knox	30,406	22	7.24
Lincoln	19,669	7	3.56
Oxford	33,723	19	5.63
Penobscot	79,331	45	5.67
Piscataquis	17,678	9	5.09
Sagadahoc	21,122	12	5.68
Somerset	34,947	16	4.58
Waldo	24,185	2	0.83
Washington	45,907	28	6.10
York	66,739	45	6.74
State	730,869	348	4.76

In the foregoing table the second column shows for each county the whole number of deaths for 1909 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1909.

Cities.	Estimated population for 1909.	Aggregate deaths from six infectious diseases—1909.	Infectious death-rate. per 10,000—1909.
Auburn	14,481	3	2.07
Augusta	12,775	6	4.70
Bangor	24,325	17	6.99
Bath	12,052	9	7.47
Belfast	5,250	2	3.80
Biddeford	17,715	29	16.37
Brewer	5,411	5	9.24
Calais	7,982	5	6.26
Eastport	5,673	5	8.81
Ellsworth	4,297	2	4.65
Gardiner	5,510	3	5.44
Hallowell	2,714	4	1.47
Lewiston	25,615	14	5.47
Old Town	6,168	4	6.49
Portland	58,211	36	6.27
Rockland	8,150	8	9.82
Saco	6,166	1	1.62
South Portland	6,287	1	1.59
Waterville	11,510	4	3.48
Westbrook	7,868	3	3.81
Collectively	248,160	161	6.49

By consulting the following table it will be seen that the number of deaths from diphtheria and croup, measles, and scarlet fever was larger than in 1908. There was a smaller number of deaths from influenza, typhoid fever, whooping cough, tetanus, and malarial disease.

INFECTIOUS DISEASES—1902-1909.

Diseases.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	Total.
Smallpox	12	7	3	–	–	–	–	–	22
Measles	28	36	22	32	105	33	21	36	313
Scarlet fever	13	18	10	7	5	14	17	32	116
Influenza	122	196	166	243	109	278	241	170	1,525
Whooping cough	51	110	54	38	109	72	80	58	572
Diphtheria and croup	115	115	162	110	119	122	105	112	960
Tetanus	7	11	14	7	4	7	6	5	61
Typhoid fever	162	225	242	156	133	124	151	110	1,303
Malarial disease	20	9	13	11	3	9	9	5	79

Smallpox.—In 1909, as in 1908, 1907, 1906 and 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 36 persons, of whom 15 were males and 21 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, and 21 in 1908.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	64	January	50	Under 1	154
Aroostook	90	February	47	1–5	202
Cumberland	71	March	51	5–10	41
Franklin	18	April	49	10–20	41
Hancock	23	May	63	20–30	29
Kennebec	42	June	46	30–40	30
Knox	23	July	55	40–50	19
Lincoln	6	August	37	50–60	12
Oxford	33	September	26	Over 60	26
Penobscot	48	October	45	Not stated	3
Piscataquis	11	November	51	Total	557
Sagadahoc	8	December	37		
Somerset	43	Total	557		
Waldo	13				
Washington	25				
York	39				
State	557				

Scarlet Fever.—The total mortality from this disease was 32 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, and 17 in 1908) 15 males and 17 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 7 in the month of April. There were 11 deaths in the first quarter, 11 in the second, 1 in the third, and 9 in the last quarter of the year.

Knox county had 6 deaths from scarlet fever; Androscoggin, 5; Penobscot, 5; Sagadahoc, 5; Cumberland, 4; York, 3; Aroostook, 2; Oxford, 1, and Washington, 1. Of the 32 deaths from this cause 18 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the seventeen years 1893-1909.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	37	January	29	Under 1	39
Aroostook	70	February	37	1-5	215
Cumberland	54	March	63	5-10	134
Franklin	9	April	45	10-20	55
Hancock	17	May	40	20-30	13
Kennebec	46	June	39	30-40	5
Knox	28	July	23	40-50	1
Lincoln	4	August	20	50-60	2
Oxford	7	September	32	Not stated	1
Penobscot	45	October	38		
Piscataquis	10	November	56	Total	465
Sagadahoc	15	December	43		
Somerset	16				
Waldo	14	Total	465		
Washington	23				
York	70				
State	465				

The scarlatina death-rate per 10,000 for this State was 0.44; for the cities, 0.72.

Influenza.—During the year for which this report is made, 170 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 8.82; February, 13.53; March, 26.47; April, 21.18; May, 14.12; June, 2.35; July, 1.17; August, 1.17; September, 1.17; October, 2.94; November, 3.54; December, 3.54. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year,	18	40-50 years,	1
1-5 years,	11	50-60 years,	8
5-10 years,	5	60-70 years,	22
10-20 years,	3	70-80 years,	43
20-30 years,	6	Over 80 years,	47
30-40 years,	4	Not stated,	2
			170

The influenza death-rate for the whole State was 2.33 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, and 3.32 in 1908).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	1	1	2	2	1	1	–	–	–	–	1	–	9
Aroostook	2	6	4	4	–	–	–	1	1	–	–	–	18
Cumberland	1	3	6	6	1	–	–	–	–	–	1	–	18
Franklin	2	–	2	–	–	–	–	–	1	–	–	–	5
Hancock	–	–	5	1	1	–	–	–	–	–	1	–	8
Kennebec	–	1	7	5	4	–	–	1	–	1	–	–	19
Knox	–	1	1	2	–	–	–	–	–	–	–	–	4
Lincoln	1	1	3	–	–	–	–	–	–	–	–	–	5
Oxford	–	2	4	1	3	–	1	–	–	2	1	–	14
Penobscot	2	1	1	3	2	1	–	–	–	–	–	1	11
Piscataquis	1	–	1	2	1	–	–	–	–	–	–	–	5
Sagadahoc	1	–	1	1	1	–	–	–	–	–	–	–	4
Somerset	1	2	–	–	3	1	–	–	–	1	–	1	9
Waldo	–	–	1	2	2	–	–	–	–	–	–	–	5
Washington	1	2	2	2	1	1	–	–	–	–	2	3	14
York	2	3	5	5	4	–	1	–	–	1	–	1	22
State	15	23	45	36	24	4	2	2	2	5	6	6	170

Whooping-Cough.—The number of deaths from whooping-cough was 58 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, and 80 in 1908), of which 29 were males and 29 females. The number of deaths in the cities was 29. Fifty-six of the 58 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.79 per 10,000; that of the cities, 1.17.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	5	January	10	Under 1	40
Aroostook	1	February	6	1-5	16
Cumberland	9	March	5	5-10	2
Franklin	-	April	4	Total	58
Hancock	1	May	3		
Kennebec	2	June	7		
Knox	1	July	2		
Lincoln	1	August	5		
Oxford	6	September	1		
Penobscot	10	October	4		
Piscataquis	3	November	4		
Sagadahoc	4	December	7		
Somerset	-	Total	58		
Waldo	-				
Washington	3				
York	12				
State	58				

Diphtheria.—There were for the year 1909, 112 deaths from diphtheria. Of the decedents, 53 were males and 59 were females. Ages: Under 1, 11; 1-5, 40; 5-10, 39; 10-20, 18; 20-30, 3; 50-60, 1.

Of the 112 deaths, 58 were in the cities, and 54 in other places. The diphtheria death-rate for the State was 1.53, and for the cities, 2.34. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	2	1	1	1	–	–	2	–	–	–	1	9	1 53
Aroostook	3	2	1	1	–	–	1	1	–	1	1	3	14	1.98
Cumberland	3	–	1	1	–	2	–	1	–	1	7	2	18	1.64
Franklin	–	–	–	–	–	–	–	–	–	1	–	–	1	0.51
Hancock	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kennebec	1	–	2	–	–	–	1	1	–	3	–	1	9	1.48
Knox	1	–	1	–	–	–	–	1	1	–	1	–	5	1.64
Lincoln	–	–	–	–	–	1	–	–	1	–	–	–	2	1.02
Oxford	–	–	–	–	–	–	–	1	–	1	1	3	6	1.78
Penobscot	1	2	1	–	1	–	1	–	1	1	–	–	8	1.01
Piscataquis	–	–	–	–	1	1	–	–	–	–	–	1	3	1.70
Sagadahoc	1	–	–	–	–	–	–	–	–	–	–	–	1	0.47
Somerset	1	1	–	–	–	–	–	–	–	–	–	1	3	0.86
Waldo	–	–	–	–	–	–	–	–	–	–	–	1	1	0.41
Washington	–	–	–	–	–	–	4	–	1	1	3	2	11	2.40
York	–	1	–	–	1	5	1	1	1	3	7	1	21	3.15
State	12	8	7	3	4	9	8	8	5	12	20	16	112	1.53

The following tabulation shows the number of deaths from diphtheria for the seventeen years 1893-1909 arranged by counties, months, and age-periods.

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	316	January	268	Under 1	340
Aroostook	433	February	228	1-5	1,160
Cumberland	509	March	169	5-10	649
Franklin	43	April	170	10-20	291
Hancock	57	May	176	20-30	60
Kennebec	229	June	149	30-40	26
Knox	108	July	142	40-50	18
Lincoln	30	August	141	50-60	11
Oxford	74	September	178	60-70	6
Penobscot	206	October	279	Over 70	5
Piscataquis	23	November	345	Not stated	6
Sagadahoc	72	December	324	Total	2,572
Somerset	98	Not stated	3		
Waldo	32	Total	2,572		
Washington	100				
York	242				
State	2,572				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1895 to 1909; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Diphtheria

Cities.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.
Auburn	2	1.65	1	0.81	6	4.82	14	11.10	3	2.35	2	1.54	2	1.52
Augusta	3	2.70	-	-	2	1.76	1	0.87	1	0.86	-	-	2	1.70
Bangor	4	1.95	3	1.45	4	1.90	7	3.29	-	-	2	0.92	2	0.90
Bath	3	3.12	1	1.02	4	4.02	2	1.98	2	1.94	2	1.91	5	4.69
Belfast	3	6.06	1	2.05	2	4.15	1	2.10	-	-	-	-	2	4.22
Biddeford	7	4.58	7	4.53	2	1.28	13	8.23	11	6.89	8	4.96	3	1.84
Brewer	-	-	-	-	4	8.62	-	-	-	-	1	2.07	-	-
Calais	2	2.68	9	11.98	-	-	-	-	1	1.31	1	1.31	-	-
Eastport	1	1.96	-	-	1	1.93	3	5.74	-	-	2	3.77	1	1.87
Ellsworth	-	-	-	-	-	-	-	-	-	-	-	-	1	2.33
Gardiner	-	-	7	12.73	1	1.82	1	1.82	1	1.82	-	-	4	7.27
Hallowell	-	-	-	-	1	3.50	1	3.56	1	3.62	-	-	-	-
Lewiston	5	2.20	2	0.87	32	13.83	38	16.27	47	19.95	17	7.15	7	2.92
Old Town	2	3.61	2	3.58	3	5.33	1	1.76	-	-	-	-	-	-
Portland*	28	6.09	23	4.92	54	11.34	31	6.40	22	4.46	18	3.59	24	4.71
Rockland	9	11.03	6	7.35	4	4.90	-	-	1	1.23	-	-	1	1.23
Saco	-	-	3	4.92	-	-	1	1.64	3	4.90	2	3.27	2	3.26
South Portland†	2	3.17	4	6.17	3	4.51	1	1.46	-	-	-	-	-	-
Waterville	9	10.85	2	2.34	5	5.70	-	-	-	-	1	1.06	1	1.03
Westbrook	-	-	4	5.70	-	-	2	2.80	1	1.39	10	13.73	2	2.72
Total	80	3.74	75	3.47	128	5.86	117	5.29	94	4.21	66	2.92	59	2.58
State	197	2.91	174	2.55	276	4.03	240	3.49	152	2.20	155	2.23	127	1.82
State exclusive of cities	117	2.52	99	2.13	148	3.18	123	2.64	58	1.24	89	1.90	68	1.45

*Portland includes Deering. †South Portland includes Cape Elizabeth.

in the Cities and the State, 1895–1909.

1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death rate per 10,000.	1908.	Death rate per 10,000.	1909.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
–	–	2	1.49	3	2.30	1	0.72	4	2.86	6	4.24	6	4.19	2	1.38	54	2.41
1	0.84	–	–	–	–	3	2.45	1	0.81	4	3.20	2	3.17	2	1.57	22	1.33
4	1.79	–	–	3	1.31	–	–	5	2.13	5	2.10	1	0.42	1	0.41	41	1.16
3	2.77	7	6.36	14	12.52	4	3.52	–	–	2	1.71	–	–	–	–	49	2.85
–	–	–	–	1	1.95	–	–	1	1.86	–	–	–	–	1	1.90	12	1.62
5	3.03	7	4.20	6	3.57	9	5.29	1	0.58	2	1.15	3	1.71	15	8.35	99	4.02
–	–	–	–	3	5.89	–	–	2	3.83	–	–	2	3.74	–	–	12	1.62
1	1.29	1	1.29	–	–	–	–	1	1.27	–	–	–	–	1	1.25	17	1.49
1	1.85	–	–	–	–	–	–	–	–	–	–	4	7.10	4	7.05	17	2.08
–	–	–	–	1	2.33	–	–	–	–	–	–	2	4.65	–	–	4	0.62
–	–	2	3.63	–	–	–	–	1	1.82	1	1.82	–	–	2	3.63	20	2.42
1	–	–	–	–	–	–	–	–	–		–	–	–	3	1.11	6	0.72
1	0.41	5	2.05	7	2.85	2	0.81	2	0.80	6	2.38	10	3.94	6	2.34	187	5.25
3	5.13	1	1.70	3	5.05	4	6.68	11	18.23	4	6.58	1	1.63	–	–	35	3.95
15	2.89	9	1.71	18	3.36	10	1.85	13	2.36	7	1.24	11	1.92	13	2.23	296	3.94
1	1.23	–	–	–	–	–	–	6	7.36	6	7.36	1	1.23	3	3.68	38	3.11
1	1.63	1	1.63	1	1.63	1	1.63	–	–	1	1.62	1	1.62	1	1.62	18	1.96
3	3.99	3	3.90	1	1.27	1	1.25	1	1.22	3	3.58	–	–	–	–	22	2.03
3	3.01	5	4.91	5	4.80	5	4.69	3	2.75	7	6.29	4	3.52	2	1.74	52	3.51
–	–	1	1.34	4	5.30	2	2.63	3	3.91	6	7.75	3	3.84	2	2.54	40	3.58
42	1.82	44	1.88	70	2.96	42	1.75	55	2.27	60	2.46	51	2.08	58	2.34	1,041	3.04
115	1.64	115	1.63	162	2.28	110	1.54	119	1.66	122	1.70	105	1.44	112	1.53	2,281	2.18
73	1.55	71	1.51	92	1.95	68	1.44	64	1.36	62	1.31	54	1.12	54	1.12	1,240	1.76

Typhoid Fever.—There were 110 deaths from typhoid fever. Of these, 57 were males and 53 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 80 per cent. died between 10 and 50 years of age.

Ages: 1-5, 5; 5-10, 7; 10-20, 22; 20-30, 27; 30-40, 24; 40-50, 13; 50-60, 6; 60-70, 3; 70-80, 3.

The largest number of deaths, 22, occurred in October, and the smallest number, 4, in May and June respectively. By quarters, 26 were in the first quarter, 15 in the second, 23 in the third, and 46 in the last quarter of the year.

The typhoid death-rate of 1.93 in the cities is much greater than that in the villages and rural towns, which is 1.28. The rate for the State is 1.51.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	..	..	..	..	..	..	..	..	..	1	..	2	0.34
Aroostook	..	1	2	..	2	1	..	1	1	2	1	1	12	1.70
Cumberland	1	2	1	1	..	..	1	3	2	3	..	3	17	1.55
Franklin	..	1	..	1	..	..	1	..	..	1	..	..	4	2.03
Hancock	2	..	1	..	..	..	2	1	..	3	1	..	10	2.69
Kennebec	..	3	..	1	..	..	..	..	..	2	..	1	7	1.15
Knox	..	1	..	..	..	..	..	..	..	1	3	1	6	1.97
Lincoln	..	..	..	..	..	..	..	..	..	1	..	..	1	0.51
Oxford	1	..	..	..	..	1	..	..	1	1	..	1	5	1.48
Penobscot	1	1	1	..	1	1	2	2	3	2	3	1	18	2.27
Piscataquis	1	..	..	..	..	..	..	..	..	..	1	..	2	1.13
Sagdahoc	..	..	..	..	..	..	..	..	..	..	..	..	....	.....
Somerset	1	1	..	1	..	..	1	..	..	..	2	1	7	2.00
Waldo	..	..	..	..	..	..	..	..	..	1	..	..	1	0.41
Washington	1	..	..	1	..	..	..	..	2	4	1	1	10	2.18
York	..	..	2	2	1	1	..	..	..	1	1	..	8	1.20
State	9	10	7	7	4	4	7	7	9	22	14	10	110	1.51

The following exhibits for the seventeen years 1893-1909 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	289	January	249	Under 1	20
Aroostook	293	February	226	1-5	125
Cumberland	454	March	284	5-10	188
Franklin	72	April	249	10-20	760
Hancock	128	May	221	20-30	1,000
Kennebec	330	June	178	30-40	483
Knox	82	July	160	40-50	314
Lincoln	56	August	263	50-60	172
Oxford	139	September	392	60-70	117
Penobscot	567	October	452	70-80	75
Piscataquis	65	November	317	Over 80	17
Sagadahoc	58	December	297	Not stated	24
Somerset	110	Not stated	7	Total	3,295
Waldo	69	Total	3,295		
Washington	179				
York	404				
State	3,295				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1895 to 1909, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Typhoid

Cities.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.
Auburn	1	0.83	5	4.07	1	0.80	3	2.38	5	3.91	4	3.09	-	-
Augusta	5	4.50	5	4.46	5	4.41	19	16.59	8	6.92	4	3.42	9	7.63
Bangor	13	6.35	8	3.86	8	3.80	7	3.29	15	6.95	4	1.83	24	10.85
Bath	1	1.04	2	2.05	-	-	1	0.99	-	-	1	0.95	1	0.94
Belfast	1	2.02	1	2.05	-	-	1	2.10	1	2.14	-	-	-	-
Biddeford	12	7.85	17	10.99	8	5.12	6	3.80	5	3.13	16	9.91	19	11.65
Brewer	-	-	2	4.37	1	2.15	-	-	4	8.38	1	2.07	7	14.29
Calais	-	-	7	9.32	-	-	-	-	4	5.25	2	2.61	3	3.90
Eastport	3	5.87	-	-	1	1.92	3	5.74	1	1.90	-	-	2	3.74
Ellsworth	-	-	2	4.44	5	11.24	3	6.82	-	-	2	4.65	-	-
Gardiner	-	-	1	1.82	2	3.63	2	3.64	2	3.64	1	1.82	2	3.64
Hallowell	1	3.39	2	6.81	1	3.50	1	3.56	-	-	-	-	4	14.73
Lewiston	9	3.96	11	4.80	14	6.05	17	7.28	24	10.19	15	6.31	13	5.42
Old Town	2	3.61	2	3.58	1	1.78	3	5.29	2	3.50	3	5.21	7	12.05
Portland*	23	5.00	15	3.21	12	2.52	37	7.63	13	2.64	19	3.79	15	2.94
Rockland	2	2.45	-	-	1	1.23	5	6.13	1	1.23	1	1.23	1	1.23
Saco	6	9.84	9	14.75	3	4.91	3	4.91	4	6.54	6	9.80	5	8.16
South Portland†	2	3.17	3	4.62	6	9.01	2	2.93	2	2.86	-	-	-	-
Waterville	1	1.21	-	-	3	3.96	2	2.22	3	3.25	2	2.11	7	7.20
Westbrook	3	4.31	2	2.82	-	-	4	5.59	2	2.77	1	1.37	1	1.36
Total	85	3.98	94	4.35	72	3.29	119	5.38	96	4.16	82	3.68	120	5.25
State	206	3.04	204	3.00	167	2.44	226	3.29	206	2.98	196	2.82	224	3.21
State exclusive of cities	121	2.61	110	2.37	95	2.04	107	2.29	110	2.42	114	2.43	104	2.22

*Including Deering. †Including Cape Elizabeth.

Malarial Diseases.—Five deaths were registered as due to malarial diseases. In two of these cases the disease was contracted outside of this State; in the others, no information could be obtained. Two persons contracted the disease in the war of the rebellion. The decedents were 3 males and 2 females; their respective ages were 20-30, 1; 60-70, 3; not stated, 1.

Fever in the Cities and State, 1895–1909.

1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	Total.	Death-rate per 10,000
1	0.75	1	0.74	1	0.73	2	1.45	–	–	–	–	2	1.40	–	–	26	1.34
4	3.36	29	24.11	5	4.12	6	4.89	7	5.66	3	2.40	5	3.96	3	2.35	117	6.59
7	3.12	10	4.41	39	16.99	17	7.32	10	4.26	7	2.94	7	2.90	9	3.70	185	5.50
2	1.85	1	0.91	2	1.79	1	0.88	–	–	2	1.71	–	–	–	–	14	0.87
–	–	1	2.00	2	3.91	1	1.91	–	–	–	–	–	–	1	1.90	9	1.20
10	6.07	8	4.80	10	5.94	13	7.65	3	1.75	3	1.73	–	–	4	2.26	134	5.51
1	2.01	–	–	3	5.89	1	1.94	1	1.92	2	3.78	2	3.74	1	1.85	26	3.49
3	3.88	2	2.58	–	–	3	3.83	4	5.08	6	7.59	2	2.52	3	3.76	39	3.35
1	1.85	1	1.84	–	–	–	–	1	1.80	–	–	–	–	–	–	13	1.64
2	4.65	2	4.65	1	2.33	–	-	–	–	–	–	1	2.33	2	4.65	20	3.05
1	1.82	1	1.82	–	–	–	–	–	–	–	–	–	–	1	1.82	13	1.58
2	7.37	1	3.68	1	3.68	–	–	–	–	2	7.36	–	–	1	3.68	16	3.85
2	0.83	3	1.23	9	3.66	8	3.23	8	3.20	5	1.91	8	3.15	1	0.39	147	4.11
5	8.54	9	15.26	19	31.97	5	8.35	6	9.94	8	13.16	6	9.80	3	4.86	81	9.13
15	2.89	17	3.23	16	2.99	14	2.58	9	1.63	11	1.96	22	4.01	15	2.58	253	3.31
1	1.23	1	1.23	2	2.45	1	1.23	3	3.68	1	1.23	–	–	3	3.67	23	1.88
4	6.52	5	8.15	5	8.14	2	3.25	–	–	–	–	–	–	–	–	52	5.66
1	1.33	3	3.90	1	1.27	1	1.25	–	–	–	–	2	2.79	–	–	23	2.21
7	7.03	17	16.69	2	1.92	2	1.87	–	–	1	0.90	3	2.64	1	0.87	51	3.46
2	2.70	3	4.01	3	3.98	2	2.63	–	–	–	–	1	1.28	–	–	24	2.18
71	3.07	115	4.91	121	5.11	79	3.30	52	2.15	51	2.08	61	2.48	48	1.93	1,266	3.67
162	2.31	225	3.18	242	3.41	156	2.18	133	1.85	124	1.73	151	2.08	110	1.51	2,732	2.60
91	194	110	2.34	121	2.57	77	1.63	81	1.72	73	1.54	90	1.88	62	1.28	1,466	2.09

Tuberculosis.—In 1909, tuberculosis in its various forms was the cause of 1,059 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, and 1,145 in 1908). The death-rate per 10,000 from this cause was 14.49.

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1895 to 1909, the tuberculosis death-rate of each city based upon the estimated

Deaths and Death-Rates from Tuberculosis

Cities.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.
Auburn	24	19.83	26	21.19	22	17.68	24	19.03	15	11.74	20	15.44	21	16.00
Augusta	37	33.32	30	26.74	19	16.76	22	19.21	20	17.29	21	17.97	22	18.65
Bangor	56	27.35	43	20.72	49	23.30	43	20.19	50	23.17	34	15.56	51	23.05
Bath	20	20.83	14	14.32	22	22.12	20	19.75	11	10.68	22	21.00	31	29.10
Belfast	11	22.20	16	32.74	9	18.68	5	10.52	5	10.68	12	26.00	9	18.98
Biddeford	32	20.92	34	21.99	33	21.11	27	17.08	34	21.28	28	17.34	38	23.29
Brewer	17	37.66	14	30.58	19	40.94	10	21.24	15	31.44	18	37.23	15	30.62
Calais	26	34.79	22	29.30	14	18.55	11	14.51	16	21.00	19	24.82	24	31.20
Eastport	19	37.18	–	–	10	19.27	8	15.30	19	36.05	13	24.48	17	31.77
Ellsworth	8	17.58	8	17.78	12	26.97	7	15.92	9	20.70	5	11.64	8	18.62
Gardiner	13	23.65	11	20.01	15	27.28	5	9.09	11	20.00	9	16.36	8	14.54
Hallowell	6	20.36	7	24.13	13	45.55	4	14.25	7	25.35	11	40.53	7	25.79
Lewiston	49	21.56	45	19.62	75	32.41	60	25.70	50	21.23	45	18.94	33	13.77
Old Town	9	16.25	16	28.66	17	30.21	9	15.86	9	15.74	11	19.09	10	17.22
Portland*	125	27.20	103	22.01	109	22.88	113	23.31	107	21.70	109	21.74	124	24.32
Rockland	10	12.25	17	20.83	18	22.07	19	23.30	11	13.49	18	22.09	18	22.09
Saco	12	19.68	9	14.75	13	21.28	9	14.72	13	21.25	9	14.70	10	16.32
South Portland†	12	19.00	7	10.79	13	19.52	9	13.18	9	12.85	13	18.12	11	14.97
Waterville	16	19.30	16	18.76	28	31.94	20	22.21	21	22.73	15	15.83	13	13.38
Westbrook	12	17.25	14	19.93	10	14.11	19	26.56	18	24.94	16	21.97	22	29.94
Total	514	24.05	452	20.91	520	23.79	444	20.09	450	20.14	448	19.83	492	21.52
State	1397	20.61	1359	19.95	1338	19.55	1239	18.01	1241	17.96	1223	17.61	1250	17.90
State exclusive of cities	883	19.03	907	19.51	818	17.56	795	17.03	791	16.91	775	16.54	758	16.16

*Including Deering. †Including Cape Elizabeth.

population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

(all kinds) in the Cities and the State—1895-1909.

1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
8	6.02	18	13.37	20	14.67	17	12.32	18	12.88	28	19.80	17	11.88	21	14.51	299	15.09
18	15.11	20	16.63	22	18.11	22	17.94	18	14.54	20	16.01	24	19.03	33	25.83	348	19.54
48	21.43	37	16.31	58	25.27	51	21.96	48	20.43	54	22.71	47	19.54	60	24.67	729	21.71
19	17.55	13	11.80	15	13.42	20	17.61	11	9.54	9	7.69	14	11.79	10	8.29	251	15.70
11	22.60	12	24.03	10	19.53	8	15.25	6	11.17	7	12.73	9	17.14	5	9.52	135	18.12
37	22.44	37	22.21	39	23.18	29	17.06	45	26.21	38	21.92	49	27.96	34	19.19	534	21.55
7	14.10	11	21.88	16	31.42	21	40.73	18	34.48	14	26.50	4	7.48	10	18.48	209	28.32
12	15.52	13	16.74	14	17.95	17	21.69	12	15.24	14	17.70	13	16.36	10	12.53	237	20.53
9	16.69	10	18.41	10	18.27	13	23.58	13	23.41	10	17.88	8	14.20	17	29.97	176	21.76
5	11.64	7	16.29	3	6.98	5	11.64	8	18.62	3	6.98	6	13.97	7	12.34	101	15.18
11	19.99	8	14.53	8	14.53	7	12.71	5	9.08	14	25.42	12	21.78	11	19.96	148	17.93
6	22.11	8	29.48	3	11.05	8	29.48	9	33.16	8	29.48	8	29.48	6	22.11	111	26.82
51	21.10	28	11.45	41	16.68	42	16.94	58	23.20	57	22.62	52	20.47	36	14.05	722	18.74
14	23.92	14	23.74	16	26.92	19	31.72	17	28.17	14	23.03	18	29.40	11	17.83	204	23.18
120	23.16	98	18.61	102	19.07	100	18.41	101	18.31	104	18.57	104	18.13	105	18.04	1624	21.03
15	18.40	23	28.22	20	24.54	18	22.09	12	14.72	16	19.63	13	15.95	7	8.59	235	19.21
7	11.42	8	13.04	12	19.54	13	21.15	8	13.01	12	19.49	7	11.36	6	9.73	148	16.10
9	11.97	12	15.61	15	19.08	9	11.21	13	15.85	11	13.14	7	9.76	7	11.13	157	14.41
9	9.04	18	17.67	19	18.23	16	15.01	17	15.60	23	20.65	16	14.07	15	13.03	262	17.83
11	14.84	10	13.37	11	14.58	10	13.14	12	15.64	10	12.92	12	15.38	10	12.71	197	17.82
427	18.45	405	17.30	454	19.17	445	18.57	449	18.53	466	19.01	440	17.91	421	16.96	6827	19.75
1165	16.58	1076	15.23	1217	17.13	1109	15.52	1176	16.36	1214	16.91	1145	15.75	1059	14.49	18208	17.30
738	15.71	671	14.27	763	16.20	664	14.08	727	15.40	748	15.82	705	14.65	638	13.22	11381	16.14

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 100; 45 were of males and 55 of females.

The number for the cities was 49. The death-rate for the State was 1.37; for the cities, 1.97.

Ages: Under 1, 26; 1-5, 35; 5-10, 7; 10-20, 12; 20-30, 9; 30-40, 2; 40-50, 4; 50-60; 4; over 60, 1.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 830 deaths were registered in 1909, which is equivalent to a death-rate of 11.36 per 10,000 of population. The death-rate for the cities was 13.18. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the eighteen registration years, together with the death-rate from consumption for each year:

	Number of Deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73
1907	950	13.14
1908	893	12.29
1909	830	11.36

There were in 1909, 522 fewer deaths than in 1892, 469 fewer than in 1893, 432 fewer than in 1894, 365 fewer than in 1895, 342 fewer than in 1896, 298 fewer than in 1897, 191 fewer than in 1898, 185 fewer than in 1899, 197 fewer than in 1900, 203 fewer than in 1901, 140 fewer than in 1902, 71 fewer than in 1903, 186 fewer than in 1904, 64 fewer than in 1905, 85 fewer than in 1906, 120 fewer than in 1907, and 63 fewer than in 1908.

Ages: Under 1, 15; 1-5, 10; 5-10, 3; 10-20, 98; 20-30, 214; 30-40, 168; 40-50, 98; 50-60, 85; 60-70, 77; 70-80, 50; 80 and over, 11, and not stated, 1.

It is thus shown in this report, at is was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 70 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 378 of the decedents, or 45.5 per cent., were males; and 452, or 54.5 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	7	2	7	7	6	5	6	2	4	3	6	4	59	10.00
Aroostook	6	9	4	4	6	9	9	4	–	3	5	4	63	8.90
Cumberland	9	4	14	8	17	8	16	9	11	9	13	12	130	11.88
Franklin	2	1	–	1	1	3	1	–	–	1	1	1	12	6.09
Hancock	3	5	4	7	3	6	3	4	6	2	–	3	46	12.35
Kennebec	8	6	8	10	8	4	8	1	10	12	7	9	91	14.92
Knox	2	3	2	1	2	5	1	–	3	2	2	5	28	9.21
Lincoln	1	3	2	2	1	2	2	2	–	–	–	5	20	10.17
Oxford	2	5	2	3	1	2	–	1	2	1	4	3	26	7.71
Penobscot	6	10	15	16	8	5	9	5	5	10	10	17	116	14.62
Piscataquis	1	1	2	6	1	5	–	–	2	2	2	1	23	13.01
Sagadahoc	6	1	–	3	4	1	–	2	1	–	–	4	22	10.42
Somerset	4	1	2	3	6	1	2	2	2	3	2	2	30	8.58
Waldo	2	4	2	3	3	3	–	3	–	–	1	4	25	10.35
Washington	3	2	7	4	3	6	6	5	2	9	8	6	61	13.29
York	5	7	8	13	8	7	2	10	2	4	4	8	78	11.69
State	67	64	79	91	78	72	65	50	50	61	65	88	830	11.36

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1909

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	8	6	–	28	95	78	41	50	43	25	4	–	378
Females	7	4	3	70	119	90	57	35	34	25	7	1	452
Total,	15	10	3	98	214	168	98	85	77	50	11	1	830

For the seventeen years 1893-1909, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1909.

By Counties.		By months.		By Age-periods.	
Androscoggin	1,353	January	1,477	Under 1	261
Aroostook	1,182	February	1,482	1-5	258
Cumberland	2,558	March	1,779	5-10	159
Franklin	405	April	1,700	10-20	2,077
Hancock	931	May	1,691	20-30	5,066
Kennebec	1,575	June	1,475	30-40	3,325
Knox	862	July	1,396	40-50	2,097
Lincoln	473	August	1,306	50-60	1,599
Oxford	660	September	1,217	60-70	1,385
Penobscot	2,087	October	1,319	70-80	959
Piscataquis	389	November	1,250	Over 80	262
Sagadahoc	473	December	1,413	Not stated	78
Somerset	882	Not stated	16	Total	17,521
Waldo	701	Total	17,521		
Washington	1,301				
York	1,689				
State	17,521				

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1895 to 1909, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pulmonary Tuberculosis

Cities.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.
Auburn	20	16.53	19	15.48	21	16.88	21	16.65	12	9.39	17	13.13	14	10.67
Augusta	33	29.72	25	22.28	14	12.35	19	16.59	16	13.83	18	15.41	20	16.95
Bangor	47	22.95	35	16.87	38	18.07	32	15.02	40	18.54	28	12.81	36	16.27
Bath	20	20.83	13	13.30	17	17.09	18	17.78	6	5.82	19	18.13	29	27.22
Belfast	10	20.19	12	24.55	8	16.60	5	10.52	5	10.68	11	23.84	8	16.87
Biddeford	28	18.31	27	17.46	32	20.47	24	15.19	30	18.78	26	16.10	34	20.84
Brewer	13	28.80	10	21.84	16	34.47	7	14.87	14	29.34	12	24.82	12	29.49
Calais	19	25.42	20	26.63	10	13.25	9	11.87	15	19.69	14	18.29	20	26.00
Eastport	18	35.33	–	–	9	17.34	7	13.38	17	32.25	12	22.59	15	28.03
Ellsworth	8	17.58	7	15.56	12	26.97	7	15.92	8	18.40	5	11.64	8	18.62
Gardiner	12	21.83	10	18.19	12	21.83	5	9.09	7	12.73	8	14.54	5	9.09
Hallowell	4	13.57	5	17.24	11	38.54	3	10.69	5	18.11	10	36.85	7	25.79
Lewiston	43	18.92	36	15.70	56	24.20	46	19.70	34	14.43	40	16.83	25	10.43
Old Town	8	14.45	11	19.71	17	30.21	7	12.34	9	15.74	10	17.35	9	15.50
Portland*	100	21.76	79	16.88	82	17.21	90	18.57	87	17.64	82	16.35	101	19.81
Rockland	9	11.03	15	18.38	14	17.16	13	15.94	6	7.36	17	20.86	17	20.85
Saco	8	13.12	7	11.47	11	18.01	7	11.45	10	16.35	9	14.70	7	11.42
South Portland†	10	15.83	6	9.25	10	15.02	5	7.32	8	11.42	9	12.55	11	14.97
Waterville	11	13.27	9	10.55	24	27.38	14	15.55	19	20.56	14	14.77	10	10.30
Westbrook	6	8.62	10	14.24	10	14.11	13	18.17	15	20.78	14	19.22	17	23.14
Total	427	19.98	356	16.47	424	19.40	352	15.93	363	16.24	375	16.60	405	17.71
State	1195	17.63	1172	17.21	1128	16.48	1021	14.84	1015	14.69	1027	14.79	1033	14.71
State exclusive of cities	768	16.55	816	17.55	704	15.11	669	14.33	652	13.94	652	13.92	628	13.39

* Portland includes Deering. † South Portland includes Cape Elizabeth.

in the Cities and in the State, 1895-1909.

1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
7	5.27	14	10.40	13	9.53	12	8.69	14	10.02	20	14.14	15	10.48	17	11.74	236	11.93
14	11.75	16	13.30	21	17.29	21	17.13	15	12.12	18	14.41	19	15.07	30	23.48	299	16.78
40	17.86	31	13.67	47	20.48	39	16.79	35	14.89	40	16.82	36	14.97	45	18.50	569	16.97
13	12.01	13	11.80	11	9.84	19	16.73	8	6.94	6	5.13	12	10.10	9	7.47	213	13.35
7	14.38	10	20.02	7	13.67	8	15.25	4	7.44	6	10.91	9	17.14	4	7.62	114	15.31
35	21.23	31	18.61	36	21.40	20	11.77	31	18.06	31	17.88	37	21.11	26	14.68	448	18.13
5	10.07	8	15.91	14	27.49	16	31.03	11	21.07	10	18.93	3	5.61	8	14.78	159	21.90
10	12.93	9	11.59	10	12.82	16	20.41	12	15.24	10	12.64	12	15.10	9	11.28	195	16.88
9	16.69	7	12.89	7	12.79	12	21.77	11	19.81	10	17.88	4	7.10	14	24.68	152	18.84
5	11.64	7	16.29	2	4.65	4	9.31	6	13.96	3	6.98	5	11.64	5	11.64	92	14.05
9	16.35	7	12.72	8	14.53	7	12.71	3	5.45	11	19.98	6	10.89	9	16.33	119	14.42
5	18.42	7	25.79	3	11.05	8	29.48	8	29.48	7	25.79	8	29.48	5	18.42	96	23.22
46	19.03	21	8.61	33	13.42	31	12.51	43	17.20	43	17.06	38	14.96	26	10.15	561	15.55
10	17.09	10	16.95	14	23.56	18	30.06	13	21.54	14	23.03	11	17.97	9	14.59	170	19.34
88	16.98	80	15.19	82	15.33	77	14.17	77	13.96	78	13.93	68	11.85	78	13.40	1249	16.20
15	18.40	20	24.54	16	19.63	18	22.09	10	12.27	14	17.18	10	12.27	3	3.68	197	16.11
3	4.89	8	13.04	10	16.28	12	19.52	8	13.01	11	17.87	4	6.49	5	8.11	120	13.05
8	10.64	9	11.71	13	16.54	2	2.49	11	13.41	8	9.55	6	8.36	4	6.36	120	11.03
7	7.03	16	15.70	15	14.39	14	13.13	15	13.76	17	15.27	12	10.55	12	10.43	209	14.17
8	10.79	9	12.04	11	14.58	8	10.51	12	15.64	8	10.34	10	12.81	9	11.44	160	14.43
344	14.87	333	14.22	373	15.75	362	15.11	347	14.32	365	14.99	325	13.22	327	13.18	5478	15.87
970	13.81	901	12.75	1016	14.30	894	12.51	915	12.73	950	13.14	893	12.29	830	11.36	14960	14.22
626	13.33	568	12.08	643	13.65	532	11.28	568	12.03	585	12.37	568	11.81	503	10.42	9482	13.52

Tuberculosis Mesenteric.—There were 63 deaths from this cause, 26 males and 37 females.

Ages: Under 1, 3; 1-5, 4; 5-10, 1; 10-20, 10; 20-40, 23; 40-60, 15; over 60, 7.

Tuberculosis, Other Forms.—Of these deaths, 66 in all, the cause assigned was: Tuberculosis or general tuberculosis, 31; tuberculosis of kidneys, 11; tuberculosis of larynx, 8; tuberculosis of bones, 3; tuberculosis of throat, 2; tuberculosis of glands, 1; Pott's disease, 8; white swelling, 1; cold abscess, 1.

There were 23 deaths from erysipelas; 11 from pyemia and septicemia, and 27 from puerperal fever—giving a special death-rate of 0.83. The following shows the distribution of puerperal fever by months and counties:

January	1	Androscoggin	6
February	3	Aroostook	2
March	3	Cumberland	5
April	5	Franklin	2
May	2	Hancock	2
June	3	Kennebec	3
July	1	Knox	3
August	3	Lincoln	1
September	0	Oxford	0
October	0	Penobscot	2
November	2	Piscataquis	0
December	4	Sagadahoc	0
		Somerset	0
Total	27	Waldo	0
		Washington	0
		York	1
		Total	27

Twenty-eight deaths were returned under alcoholism. The special death-rate from alcoholism was 0.38.

Rheumatism.—The returns give 45 deaths from this cause, (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, and 47 in 1908), 20 males and 25 females. Fifteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.62, and that in the cities was 0.60. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS AND AGE-PERIODS—1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	3	January	8	Under 1	1
Aroostook	4	February	3	1-5	1
Cumberland	6	March	2	5-10	2
Franklin	3	April	3	10-20	3
Hancock	1	May	5	20-30	-
Kennebec	4	June	1	30-40	5
Knox	2	July	5	40-50	6
Lincoln	-	August	4	50-60	4
Oxford	1	September	4	60-70	8
Penobscot	4	October	-	70-80	10
Piscataquis	5	November	6	Over 80	5
Sagadahoc	1	December	4	Total	45
Somerset	4	Total	45		
Waldo	1				
Washington	4				
York	2				
State	45				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the seventeen years 1893-1909:

RHEUMATISM BY COUNTIES, MONTHS AND AGE-PERIODS—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	47	January	85	Under 1	4
Aroostook	54	February	98	1-5	17
Cumberland	133	March	78	5-10	30
Franklin	19	April	59	10-20	72
Hancock	44	May	88	20-30	56
Kennebec	80	June	48	30-40	61
Knox	44	July	70	40-50	73
Lincoln	28	August	71	50-60	116
Oxford	54	September	56	60-70	194
Penobscot	108	October	61	70-80	194
Piscataquis	30	November	86	Over 80	73
Sagadahoc	30	December	90	Not stated	3
Somerset	50	Not stated	3	Total	893
Waldo	39	Total	893		
Washington	48				
York	85				
State	893				

Cancer.—From cancer in its various forms and locations there were 727 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, and 710 in 1908). Of the decedents, 271 were males and 456 were females. The cancer death-rate for the State was 9.95.

Distributed as to its more frequent locations, there died of cancer of the stomach, 183, female genital organs, 108; liver, 103; intestines, 97; breast, 62; skin, 39; mouth, 28; abdomen, 19; pelvis, 10; bladder, 10; throat, 7; neck, 5; eye, 4; thigh, 4; axilla, 4; kidney, 3; prostate, 3; arm, 2; spleen, 2; lungs, 2; hip, 2; glands, 2; chest, 2; unspecified, 26.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1909.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	–	1	–	–	5	4	16	58	67	88	30	2	271
Females	–	–	1	2	2	24	75	92	121	102	36	1	456
Total	–	1	1	2	7	28	91	150	188	190	66	3	727

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1909, and for the seventeen years 1893-1909:

CANCER—1909 AND 1893-1909.

Counties.	1909.		1893–1909.		Age-Groups.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1909.	1893-1909.
Androscoggin	48	8.14	765	8.36	Under 1 year	–	12
Aroostook	33	4.66	366	3.60	From 1–5 years	1	16
Cumberland	137	12.52	1,729	10.21	" 5–10 "	1	12
Franklin	15	7.62	305	9.82	" 10–20 "	2	39
Hancock	31	8.32	501	7.32	" 20–30 "	7	133
Kennebec	66	10.82	904	9.01	" 30–40 "	28	515
Knox	40	13.16	475	9.09	" 40–50 "	91	1.218
Lincoln	21	10.68	333	9.56	" 50–60 "	150	2,056
Oxford	44	13.05	456	8.34	" 60–70 "	188	2,636
Penobscot	84	10.59	1,053	8.13	" 70–80 "	190	2,274
Piscataquis	23	13.01	196	6.82	Over 80 years	66	858
Sagadahoc	23	10.89	298	8.65	Not stated	3	44
Somerset	30	8.58	497	8.67	Total	727	9,813
Waldo	25	10.34	365	8.48			
Washington	37	8.06	534	6.95			
York	70	10.49	1.036	9.42			
State	727	9.95	9.813	8.32			

CANCER—1900-1909.

	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	Total.
Cancer of mouth	14	20	19	19	29	25	29	28	30	28	241
Cancer of stomach and liver	208	206	249	220	238	273	215	288	266	286	2,449
Cancer of the peritoneum intestines and rectum	56	64	61	75	76	76	101	101	99	97	806
Cancer of female genital organs	74	91	98	91	78	100	92	116	100	108	948
Cancer of breast	45	49	63	54	57	51	49	70	64	62	564
Cancer of skin	18	31	31	21	27	24	30	33	42	39	296
Cancer of other organs and of organs not specified	111	109	94	118	106	113	101	101	109	107	1,069
Cancer totals	526	570	615	598	611	662	617	737	710	727	6,373

Diabetes.—The deaths from this cause numbered 129 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, and 116 in 1908). The special death-rate from diabetes was, therefore, 1.77 in 1909. Sixty-four of the decedents were males and 65 were females.

Ages: 1-5, 2; 5-10, 5; 10-20, 7; 20-30, 4; 30-40, 3; 40-50, 11; 50-60, 18; 60-70, 43; 70-80, 31; 80-90, 4; over 90, 1.

Old Age.—There were registered 517 deaths as due to old age, 202 men and 315 women. Of these decedents, 140 were from 70 to 80 years of age; 281 were from 80 to 90; 95 were from 90 to 100; while 1 was over 100 years of age.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,661 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, 3,532 in 1904, 3,611 in 1905, 3,292 in 1906, 3,731 in 1907, and 3,636 in 1908), or one death in every three and one-fifth was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,661 died of old age, the death-rate from old age would be 50.09 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD-AGE—1909.

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	250	42.38	Oxford	188	55.75
Aroostook	174	24.58	Penobscot	397	50.04
Cumberland	562	51.35	Piscataquis	100	56.57
Franklin	96	48.74	Sagadahoc	120	56.81
Hancock	186	49.94	Somerset	174	49.79
Kennebec	351	57.53	Waldo	173	71.53
Knox	186	61.17	Washington	208	45.31
Lincoln	134	68.13	York	362	54.24

Centenarians.—Among the persons whose decease occurred in 1909, two women had exceeded the age of 100 years. Their names, together with a few facts relating to the life history of each, are as follows:

July 16, Margaret McCarthy died at Lewiston, at the age of 112 years. She was born in Ireland. Her father, whose name was Warren, and her mother, whose maiden name was Donahue, were both natives of Ireland.

January 9, Salome Sellers died at Deer Isle, at the age of 108 years, 2 months and 25 days. She was born at Deer Isle. Her father, Edward Sylvester, and her mother, Deborah Cushman, were both born in Deer Isle.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,543 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, and 1,624 in 1908), or 21.11 to every 10,000 of population.

Inflamation of the Brain or Membranes.—The number of deaths was 153 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, and 215 in 1908), 90 males and 63 females. Of these 75 were in the cities. The death-rate from the several diseases grouped under this head was 2.09.

Ages: Under 1, 54; 1-5, 37; 5-10, 12; 10-20, 17; 20-40, 14; 40-60, 14; over 60, 5.

Apoplexy.—From this cause 817 deaths occurred (488 in 1892, 422 in 1893, 408 in 1904, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, and 802 in 1908), 407 males and 410 females. Of these, 243 were in the cities. The State's death-rate from apoplexy was, therefore, 11.18; that of the cities, 9.79.

The largest number of deaths from apoplexy, 228, occurred in the spring; the largest number in any one month was 88 in May.

In 1894, 1896, 1900, 1905, 1906, 1908, and 1909, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, and 1907, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 53, was in August; the smallest number in any one season was 202 in the fall months. Over 77 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1909

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	6	7	8	1	9	5	3	2	3	7	5	2	58	9.83
Aroostook	3	4	2	1	2	1	1	2	7	2	7	2	34	4.80
Cumberland	10	16	13	13	13	13	14	11	9	14	9	11	146	13.34
Franklin	3	3	2	3	2	4	2	–	4	–	4	–	27	13.71
Hancock	4	3	5	2	8	–	6	1	–	3	3	1	36	9.67
Kennebec	8	9	7	7	11	4	4	6	6	9	11	10	92	15.08
Knox	5	3	6	1	3	3	6	2	2	4	2	4	41	13.48
Lincoln	3	2	5	1	1	1	2	2	4	6	3	3	33	16.77
Oxford	3	–	3	2	5	10	2	–	3	2	3	1	34	10.08
Penobscot	6	5	7	7	10	10	8	2	9	2	5	10	81	10.21
Piscataquis	2	1	1	–	4	2	1	3	–	–	1	–	15	8.49
Sagadahoc	2	3	1	2	3	1	3	3	5	1	–	2	26	12.31
Somerset	2	3	5	3	5	3	3	2	6	3	2	3	40	11.45
Waldo	1	2	5	2	3	1	1	3	2	4	4	5	33	13.64
Washington	5	6	3	8	2	2	2	7	1	4	5	1	46	10.02
York	9	6	5	9	7	5	6	7	7	6	3	5	75	11.24
State	72	73	78	62	88	65	64	53	68	67	67	60	817	11.18

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1909.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	8	1	1	–	1	7	18	63	92	153	61	2	407
Females	7	–	–	1	2	5	16	49	100	132	96	2	410
Total	15	1	1	1	3	12	34	112	192	285	157	4	817

APOPLEXY—1909 AND 1893-1909.

Counties.	1909.		1893-1909.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	58	9.83	897	8.58
Aroostook	34	4.80	301	2.55
Cumberland	146	13.34	1,864	9.39
Franklin	27	13.71	310	8.42
Hancock	36	9.67	444	5.98
Kennebec	92	15.08	1,153	10.02
Knox	41	13.48	529	9.13
Lincoln	33	16.77	338	8.47
Oxford	34	10.08	514	7.99
Penobscot	81	10.21	1,071	7.38
Piscataquis	15	8.49	203	6.38
Sagadahoc	26	12.31	373	9.08
Somerset	40	11.45	552	8.45
Waldo	33	13.64	426	8.91
Washington	46	10.02	527	5.80
York	75	11.24	1,241	9.70
State	817	11.18	10,743	7.89

Softening of the Brain.—From cerebral softening there were 26 deaths—those of 10 males and 16 females.

Ages: From 40-50, 1; 50-60, 1; 60-70, 7; 70-80, 8; over 80, 9.

Paralysis.—Of the 212 deaths from paralysis, 109 persons were males and 103 were females.

Ages: Under 1, 2; 1-5, 2; 5-10, 1; 10-20, 2; 20-30, 1; 30-40, 4; 40-50, 7; 50-60, 23; 60-70, 49; 70-80, 87; 80-90, 32; over 90, 1; not stated, 1.

Epilepsy.—Twenty-two males and 18 females died of epilepsy, 40 in all.

Ages: Under 1, 2; 1-5, 3; 10-20, 7; 20-40, 14; 40-60, 6; over 60, 7; not stated, 1.

Tetanus.—This disease was the cause of 5 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, and 6 in 1908). The decedents were 2 males and 3 females.

Ages: Under 1, 1; 10-20, 3; 30-40, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,330 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, and 1,284 in 1908). The following exhibits the age and sex distribution of each form of disease for the year, 1909.

Diseases.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Total.
Pericarditis	1	1	–	1	2	6	–	6	5	11
Endocarditis	1	2	2	5	12	43	–	38	27	65
Organic diseases of heart	24	9	15	62	205	855	3	654	519	1,173
Angina pectoris	–	–	–	–	19	62	–	48	33	81
Total	26	12	17	68	238	966	3	746	584	1,330

For the year 1909, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	83	14.07	Oxford	73	21.65
Aroostook	71	10.03	Penobscot	165	20.80
Cumberland	227	20.74	Piscataquis	22	12.44
Franklin	21	10.66	Sagadahoc	48	22.73
Hancock	67	17.99	Somerset	53	15.17
Kennebec	124	20.33	Waldo	57	23.57
Knox	68	22.36	Washington	79	17.21
Lincoln	40	20.34	York	132	19.78
			State	1,330	18.20

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 18.20.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1909.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	16	2	2	9	8	19	36	89	191	258	115	1	746
Females	10	4	4	8	16	25	43	70	110	199	93	2	584
Total	26	6	6	17	24	44	79	159	301	457	208	3	1,330

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,509 persons died from the various respiratory diseases, as tabulated on page 93, (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, 1,497 in 1907, and 1,334 in 1908). From these diseases there were, therefore, 251 fewer deaths than in 1892, 102 more

than in 1893, 197 more than in 1894, 344 more than in 1895, 368 more than in 1896, 162 more than in 1897. 385 more than in 1898, 54 more than in 1899, 4 fewer than in 1900, 104 more than in 1901, 129 more than in 1902, 161 more than in 1903, 81 more than in 1904, 118 more than in 1905, 179 more than in 1906, 12 more than in 1907, and 175 more than in 1908.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1909 the number of deaths was 773 smaller than in 1892, 367 smaller than in 1893, 235 smaller than in 1894, 21 smaller than in 1895, 26 larger than in 1896, 136 smaller than in 1897, 194 larger than in 1898, 131 smaller than in 1899, 201 smaller than in 1900, 99 smaller than in 1901, 11 smaller than in 1902, 90 larger than in 1903, 105 smaller than in 1904, 54 larger than in 1905, 94 larger than in 1906, 108 smaller than in 1907, and 112 larger than in 1908.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1909 was 20.65 in each 10,000 population, as compared with 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,120 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, and 1,068 in 1908), of which 551 were males and 569 were females. The death-rate from this disease was, therefore, 15,32 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, and 14.69 in 1908). As 441 of the deaths occurred in the cities, the urban death-rate was 17.78.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1909.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	125	50	9	18	21	36	38	59	63	84	45	3	551
Females	102	41	9	12	22	28	33	42	77	128	75	–	569
Totals	227	91	18	30	43	64	71	101	140	212	120	3	1,120

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	6	14	16	15	10	4	3	2	5	9	9	8	101	17.12
Aroostook	7	14	14	14	7	11	5	1	4	6	2	4	89	12.57
Cumberland	24	21	30	22	20	9	5	10	7	7	10	23	188	17.18
Franklin	7	2	6	5	2	1	–	1	1	1	1	2	29	14.72
Hancock	5	7	10	7	8	2	3	–	–	–	2	3	47	12.62
Kennebec	10	10	19	9	5	4	1	1	3	2	10	17	91	14.92
Knox	2	3	4	4	1	2	1	2	–	3	3	3	28	9.21
Lincoln	3	2	7	3	3	1	2	1	1	1	–	–	24	12.20
Oxford	8	4	13	16	5	3	1	–	1	–	4	4	59	17.50
Penobscot	17	16	24	16	15	6	4	4	4	10	9	14	139	17.52
Piscataquis	8	2	4	1	–	3	–	1	–	1	2	7	29	10.75
Sagadahoc	4	3	5	4	–	2	1	2	–	2	3	1	27	12.78
Somerset	5	8	11	5	1	4	2	1	–	2	4	6	49	14.02
Waldo	2	2	6	2	2	3	1	3	2	3	2	2	30	12.40
Washington	5	9	14	7	7	2	–	1	–	5	6	5	61	13.29
York	18	16	10	23	16	4	3	3	6	11	8	11	129	19.33
State	131	133	193	153	102	61	32	33	34	63	75	110	1,120	15.32

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the seventeen years 1893-1909:

PNEUMONIA—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	1,355	January	2,300	Under 1	2,644
Aroostook	1,037	February	2,215	1–5	1,723
Cumberland	2,739	March	2,512	5–10	349
Franklin	495	April	2,213	10–20	566
Hancock	831	May	1,674	20–30	839
Kennebec	1,533	June	936	30–40	964
Knox	589	July	430	40–50	1,159
Lincoln	426	August	367	50–60	1,464
Oxford	867	September	514	60–70	2,300
Penobscot	2,071	October	905	70–80	2,885
Piscataquis	364	November	1,212	Over 80	2,034
Sagadahoc	489	December	1,703	Not stated	65
Somerset	800	Not stated	11	Total	16,992
Waldo	562	Total	16,992		
Washington	1,008				
York	1,826				
State	16,992				

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1895 to 1909, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

Cities.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.
Auburn	15	12.40	10	8.15	10	8 04	5	3.96	25	19.56	12	9.27	16	12.19
Augusta	16	14.41	22	19.61	20	17.64	13	11.35	27	23.34	16	13.70	12	10.17
Bangor	37	18.07	27	13.01	31	14.74	40	18.78	38	17.61	36	16.48	37	16.72
Bath	11	11.46	4	4.09	10	10.05	11	10.86	11	10.68	15	14.32	10	9.39
Belfast	4	8.07	2	4.09	5	10.38	9	18.94	5	10.68	8	17.33	6	12.66
Biddeford	25	16.35	26	16.81	31	19.83	15	9.47	44	27.54	41	25.39	21	12.87
Brewer	13	28.70	8	17.47	9	19.39	13	27.62	6	12.55	4	8.27	11	22.45
Calais	15	20.07	12	15.98	10	13.25	7	9.23	7	9.19	12	15.68	17	22.10
Eastport	2	3.91	–	–	9	17.34	5	9.56	3	5.69	14	26.36	12	22.43
Ellsworth	7	15.38	10	22.22	10	22.48	3	6.82	6	13.71	8	18.62	9	30.25
Gardiner	8	14.56	3	5.46	2	3.64	5	9.09	17	30.91	19	34.54	14	25.45
Hallowell	4	13.57	4	13.79	1	3.50	2	7.12	4	14.49	8	29.48	4	14.74
Lewiston	20	8.80	27	11.77	25	10.80	33	14.13	34	14.43	40	16.83	28	11.68
Old Town	6	10.83	7	12.54	3	5.33	10	17.62	19	33.22	9	15.62	8	13.77
Portland*	79	17.19	62	13.25	105	22.04	75	15.47	96	19.47	94	18.74	68	13.34
Rockland	10	12.25	8	9.80	10	12.26	11	13.49	9	11.04	10	12.27	9	11.04
Saco	6	9.84	11	18.02	11	18.01	10	16.36	14	22.89	16	26.14	11	17.95
South Portland†	8	12.66	8	12.33	4	6.01	7	10.25	5	7.14	13	18.12	7	9.53
Waterville	5	6.03	10	11.72	10	11.41	6	6.66	9	9.47	14	14.77	9	9.26
Westbrook	2	2.87	10	14.24	8	11.29	7	9.78	8	11.08	3	4.12	9	13.31
Total	293	13.71	271	12.54	324	14.82	287	12.99	387	17.32	392	17.35	318	13.91
State	812	11.98	781	11.47	936	13.68	769	11.18	1067	15.44	1067	15.36	994	14.23
State exclusive of cities	519	11.18	510	10.97	612	13.14	482	10.33	680	14.54	675	14.41	676	14.41

*Portland includes Deering. †South Portland includes Cape Elizabeth.

in the Cities and the State—1895-1909.

1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
12	9.03	15	11.14	10	7.34	22	15.94	26	18.61	20	14.14	17	11.88	19	13.12	234	11.65
30	25.18	16	13.30	22	18.11	16	13.05	19	15.35	29	23.21	15	11.90	28	21.92	301	16.82
41	18.31	58	25.57	60	26.15	48	20.67	40	17.02	50	21.03	54	22.45	49	20.14	646	19.12
14	12.93	19	17.25	16	14.31	20	17.61	15	13.01	14	11.96	15	12.63	13	10.79	198	12.09
7	14 38	7	14.02	3	5.86	8	15.25	5	9.31	6	10.91	3	5.72	7	13.33	85	11.40
42	25.48	29	17.41	40	23.77	37	21 77	45	26.22	35	20.19	24	13.69	50	28.22	505	20.33
6	12.09	15	29.83	8	15.71	13	25.21	9	17.24	11	20.82	11	20.57	10	18.48	147	19.76
14	18.10	9	11.59	16	20.51	10	12.76	13	16.51	16	20.23	15	18.88	12	15.03	185	15.94
7	12.98	5	9.20	6	10.96	9	16.33	9	16.21	11	19.67	8	14.20	5	8.81	105	12.91
13	30.25	2	4.65	6	13.96	25	58.18	5	11.64	7	16.29	10	23.27	8	18.62	129	20.42
4	7.27	12	21.80	11	19.98	14	25.43	3	5.27	6	10.89	12	21.78	4	7.26	134	16.22
8	29.48	4	14.74	4	14.74	6	22.11	5	18.42	7	25.79	5	18.42	1	3.68	67	16.27
42	17.37	18	7.38	25	10.17	49	19.77	70	28.00	47	18.65	45	17.71	61	23.81	564	15.42
11	18.79	16	27.12	7	11.78	9	15.03	21	34.80	12	19.74	16	26.13	12	19.46	166	18.78
75	14.47	96	18.23	77	14.39	65	11.96	81	14.68	120	21.43	100	17.43	104	17.87	1297	16.66
12	14.72	10	12.27	9	11.04	9	11.04	10	12.27	11	13.50	11	13.50	7	8.59	146	11.94
6	9.79	7	11.40	7	11.40	9	14.64	6	9.76	6	9.75	11	17.85	9	14.60	140	15.23
6	7.98	3	3.90	5	6.36	3	3.73	6	7.31	15	20.91	7	9.76	6	9.54	103	9.70
24	24.12	11	10.80	21	20.14	8	7.53	17	15.60	13	11.67	15	13.19	17	14.77	189	12.48
9	12.14	12	16.05	7	9.28	6	7.89	17	22.15	14	18.09	11	14.10	19	24.15	142	12.70
383	16.55	364	15.55	360	15.20	386	16.11	422	17.41	450	18.36	405	16.48	441	17.78	5483	15.74
987	14.05	999	14.11	1050	14.78	1053	14.72	970	13.50	1153	16.06	1068	14.69	1120	15.32	14826	14.0
604	12.86	635	13.50	690	14.65	667	14.15	548	11.61	703	14.88	663	13.78	679	14.07	9343	13.23

Bronchitis.—From this cause, including both acute and chronic bronchitis, 214 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, and 154 in 1908). Among these decedents, 91 were males and 123 were females. Of these 214 deaths, 61 were in the cities. The largest number of deaths in any one month was 28 in March. In July and September each occurred the smallest number of deaths, 7. The largest number of deaths in three consecutive months was 72 in January, February and March; the smallest number in any three consecutive months was 25 in July, August and September. The number of deaths by quarters was 72, 70, 25, and 47.

The bronchitis death-rate of the State was 2.92; of the cities, 2.45.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year,	54	40-50 years,		2
	1-5 years,	12	50-60 years,		10
	5-10 years,	4	60-70 years,		28
	10-20 years,	1	70-80 years,		43
	20-30 years,	2	Over 80 years,		55
	30-40 years,	3			

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	1	1	1	3	2	3	1	–	2	2	20	3.40
Aroostook	–	–	2	1	–	3	–	–	–	–	–	–	6	0.85
Cumberland	7	1	6	5	3	1	1	–	2	–	2	4	32	2.92
Franklin	–	–	1	1	2	1	–	–	–	–	–	1	6	3.05
Hancock	1	1	1	1	1	1	–	1	–	1	1	–	9	2.42
Kennebec	3	2	3	2	3	2	3	–	1	2	1	3	25	4.10
Knox	2	–	1	–	–	–	1	–	–	1	–	1	6	1.97
Lincoln	1	–	1	1	1	–	–	1	–	–	–	1	6	3.05
Oxford	1	1	–	2	–	–	–	1	1	1	–	1	8	2.37
Penobscot	2	5	4	2	2	4	–	3	–	1	2	3	28	3.53
Piscataquis	–	–	–	–	–	–	–	–	–	1	–	2	3	1.70
Sagadahoc	1	1	2	–	1	1	–	–	–	–	–	1	7	3.31
Somerset	1	1	2	2	2	3	–	1	1	–	2	1	16	4.58
Waldo	1	1	–	–	2	–	–	1	1	2	2	2	12	4.96
Washington	1	2	1	3	1	–	–	–	–	1	–	1	10	2.18
York	3	1	3	5	4	2	–	–	–	–	2	–	20	3.00
State	26	18	28	26	23	21	7	11	7	10	14	23	214	2.92

Pleurisy.—Thirty-two deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, and 10 in 1908), 20 males and 12 females.

Ages: Under 5, 7; 5-10, 2; 10-20, 4; 20-30, 3; 30-40, 1; 40-50, 2; 50-60, 2; 60-70, 3; over 70, 8.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,215 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, and 1,450 in 1908), or a death-rate of 16.62. The distribution of these under their several causes will be found on page 93.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 601 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, and 862 in 1908). The death-rate from this group of diseases was 8.22 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 483 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, and 682 in 1908). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 21 deaths from this cause; in the second quarter, 27; in the third quarter, 320; and in the fourth quarter, 115. The largest number of deaths occurred in September, 140.

Of the children dying from this cause, 61 per cent. were less than 6 months old, and another 30 per cent. were less than 1 year of age, making 91 per cent. of deaths within the first year of age.

Ages: Under 3 months, 115; 3-6 months, 182; 6-9 months, 102; 9-12 months, 44; 12-18 months, 28; 18 months-2 years, 12.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 7; dysentery, 15; and diarrhea, 96.

Of the 483 deaths from infantile diarrhea, 190 were returned from the cities. This represents an urban death-rate from this cause of 7.66 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21 in 1907, and 11.39 in 1908). The rate for the villages and rural districts is 6.07 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894,

5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, and 8.35 in 1908).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1909.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	–	–	1	2	–	3	22	28	7	5	1	–	69	11.70
Aroostook	1	2	4	–	1	1	10	52	49	24	4	–	148	20.94
Cumberland	2	–	4	–	1	2	7	11	8	8	2	1	46	4.20
Franklin	–	–	–	–	–	–	–	1	2	5	–	–	8	4.06
Hancock	–	–	–	–	1	–	–	1	6	–	–	–	8	2.15
Kennebec	–	–	–	1	2	–	1	5	11	8	3	2	33	5.41
Knox	–	–	–	1	–	–	–	2	1	–	–	–	4	1.32
Lincoln	–	–	1	–	–	–	–	–	–	1	–	1	3	1.53
Oxford	–	–	–	–	–	–	1	4	4	2	1	–	12	3.56
Penobscot	–	–	–	–	1	–	1	8	18	15	2	1	46	5.80
Piscataquis	–	–	1	2	–	–	–	1	1	–	–	–	5	2.83
Sagadahoc	–	–	–	–	–	–	2	1	3	1	1	–	11	5.21
Somerset	1	–	–	–	–	–	–	2	6	3	–	–	12	3.43
Waldo	–	–	–	–	–	1	–	–	–	1	–	–	2	0.83
Washington	1	–	4	1	–	1	1	4	12	9	–	–	30	6.53
York	–	1	1	–	3	3	3	12	12	6	2	3	46	6.89
State	5	3	13	7	9	11	48	132	140	91	16	8	483	6.61

The preceding table exhibits the number of deaths from infantile diarrhea in 1909, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the seventeen years 1893-1909, by counties, months, and age-groups:

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	1,114	January	124	Under 6 months	4,872
Aroostook	1,819	February	103	6-12 months	2,887
Cumberland	1,065	March	134	1-2 years	1,130
Franklin	133	April	134	Over 2 years	5
Hancock	235	May	138	Unknown	18
Kennebec	845	June	226	Total	8,912
Knox	206	July	1,129		
Lincoln	51	August	2,883		
Oxford	264	September	2,601		
Penobscot	865	October	1,084		
Piscataquis	105	November	219		
Sagadahoc	189	December	134		
Somerset	245	Not stated	3		
Waldo	88	Total	8,912		
Washington	555				
York	1,133				
State	8,912				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1902-1909.

INFANTILE DIARRHEA IN THE CITIES—1902-1909.

Cities.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	Total.
Auburn	3	4	2	8	15	6	12	13	63
Augusta	11	12	14	19	16	13	26	10	121
Bangor	4	16	6	12	13	9	7	8	75
Bath	4	7	2	4	7	10	9	7	50
Belfast	1	–	3	1	2	1	–	–	8
Biddeford	42	19	19	19	37	22	38	23	219
Brewer	2	4	7	13	3	5	4	2	40
Calais	7	9	1	9	7	8	10	2	53
Eastport	–	3	2	2	6	8	8	7	36
Ellsworth	–	1	–	–	5	–	–	2	8
Gardiner	–	–	1	1	1	–	6	–	9
Hallowell	–	1	2	1	1	2	3	1	11
Lewiston	26	20	29	55	45	57	54	49	335
Old Town	11	4	2	20	12	6	12	5	72
Portland	18	24	23	37	44	31	41	36	254
Rockland	4	6	1	9	1	2	3	1	27
Saco	4	2	3	4	5	4	10	4	36
South Portland	3	1	2	6	7	–	5	3	27
Waterville	9	10	13	9	16	6	22	13	98
Westbrook	6	3	9	10	2	10	10	4	54
Total	155	146	141	239	245	200	280	190	1,596

Peritonitis.—There were 59 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, and 64 in 1908), 26 males and 33 females. Twenty-six of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1909.

By Counties.		By Months.		By Age-periods.	
Androscoggin	4	January	6	Under 1	4
Aroostook	6	February	2	1–5	2
Cumberland	16	March	3	5–10	5
Franklin	1	April	2	10–20	8
Hancock	5	May	4	20–30	10
Kennebec	2	June	7	30–40	12
Knox	2	July	1	40–50	3
Lincoln	–	August	11	50–60	2
Oxford	2	September	8	60–70	3
Penobscot	11	October	7	70–80	10
Piscataquis	–	November	7	Over 80	–
Sagadahoc	1	December	1	Total	59
Somerset	2	Total	59		
Waldo	1				
Washington	2				
York	4				
State	59				

Appendicitis.—Of the deaths classified under this cause, 86 in number, 48 were males and 38 were females. The number of deaths in each month was: January, 10; February, 7; March, 10; April, 6; May, 7; June, 8; July, 7; August, 5; September, 9; October, 6; November, 1; December, 10.

Ages: From 1-5, 4; 5-10, 5; 10-20, 25; 20-30, 19; 30-40, 9; 40-50, 14; 50-60, 5; 60-70, 4; over 70, 1.

Cirrhosis of the Liver.—Fifty-five deaths were ascribed to cirrhosis of the liver—those of 34 men and 21 women. Of these 55 deaths, 22 were in the cities, and 33 in the rural parts of

the State. The death-rate in the State from this one cause was 0.75 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, and 0.89 in 1908).

Diseases of the Genito-Urinary System and its Adnexa.—There were 799 deaths referred to the diseases under this group, equivalent to a death-rate of 10.93.

Nephritis.—Acute nephritis caused the death of 82 persons, 41 males and 41 females. The death-rate from nephritis was, therefore, 1.12.

Ages: Under 1, 6; 1-5, 3; 5-10, 3; 10-20, 3; 20-30, 5; 30-40, 12; 40-50, 4; 50-60, 12; 60-70, 14; 70-80, 14; over 80, 6.

* *Bright's Disease.*—This was the cause of 595 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, and 600 in 1908), 328 males and 267 females. Of these deaths, 211 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1909.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	6	–	2	1	1	11	30	42	81	118	32	1	328
Females	–	3	2	2	8	20	22	48	72	60	29	1	267
Total	6	3	4	6	9	31	52	90	153	178	61	2	595

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatotis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	47	7.98	Oxford	30	8.90
Aroostook	30	4.24	Penobscot	50	6.30
Cumberland	119	10.87	Piscataquis	18	10.18
Franklin	17	8.63	Sagadahoc	15	7.10
Hancock	30	8.07	Somerset	22	6.30
Kennebec	38	6.23	Waldo	32	13.23
Knox	20	6.58	Washington	20	4.36
Lincoln	28	14.23	York	79	11.84
			State	595	8.15

The Puerperal State.—Under this class of accidents and diseases of reproduction, 56 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, and 66 in 1908). This is equivalent to a special death-rate of 0.76.

Deaths from External Causes.—Under this class there were 610 deaths.

Fractures caused 83 deaths—fracture of skull, 27; of hip, 22; of thigh, 14; of spine, 6; of neck, 6; of leg, 2; of arms, 2; of rib, 1; and 3, not stated.

Burns and scalds caused 35 deaths—10 were from clothing taking fire; 6, scalded with hot water; 6, by lamp exploding; 3, by using kerosene to light fire; 2, by overturning lamp; 2, by playing with matches, and the rest, unspecified.

Sunstroke caused 3 deaths. Five persons died from exposure to cold.

From accidental drowning, 115 deaths occurred.

Other accidental injuries caused the death of 173 persons; 44 were from falls; 33, from railway injuries; 28, from gun shot wounds; 14, from working in a mill; 10, thrown from team; 7, run over by team; 5, from electric cars; 5, from falling trees; 2, from sliding; 2, from dynamite; 2, from falling rocks in quarry; 2, from splinters in hand; 1, from sticking needle in foot; 1, from mosquito bite; 1, kicked by a horse; 1, knocked down by an automobile; 1, fell from masthead; 1, caught between elevator and floor; 1, from injuries by gasoline motor; 1, from sinking a rock; 1, from coal tub falling from the rigging, while hoisting coal; the rest were unspecified.

From acute poisoning there were 31 deaths.

Fifty-nine people met their death from external violence, including 4 murders.

The death-rate in the State under this class was 8.34.

Suicide.—Within the year 94 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, and 121 in 1908), 79 males and 15 females. Of the males, the occupation of 22 was farmer; of 13, laborer; of 5, carpenter; of 3, painter; of 2, canner; of 2, clerk; of 2, mason; of 2, merchant; of 2, mill operative; of 2, shoemaker; of 2, woodsman; of 1, each, art publisher, attendant at Maine Insane Hospital, candy maker, cashier, dyer, lumberman, machinist, mail carrier, gardener, quarryman, sailor, stonecutter, teamster, optician, watchman, while of 7, no occupation was given.

Of the females, the occupation of 7 was registered as housewife; of 2, as mill operative; and of 1, as telephone operator, while in 5 cases no occupation was given.

As to the means employed; 34 committed suicide by shooting; 20, by hanging; 14, by poisoning; 12, by drowning; 12, by cutting throat; 1, by asphyxiation, and 1, not stated.

SUICIDES BY AGES, MONTHS AND COUNTIES—1909.

Age-Periods.		Months.		Counties.		Rate per 10,000 of population.
10-20	2	January	9	Androscoggin	7	1.19
20-30	13	February	6	Aroostook	4	0.57
30-40	12	March	5	Cumberland	11	1.00
40-50	15	April	10	Franklin	2	1.02
50-60	21	May	11	Hancock	4	1.07
60-70	13	June	4	Kennebec	10	1.64
70-80	11	July	13	Knox	3	0.99
Over 80	3	August	7	Lincoln	1	0.51
Unknown	4	September	5	Oxford	7	2.08
Total	94	October	12	Penobscot	8	1.01
		November	9	Piscataquis	9	5.09
		December	3	Sagadahoc	1	0.47
		Total	94	Somerset	5	1.43
				Waldo	8	3.31
				Washington	5	1.09
				York	9	1.35
				State	94	1.29

The youngest suicides were a girl and boy, each aged 19 years and 9 months; the oldest, two men of 87 years. The largest number of suicides was 12 in September. By quarters, the suicides were 20, 25, 25, and 24. The largest number, 11, occurred in Cumberland county. The highest death-rate from suicide was in Piscataquis county. The rate for the State per 10,000 of population was 1.29.

TABLE OF INFANTILE MORTALITY—1909.

Age-Periods.	Number of deaths.	*Rate of mortality.
Under 1 day	43	2.7
Under 1 week	250	15.6
Under 2 weeks	82	5.1
Under 3 weeks	69	4.3
Under 4 weeks	54	3.4
Under 2 months	199	12.4
Under 3 months	187	11.6
Under 4 months	157	9.7
Under 5 months	138	8.6
Under 6 months	109	6.8
Under 9 months	242	15.1
Under 1 year	164	10.2
Total	1,694	105.5

*The infant mortality rates in this table are based upon the total number of births in 1909. The number was 16,060.

LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890 and 1900 and Estimated Population for 1909	5
Table No. 2.—Births, Marriages and Deaths, 1901-1909	5
Table No. 3.—Estimated Population for 1909, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1909	6
Table.—Summary of Births, Marriages and Deaths	7
Table No. 4.—Births and Deaths in each County	8
Table No. 5.—Births and Deaths in the Cities	9
Table No. 6.—Births, Marriages and Deaths by Counties and Towns	10-59
Table No. 7.—Births, Marriages and Deaths by Counties	60-61
Table No. 8.—Births and Birth-Rates by Counties, for the years 1902-1909	62
Table No. 9.—Births by Counties, showing the proportion of males to females, 1909	63
Table No. 10.—Number of Births in each month of 1902-1909, with Monthly Ratio compared with a Standard of 100	64
Table No. 11.—Births by Sex and Months, by Counties, 1909	65
Table No. 12.—Births in Cities, for 1909, with rate per 1,000 of population	66
Table No. 13.—Percentage of American and Foreign Births by Counties, 1909	67
Table No. 14.—Percentage of American and Foreign Births by Cities, 1909	68
Table No. 15.—Twin Births by Months and Counties, 1909	69
Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1909	70
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1909	71
Table No. 18.—Stillbirths by Seasons, 1909	72
Table.—Births in each Month of the eighteen years, 1892-1909.	75
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1902-1909	76
Table No. 20.—Marriages by Counties and Nativity, 1909	77
Table No. 21.—Marriages by Months and Counties, 1909	77
Table No. 22.—Number of Marriages in each month of 1902-1909, with Monthly Ratio compared with a Standard of 100	78
Table No. 23.—Marriages by Ages and Counties, 1909	79
Table No. 24.—Interesting Facts in Relation to Marriages	80-81

PAGE

Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1909 84-85
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1909 86
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1902-1909 88
Table No. 28.—Number of Deaths in each month of 1902-1909, with Monthly Ratio compared with a Standard of 100 89
Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties 90-95
Table No. 30.—Deaths from all Causes, by Months, 1909 96-99
Table No. 31.—Deaths from all Causes, by Age-Groups, 1901-1909 100-117
Table No. 32.—Deaths in each County and City from Special Causes, Mostly Infectious Diseases 118-119
Table No. 33.—Deaths in each County and City from Certain Diseases and Groups of Diseases 120-121
Table No. 34.—Deaths by Ages, Sex, and Months, by Counties 122-123
Table No. 35.—Deaths by Ages, Sex and Months by Cities ... 124-125
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during eighteen years, 1892-1909 126
Table No. 37.—Mortality by months, reduced to a Standard Mean of 100; Eighteen years, 1892-1909 .. 127
Table.—Number of Deaths from 1892-1909, with Death-Rates based upon the Estimated Population 128
Table.—Months in which the Largest and the Smallest Number of Deaths occurred in the years 1892-1909. 129
Table.—Number of Deaths by Quarters in the eighteen years, 1892-1909 130
Table.—Deaths in each month for the years 1892-1909 131
Table.—Deaths from some of the Leading Causes 133
Table.—Mortality from Ten Prominent Causes, 1892-1909 134
Table.—Six Infectious Diseases by Counties, 1909 135
Table.—Six Infectious Diseases by Cities, 1909 136
Table.—Infectious Diseases, 1902-1909 137
Table.—Measles by Counties, Months, and Age-Periods, 1896-1909 138
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1909 139
Table.—Influenza by Counties and Months, 1909 140
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1909 141

PAGE
Table.—Diphtheria by Counties and Months, 1909..... 142
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1909 143
Table.—Diphtheria in the Cities and the State, 1895-1909.... 144-145
Table.—Typhoid Fever by Counties and Months, 1909..... 146
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1909 147
Table.—Typhoid Fever in the Cities and the State, 1895-1909.. 148-149
Table.—Tuberculosis (all kinds) in the Cities and the State, 1895-1909 150-151
Table.—Consumption by Counties and Months, 1909..... 154
Table.—Consumption by Sex and Age-Periods, 1909..... 154
Table.—Consumption by Counties, Months, and Age-Periods 1893-1909 155
Table.—Pulmonary Tuberculosis in the Cities and State, 1895-1909 156-157
Table.—Rheumatism by Counties, Months, and Age-Periods, 1909 159
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1909 160
Table.—Cancer by Sex and Age-Periods, 1909..... 161
Table.—Cancer by Counties and Age-Periods, 1909 and 1893-1909 161
Table.—Cancer, 1900-1909..... 162
Table.—Old Age by Counties, 1909..... 163
Table.—Apoplexy by Counties and Months, 1909..... 165
Table.—Apoplexy by Sex and Age-Periods, 1909..... 165
Table.—Apoplexy, 1909 and 1893-1909..... 166
Table.—Diseases of the Heart by Ages..... 167
Table.—Diseases of the Heart by Counties..... 168
Table.—Heart Disease by Sex and Age-Periods, 1909..... 168
Table.—Pneumonia by Sex and Age-Periods, 1909..... 170
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1909..... 170
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1909 171
Table.—Pneumonia in the Cities and the State, 1895-1909.... 172-173
Table.—Bronchitis by Counties and Months, 1909..... 175
Table.—Infantile Diarrhea by Counties and Months, 1909..... 177
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1909 178
Table.—Infantile Diarrhea in the Cities, 1902-1909..... 179
Table.—Peritonitis by Counties, Months, and Age-Periods, 1909 180
Table.—Bright's Disease by Sex and Age-Periods, 1909..... 181
Table.—Bright's Disease by Counties, 1909..... 182
Table.—Suicides by Ages, Months, and Counties, 1909..... 184
Table.—Infantile Mortality..... 185

INDEX.

PAGE

Age and Mortality 132
Appendicitis 180
Apoplexy 164
1909 and 1893-1909 166
by counties and months 165
by sex and age-periods, 1909 165
Birth-rate 73
Birth-rates 6, 7
Births and birth-rates, by counties and years 62
by counties, showing proportion of males to females 63
by seasons 74
by sex and months, by counties 65
in cities, for 1909, with rate 66
in each month, by years 64
notes on 73
parentage of 73
percentage of American and foreign, by cities 68
by counties 67
relation to deaths 8
twin 75
by months and counties 69
by sex and parentage 70
marriages and deaths, in each county 60-61
in each town 10-59
Brain or Membranes, inflammation of 163
softening of the 166
Bright's Disease 181, 182
Bronchitis 174, 175
Cancer 160
1909 and 1893-1909 161
by sex and age-periods, 1909 161
1900-1909 162
Centenarians 163
Cirrhosis of the liver 180
Consumption, by counties and months 154
by counties, months, and age-periods, 1893-1909 155
by sex and age-periods, 1909 155
Deaths, age and mortality 132
causes of 132

PAGE

Deaths by ages, sex and months, by counties..... 122-123
months, reduced to a standard mean for eighteen years 127
in each month, for the years 1892-1909..... 131
in each county and city, from special causes..... 118-119
from certain diseases and groups of diseases..... 120-121
in the State and Counties, by classes and counties..... 90-95
from all causes, by months..... 96-99
from all causes by age-groups, 1901-1909..... 100-117
from several specified causes in eighteen years..... 126
from some of the leading causes..... 133
notes on, and the causes of death..... 128
number in each month, by years..... 89
seasons and mortality..... 129
sex and mortality..... 132
and death-rates, by counties and years..... 88
Death-rates 6, 7
compared 128
Diabetes 162
Diarrheal Diseases..... 176
Digestive System, diseases of the..... 175
Diphtheria 141
by counties and months..... 142
by counties, months, and age-periods, 1893-1909..... 143
in the cities and in the State, 1895-1909..... 144, 145
Divorces by causes, sex of libellants, etc..... 86
decreed in 1909 ..... 84, 85
notes on 87
Epilepsy 167
External causes, deaths from..... 182
Genito-Urinary system and its adnexa, diseases of the..... 181
Heart, diseases of the 167
Infantile Diarrhea 176
by counties and months 177
by counties, months, and age-periods, 1893-1909 178
in cities, 1902-1909 179
infantile mortality 185
Infectious diseases 135
1902-1909 137
six by cities 136
six by counties 135
Influenza 139
deaths from, by counties and months..... 140
Liver, cirrhosis of 180

PAGE
Marriages, interesting facts relating to 80, 81
rates 6, 7, 82
ages 82
and rates, by counties 76
by ages and counties 79
by counties and nativity 77
by months and counties 77
nativity 82
notes on 82
number of, in each month, by years 78
seasons 82
Malarial diseases 148
Measles 137
by counties, months, and age-periods, 1896-1909 138
Mortality from ten prominent causes, 1892-1909 134
Nephritis 181
Nervous system, diseases of the 163
Old age 162
Paralysis 166
Peritonitis 180
by counties, months, and age-periods, 1909 180
Pleurisy 175
Pneumonia 169
1893-1909 171
by counties and months, with death-rates 170
by sex and age-periods, 1909 170
in the cities and the State, 1895-1909 172-173
Population 4
Puerperal fever, by months and counties, 1909 158
Puerperal state, the 182
Respiratory system, diseases of the 168
Rheumatism 158
by counties, months, and age-periods, 1909 159
by counties, months, and age-periods, 1893-1909 160
Scarlet fever 138
by counties, months, and age-periods 139
Sex and mortality 132
Smallpox 137
Stillbirths 75
by seasons 72
by sex and parentage 71
Suicides 183
by ages, months, and counties, in 1909 184
Tetanus 167
Triplets 75

PAGE

Tuberculosis 149
cerebral 152
in the cities and the State, 1895-1909..... 150-151
mesenteric 158
other forms 158
pulmonary 152
in the cities and the State, 1895-1909 156-157
Typhoid fever 146
by counties and months, 1909..... 146
by counties, months, and age-periods, 1893-1909 147
in the cities and the State, 1895-1909..... 148-149
Whooping cough 140
by counties, months, and age-periods..... 141